

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
3 January 2003 (03.01.2003)

PCT

(10) International Publication Number
WO 03/000012 A2

(51) International Patent Classification: Not classified

(21) International Application Number: PCT/US02/19773

(22) International Filing Date: 21 June 2002 (21.06.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/300,159 21 June 2001 (21.06.2001) US
60/301,351 27 June 2001 (27.06.2001) US

(71) Applicant (for all designated States except US): **MIL-LENNIUM PHARMACEUTICALS, INC.** [US/US]; 75 Sidney Street, Cambridge, MA 02139 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **VEIBY, Ole, Petter** [NO/US]; 16 Nipmuck Drive, Westborough, MA 01581 (US).

(74) Agents: **SMITH, DeAnn, F.**; Lahive & Cockfield, LLP, 28 State Street, Boston, MA 02109 et al. (US).

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COMPOSITIONS, KITS, AND METHODS FOR IDENTIFICATION, ASSESSMENT, PREVENTION, AND THERAPY OF BREAST AND OVARIAN CANCER

(57) Abstract: The invention relates to newly discovered nucleic acid molecules and proteins associated with breast or ovarian cancer. Compositions, kits, and methods for detecting, characterizing, preventing, and treating human breast or ovarian cancers are provided.

WO 03/000012 A2

COMPOSITIONS, KITS, AND METHODS FOR
IDENTIFICATION, ASSESSMENT, PREVENTION, AND THERAPY OF
BREAST AND OVARIAN CANCER

5 RELATED APPLICATIONS

The present application claims priority from U.S. provisional patent application serial no. 60/300,159, filed on June 21, 2001, which was abandoned on June 25, 2001, and from U.S. provisional patent application serial no. 60/301,351, filed on June 27, 2001. All of the above applications are expressly incorporated by reference.

10

FIELD OF THE INVENTION

The field of the invention is cancer, particularly breast and ovarian cancers, including diagnosis, characterization, management, and therapy of breast and ovarian cancers.

15

BACKGROUND OF THE INVENTION

The increased number of cancer cases reported in the United States, and, indeed, around the world, is a major concern. Currently there are only a handful of treatments available for specific types of cancer, and these provide no absolute guarantee of success. In order to be most effective, these treatments require not only an early detection of the malignancy, but a reliable assessment of the severity of the malignancy.

20

The incidence of breast cancer, a leading cause of death in women, has been gradually increasing in the United States over the last thirty years. In 1997, it was estimated that 181,000 new cases were reported in the U.S., and that 44,000 people would die of breast cancer (Parker *et al*, 1997, *CA Cancer J. Clin.* 47:5-27; Chu *et al*, 1996, *J. Nat. Cancer Inst.* 88:1571-1579). While the pathogenesis of breast cancer is unclear, transformation of normal breast epithelium to a malignant phenotype may be the result of genetic factors, especially in women under 30 (Miki *et al.*, 1994, *Science*, 266:66-71). The discovery and characterization of *BRCA1* and *BRCA2* has recently expanded our knowledge of genetic factors which can contribute to familial breast cancer. Germ-line mutations within these two loci are associated with a 50 to 85% lifetime risk of breast and/or ovarian cancer (Casey, 1997, *Curr. Opin. Oncol.* 9:88-93; Marcus *et al*, 1996, *Cancer* 77:697-709). However, it is likely that other, non-genetic factors also have a significant effect on the etiology of the disease. Regardless of its origin, breast cancer morbidity and mortality increases significantly if it is not detected early in its progression. Thus, considerable effort has focused on the early detection of cellular transformation and tumor formation in breast tissue.

25

30

35

Currently, the principal manner of identifying breast cancer is through detection of the presence of dense tumorous tissue. This may be accomplished to varying degrees of effectiveness by direct examination of the outside of the breast, or through mammography or other X-ray imaging methods (Jatoi, 1999, *Am. J. Surg.* 177:518-524). The latter approach is not without considerable cost, however. Every time a mammogram is taken, the patient incurs a small risk of having a breast tumor induced by the ionizing properties of the radiation used during the test. In addition, the process is expensive and the subjective interpretations of a technician can lead to imprecision, *e.g.*, one study showed major clinical disagreements for about one-third of a set of mammograms that were interpreted individually by a surveyed group of radiologists. Moreover, many women find that undergoing a mammogram is a painful experience. Accordingly, the National Cancer Institute has not recommended mammograms for women under fifty years of age, since this group is not as likely to develop breast cancers as are older women. It is compelling to note, however, that while only about 22% of breast cancers occur in women under fifty, data suggests that breast cancer is more aggressive in pre-menopausal women.

Ovarian cancer is also responsible for significant morbidity and mortality in populations around the world. Ovarian cancer is classified, on the basis of clinical and pathological features, in three groups, namely epithelial ovarian cancer (EOC; >90% of ovarian cancer in Western countries), germ cell tumors (*circa* 2-3% of ovarian cancer), and stromal ovarian cancer (*circa* 5% of ovarian cancer; Ozols *et al.*, 1997, *Cancer Principles and Practice of Oncology*, 5th ed., DeVita *et al.*, Eds. pp. 1502). Relative to EOC, germ cell tumors and stromal ovarian cancers are more easily detected and treated at an early stage, translating into higher/better survival rates for patients afflicted with these two types of ovarian cancer.

There are numerous types of ovarian tumors, some of which are benign, and others of which are malignant. Treatment (including non-treatment) options and predictions of patient outcome depend on accurate classification of the ovarian cancer. Ovarian cancers are named according to the type of cells from which the cancer is derived and whether the ovarian cancer is benign or malignant. Recognized histological tumor types include, for example, serous, mucinous, endometrioid, and clear cell tumors. In addition, ovarian cancers are classified according to recognized grade and stage scales.

In grade I, the tumor tissue is well differentiated from normal ovarian tissue. In grade II, tumor tissue is moderately well differentiated. In grade III, the tumor tissue is poorly differentiated from normal tissue, and this grade correlates with a less favorable prognosis than grades I and II. Stage I is generally confined within the

capsule surrounding one (stage IA) or both (stage IB) ovaries, although in some stage I (i.e. stage IC) cancers, malignant cells may be detected in ascites, in peritoneal rinse fluid, or on the surface of the ovaries. Stage II involves extension or metastasis of the tumor from one or both ovaries to other pelvic structures. In stage IIA, the tumor
5 extends or has metastasized to the uterus, the fallopian tubes, or both. Stage IIB involves extension of the tumor to the pelvis. Stage IIC is stage IIA or IIB in which malignant cells may be detected in ascites, in peritoneal rinse fluid, or on the surface of the ovaries. In stage III, the tumor comprises at least one malignant extension to the small bowel or the omentum, has formed extrapelvic peritoneal implants of microscopic
10 (stage IIIA) or macroscopic (< 2 centimeter diameter, stage IIIB; > 2 centimeter diameter, stage IIIC) size, or has metastasized to a retroperitoneal or inguinal lymph node (an alternate indicator of stage IIIC). In stage IV, distant (i.e. non-peritoneal) metastases of the tumor can be detected.

The durations of the various stages of ovarian cancer are not presently
15 known, but are believed to be at least about a year each (Richart *et al.*, 1969, *Am. J. Obstet. Gynecol.* 105:386). Prognosis declines with increasing stage designation. For example, 5-year survival rates for patients diagnosed with stage I, II, III, and IV ovarian cancer are 80%, 57%, 25%, and 8%, respectively.

Despite being the third most prevalent gynecological cancer, ovarian
20 cancer is the leading cause of death among those afflicted with gynecological cancers. The disproportionate mortality of ovarian cancer is attributable to a substantial absence of symptoms among those afflicted with early-stage ovarian cancer and to difficulty diagnosing ovarian cancer at an early stage. Patients afflicted with ovarian cancer most often present with non-specific complaints, such as abnormal vaginal bleeding,
25 gastrointestinal symptoms, urinary tract symptoms, lower abdominal pain, and generalized abdominal distension. These patients rarely present with paraneoplastic symptoms or with symptoms which clearly indicate their affliction. Presently, less than about 40% of patients afflicted with ovarian cancer present with stage I or stage II. Management of ovarian cancer would be significantly enhanced if the disease could be
30 detected at an earlier stage, when treatments are much more generally efficacious.

Ovarian cancer may be diagnosed, in part, by collecting a routine medical history from a patient and by performing physical examination, x-ray examination, and chemical and hematological studies on the patient. Hematological tests which may be indicative of ovarian cancer in a patient include analyses of serum levels of proteins
35 designated CA125 and DF3 and plasma levels of lysophosphatidic acid (LPA). Palpation of the ovaries and ultrasound techniques (particularly including endovaginal ultrasound and color Doppler flow ultrasound techniques) can aid detection of ovarian

tumors and differentiation of ovarian cancer from benign ovarian cysts. However, a definitive diagnosis of ovarian cancer typically requires performing exploratory laparotomy of the patient.

Potential tests for the detection of ovarian cancer (*e.g.*, screening, reflex or monitoring) may be characterized by a number of factors. The "sensitivity" of an assay refers to the probability that the test will yield a positive result in an individual afflicted with ovarian cancer. The "specificity" of an assay refers to the probability that the test will yield a negative result in an individual not afflicted with ovarian cancer. The "positive predictive value" (PPV) of an assay is the ratio of true positive results (*i.e.* positive assay results for patients afflicted with ovarian cancer) to all positive results (*i.e.* positive assay results for patients afflicted with ovarian cancer + positive assay results for patients not afflicted with ovarian cancer). It has been estimated that in order for an assay to be an appropriate population-wide screening tool for ovarian cancer the assay must have a PPV of at least about 10% (Rosenthal *et al.*, 1998, *Sem. Oncol.* 25:315-325). It would thus be desirable for a screening assay for detecting ovarian cancer in patients to have a high sensitivity and a high PPV. Monitoring and reflex tests would also require appropriate specifications.

Owing to the cost, limited sensitivity, and limited specificity of known methods of detecting ovarian cancer, screening is not presently performed for the general population. In addition, the need to perform laparotomy in order to diagnose ovarian cancer in patients who screen positive for indications of ovarian cancer limits the desirability of population-wide screening, such that a PPV even greater than 10% would be desirable.

Prior use of serum CA125 level as a diagnostic marker for ovarian cancer indicated that this method exhibited insufficient specificity for use as a general screening method. Use of a refined algorithm for interpreting CA125 levels in serial retrospective samples obtained from patients improved the specificity of the method without shifting detection of ovarian cancer to an earlier stage (Skakes, 1995, *Cancer* 76:2004).

Screening for LPA to detect gynecological cancers including ovarian cancer exhibited a sensitivity of about 96% and a specificity of about 89%. However, CA125-based screening methods and LPA-based screening methods are hampered by the presence of CA125 and LPA, respectively, in the serum of patients afflicted with conditions other than ovarian cancer. For example, serum CA125 levels are known to be associated with menstruation, pregnancy, gastrointestinal and hepatic conditions such as colitis and cirrhosis, pericarditis, renal disease, and various non-ovarian malignancies. Serum LPA is known, for example, to be affected by the presence of non-ovarian gynecological malignancies. A screening method having a greater specificity for ovarian cancer than

the current screening methods for CA125 and LPA could provide a population-wide screening for early stage ovarian cancer.

Presently greater than about 60% of ovarian cancers diagnosed in patients are stage III or stage IV cancers. Treatment at these stages is largely limited to cytoreductive surgery (when feasible) and chemotherapy, both of which aim to slow the spread and development of metastasized tumor. Substantially all late stage ovarian cancer patients currently undergo combination chemotherapy as primary treatment, usually a combination of a platinum compound and a taxane. Median survival for responding patients is about one year. Combination chemotherapy involving agents such as doxorubicin, cyclophosphamide, cisplatin, hexamethylmelamine, paclitaxel, and methotrexate may improve survival rates in these groups, relative to single-agent therapies. Various recently-developed chemotherapeutic agents and treatment regimens have also demonstrated usefulness for treatment of advanced ovarian cancer. For example, use of the topoisomerase I inhibitor topotecan, use of amifostine to minimize chemotherapeutic side effects, and use of intraperitoneal chemotherapy for patients having peritoneally implanted tumors have demonstrated at least limited utility. Presently, however, the 5-year survival rate for patients afflicted with stage III ovarian cancer is 25%, and the survival rate for patients afflicted with stage IV ovarian cancer is 8%.

It would therefore be beneficial to provide specific methods and reagents for the diagnosis, staging, prognosis, monitoring, and treatment of diseases associated with breast and/or ovarian cancer, or to indicate a predisposition to such for preventative measures. The present invention is directed towards these needs.

SUMMARY OF THE INVENTION

The invention relates to breast and/or ovarian cancer markers (hereinafter "markers" or "markers of the invention"), which are listed in Tables 1-5. The invention provides nucleic acids and proteins that are encoded by or correspond to the markers (hereinafter "marker nucleic acids" and "marker proteins," respectively). Table 1 provides the sequence identifiers of the sequences of such marker nucleic acids and proteins listed in the accompanying Sequence Listing. The invention further provides antibodies, antibody derivatives and antibody fragments which bind specifically with such proteins and/or fragments of the proteins.

The invention also relates to various methods, reagents and kits for diagnosing, staging, prognosing, monitoring and treating cancers, particularly breast and ovarian cancers. "Breast cancer" and "ovarian cancer" as used herein include carcinomas, (e.g., carcinoma in situ, invasive carcinoma, metastatic carcinoma) and pre-

malignant conditions. In one embodiment, the invention provides a diagnostic method of assessing whether a patient has breast or ovarian cancer or has higher than normal risk for developing breast or ovarian cancer, comprising the steps of comparing the level of expression of a marker of the invention in a patient sample and the normal level of expression of the marker in a control, *e.g.*, a sample from a patient without breast or ovarian cancer. A significantly higher level of expression of the marker in the patient sample as compared to the normal level is an indication that the patient is afflicted with breast or ovarian cancer or has higher than normal risk for developing breast or ovarian cancer.

According to the invention, the markers are selected such that the positive predictive value of the methods of the invention is at least about 10%, preferably about 25%, more preferably about 50% and most preferably about 90%. Also preferred for use in the methods of the invention are markers that are differentially expressed, as compared to normal breast cells, by at least two-fold in at least about 20%, more preferably about 50% and most preferably about 75% of any of the following conditions: stage 0 breast cancer patients, stage I breast cancer patients, stage IIA breast cancer patients, stage IIB breast cancer patients, stage IIIA breast cancer patients, stage IIIB breast cancer patients, stage IV breast cancer patients, grade I breast cancer patients, grade II breast cancer patients, grade III breast cancer patients, malignant breast cancer patients, ductal carcinoma breast cancer patients, and lobular carcinoma breast cancer patients. Further preferred for use in the methods of the invention are markers that are differentially expressed, as compared to normal ovarian cells, by at least two-fold in at least about 20%, more preferably about 50%, and most preferably about 75% of any of the following conditions: stage I ovarian cancer patients, stage II ovarian cancer patients, stage III ovarian cancer patients, stage IV ovarian cancer patients, grade I ovarian cancer patients, grade II ovarian cancer patients, grade III ovarian cancer patients, epithelial ovarian cancer patients, stromal ovarian cancer patients, germ cell ovarian cancer patients, malignant ovarian cancer patients, benign ovarian cancer patients, serous neoplasm ovarian cancer patients, mucinous neoplasm ovarian cancer patients, endometrioid neoplasm ovarian cancer patients and/or clear cell neoplasm ovarian cancer patients.

In a preferred diagnostic method of assessing whether a patient is afflicted with breast or ovarian cancer (*e.g.*, new detection ("screening"), detection of recurrence, reflex testing), the method comprises comparing:

a) the level of expression of a marker of the invention in a patient sample,
and

b) the normal level of expression of the marker in a control non-cancerous breast or non-cancerous ovarian cancer sample.

5 A significantly higher level of expression of the marker in the patient sample as compared to the normal level is an indication that the patient is afflicted with breast or ovarian cancer. In a preferred diagnostic method for breast cancer, the marker is selected from the markers in Table 2. In a preferred diagnostic method for ovarian cancer, the marker is selected from the markers in Table 3.

10 The invention also provides methods for assessing the efficacy of a therapy for inhibiting breast or ovarian cancer in a patient. Such methods comprise comparing:

a) expression of a marker of the invention in a first sample obtained from the patient prior to providing at least a portion of the therapy to the patient, and

15 b) expression of the marker in a second sample obtained from the patient following provision of the portion of the therapy.

A significantly lower level of expression of the marker in the second sample relative to that in the first sample is an indication that the therapy is efficacious for inhibiting breast or ovarian cancer in the patient. In a preferred method for breast cancer, the marker is
20 selected from the markers in Table 2. In a preferred method for ovarian cancer, the marker is selected from the markers in Table 3.

It will be appreciated that in these methods the "therapy" may be any therapy for treating breast or ovarian cancer including, but not limited to, chemotherapy, radiation therapy, surgical removal of tumor tissue, gene therapy and biologic therapy
25 such as the administering of antibodies and chemokines. Thus, the methods of the invention may be used to evaluate a patient before, during and after therapy, for example, to evaluate the reduction in tumor burden.

In a preferred embodiment, the methods are directed to therapy using a chemical or biologic agent. These methods comprise comparing:

30 a) expression of a marker of the invention in a first sample obtained from the patient and maintained in the presence of the chemical or biologic agent, and

b) expression of the marker in a second sample obtained from the patient and maintained in the absence of the agent.

A significantly lower level of expression of the marker in the second sample relative to
35 that in the first sample is an indication that the agent is efficacious for inhibiting breast or ovarian cancer, in the patient. In one embodiment, the first and second samples can be portions of a single sample obtained from the patient or portions of pooled samples

obtained from the patient. In a preferred embodiment, the methods are directed to therapy for treating breast cancer and the marker is selected from the markers in Table 2. In another preferred embodiment, the methods are directed to therapy for treating ovarian cancer and the marker is selected from the markers in Table 3.

5 The invention additionally provides a monitoring method for assessing the progression of breast or ovarian cancer in a patient, the method comprising:

- a) detecting in a patient sample at a first time point, the expression of a marker of the invention;
- b) repeating step a) at a subsequent time point in time; and
- 10 c) comparing the level of expression detected in steps a) and b), and therefrom monitoring the progression of breast or ovarian cancer in the patient.

A significantly higher level of expression of the marker in the sample at the subsequent time point from that of the sample at the first time point is an indication that the breast or ovarian cancer has progressed, whereas a significantly lower level of expression is an
15 indication that the breast or ovarian cancer has regressed. In a preferred embodiment for breast cancer, the marker is selected from the markers in Table 2. In a preferred embodiment for ovarian cancer, the marker is selected from the markers in Table 3.

 The invention further provides a diagnostic method for determining whether breast or ovarian cancer has metastasized or is likely to metastasize, the method
20 comprising comparing:

- a) the level of expression of a marker of the invention in a patient sample, and
- b) the normal level (or non-metastatic level) of expression of the marker in a control sample.

25 A significantly higher level of expression in the patient sample as compared to the normal level (or non-metastatic level) is an indication that the breast or ovarian cancer has metastasized or is likely to metastasize. In a preferred diagnostic method for breast cancer, the marker is selected from the markers in Table 2. In a preferred diagnostic method for ovarian cancer, the marker is selected from the markers in Table 3.

30 The invention moreover provides a test method for selecting a composition for inhibiting breast or ovarian cancer in a patient. This method comprises the steps of:

- a) obtaining a sample comprising cancer cells from the patient;
- b) separately maintaining aliquots of the sample in the presence of a
35 plurality of test compositions;
- c) comparing expression of a marker of the invention in each of the aliquots; and

d) selecting one of the test compositions which significantly reduces the level of expression of the marker in the aliquot containing that test composition, relative to the levels of expression of the marker in the presence of the other test compositions.

5 In a preferred method for selecting a composition for inhibiting breast cancer, the marker is selected from the markers in Table 2. In a preferred method for selecting a composition for inhibiting ovarian cancer, the marker is selected from the markers in Table 3.

10 The invention additionally provides a test method of assessing the breast or ovarian carcinogenic potential of a compound. This method comprises the steps of:

a) maintaining separate aliquots of breast or ovarian cells in the presence and absence of the compound; and

b) comparing expression of a marker of the invention in each of the aliquots.

15 A significantly higher level of expression of the marker in the aliquot maintained in the presence of the compound, relative to that of the aliquot maintained in the absence of the compound, is an indication that the compound possesses breast or ovarian carcinogenic potential. In a preferred method for assessing breast carcinogenic potential, the marker is selected from the markers in Table 2. In a preferred method for assessing ovarian
20 carcinogenic potential, the marker is selected from the markers in Table 3.

In addition, the invention further provides a method of inhibiting breast or ovarian cancer in a patient. This method comprises the steps of:

a) obtaining a sample comprising cancer cells from the patient;

25 b) separately maintaining aliquots of the sample in the presence of a plurality of compositions;

c) comparing expression of a marker of the invention in each of the aliquots; and

30 d) administering to the patient at least one of the compositions which significantly lowers the level of expression of the marker in the aliquot containing that composition, relative to the levels of expression of the marker in the presence of the other compositions.

In a preferred method for breast cancer, the marker is selected from the markers in Table 2. In a preferred method for ovarian cancer, the marker is selected from the markers in Table 3.

35 In the aforementioned methods, the samples or patient samples can comprise a breast- or ovary-associated body fluid. Breast-associated fluids include, for example, blood fluids, lymph and cystic fluids, as well as nipple aspirates. Ovary-

associated body fluids include, for example, blood fluids, lymph, ascites fluids, gynecological fluids, cystic fluids, urine, and fluids collected by peritoneal rinsing. The cells may be found in an ovarian or breast tissue sample collected, for example, by an ovarian or breast tissue biopsy or histology section. In another embodiment, the sample
5 comprises cells obtained from the patient. In another embodiment, the patient sample is *in vivo*.

According to the invention, the level of expression of a marker of the invention in a sample can be assessed, for example, by detecting the presence in the sample of:

10 the corresponding marker protein (*e.g.*, a protein having one of the sequences of the even numbered SEQ ID NOs. such as SEQ ID NOs: 2, 4, 6, 8, etc.) or a fragment of the protein (*e.g.* by using a reagent, such as an antibody, an antibody derivative, an antibody fragment or single-chain antibody, which binds specifically with the protein or protein fragment)

15 the corresponding marker nucleic acid (*e.g.* a nucleotide transcript having one of the sequences of the odd numbered SEQ ID NOs. such as SEQ ID NOs: 1, 3, 5, 7, etc., or a complement thereof), or a fragment of the nucleic acid (*e.g.* by contacting transcribed polynucleotides obtained from the sample with a substrate having affixed thereto one or more nucleic acids having the entire or a segment
20 of the sequence of any of the odd numbered SEQ ID NOs., or a complement thereof)

a metabolite which is produced directly (*i.e.*, catalyzed) or indirectly by the corresponding marker protein.

According to the invention, any of the aforementioned methods may be
25 performed using a plurality (*e.g.* 2, 3, 5, or 10 or more) of breast or ovarian cancer markers, including breast or ovarian cancer markers known in the art. In such methods, the level of expression in the sample of each of a plurality of markers, at least one of which is a marker of the invention, is compared with the normal level of expression of each of the plurality of markers in samples of the same type obtained from control
30 humans not afflicted with breast or ovarian cancer. A significantly altered (*i.e.*, increased or decreased as specified in the above-described methods using a single marker) level of expression in the sample of one or more markers of the invention, or some combination thereof, relative to that marker's corresponding normal levels, is an indication that the patient is afflicted with breast or ovarian cancer. For all of the
35 aforementioned methods, the marker(s) are preferably selected such that the positive predictive value of the method is at least about 10%.

In a further aspect, the invention provides an antibody, an antibody derivative, or an antibody fragment, which binds specifically with a marker protein (*e.g.*, a protein having the sequence of any of the even numbered SEQ ID NOs.) or a fragment of the protein. The invention also provides methods for making such antibody, antibody derivative, and antibody fragment. Such methods may comprise immunizing a mammal with a protein or peptide comprising the entirety, or a segment of 10 or more amino acids, of a marker protein (*e.g.*, a protein having the sequence of any of the even numbered SEQ ID NOs.), wherein the protein or peptide may be obtained from a cell or by chemical synthesis. The methods of the invention also encompass producing monoclonal and single-chain antibodies, which would further comprise isolating splenocytes from the immunized mammal, fusing the isolated splenocytes with an immortalized cell line to form hybridomas, and screening individual hybridomas for those that produce an antibody that binds specifically with a marker protein or a fragment of the protein.

The markers of the invention are predicted to code for secreted or extracellular proteins, as well as for other types of transmembrane proteins (*e.g.*, integral membrane proteins, type I and type II transmembrane proteins, multi-transmembrane proteins), and are therefore attractive targets for anticancer therapy and detection techniques, *e.g.*, using antibodies and derivatives. Thus, markers of Table 2 are useful targets for detecting and treating breast cancer cancers and markers of Table 3 are useful targets for detecting and treating ovarian cancer. Further, certain markers of the invention (listed in Table 4) are selectively expressed in multiple types of cancers and thus are useful targets for detecting and treating several types of cancers. Table 4 indicates the usefulness of a marker as a target for a specific type of cancer with a plus sign in that cancer's column. In one embodiment, Markers 1, 2, 3, 26 and 32 each can be used as a target for diagnosis and treatment of breast and lung cancers. In another embodiment, Markers 6, 23, 43 and 47 each can be used as a target for diagnosis and treatment of ovarian, breast, lung and colon cancers. In a further embodiment, Markers 5 and 7 each can be used as a target for diagnosis and treatment of ovarian, breast, lung, colon and prostate cancers. In a further embodiment, Markers 5 and 7 each can be used as a target for diagnosis and treatment of ovarian, breast, lung, colon and prostate cancers. In yet another embodiment, Marker 22 can be used as a target for diagnosis and treatment of breast, lung and colon cancers. In another embodiment, Marker 36 can be used as a target for diagnosis and treatment of ovarian, breast and lung, cancers. In a further additional embodiment, Marker 39 can be used as a target for diagnosis and treatment of ovarian and lung cancers. In yet a further embodiment, Marker 45 can be used as a target for diagnosis and treatment of ovarian and colon cancers. In another

additional embodiment, Marker 56 can be used as a target for diagnosis and treatment of ovarian lung and colon cancers. In a preferred embodiment of the invention, Marker 7 and Marker 32 can be used as targets for inhibiting angiogenesis associated with tumor growth. Antibodies, antibody derivatives, and antibody fragments which bind
5 specifically with a marker protein of the invention (*i.e.*, a protein comprising the sequence of any of the even numbered) or a fragment of the protein, may thus be used to treat a cancer of which the corresponding marker is a target.

In another aspect, the invention relates to various diagnostic and test kits. In one embodiment, the invention provides a kit for assessing whether a patient is
10 afflicted with breast or ovarian cancer. The kit comprises a reagent for assessing expression of a marker of the invention. In another embodiment, the invention provides a kit for assessing the suitability of a chemical or biologic agent for inhibiting an breast or ovarian cancer in a patient. Such kit comprises a reagent for assessing expression of a marker of the invention, and may also comprise one or more of such agents. In a further
15 embodiment, the invention provides kits for assessing the presence of breast or ovarian cancer cells or treating breast or ovarian cancers. Such kits comprise an antibody, an antibody derivative, or an antibody fragment, which binds specifically with a marker protein, or a fragment of the protein. Such kits may also comprise a plurality of antibodies, antibody derivatives, or antibody fragments wherein the plurality of such
20 antibody agents binds specifically with a marker protein, or a fragment of the protein.

In an additional embodiment, the invention also provides a kit for assessing the presence of breast or ovarian cancer cells, wherein the kit comprises a nucleic acid probe that binds specifically with a marker nucleic acid or a fragment of the nucleic acid. The kit may also comprise a plurality of probes, wherein each of the
25 probes binds specifically with a marker nucleic acid, or a fragment of the nucleic acid.

In a further aspect, the invention relates to methods for treating a patient afflicted with cancer, particularly breast or ovarian cancer or at risk of developing such a cancer. The methods may comprise reducing the expression and/or interfering with the biological function of a marker of the invention so as to treat a cancer of which the
30 marker has been identified herein as a useful diagnosis and therapeutic target. In one embodiment, the method comprises providing to the patient an antisense oligonucleotide or polynucleotide complementary to a marker nucleic acid, or a segment thereof. For example, an antisense polynucleotide may be provided to the patient through the delivery of a vector that expresses an anti-sense polynucleotide of a marker nucleic acid
35 or a fragment thereof. In another embodiment, the method comprises providing to the patient an antibody, an antibody derivative, or antibody fragment, which binds specifically with a marker protein or a fragment of the protein. In a preferred

embodiment, the antibody, antibody derivative or antibody fragment binds specifically with a protein having the sequence of an even numbered SEQ ID NO., or a fragment of the protein.

It will be appreciated that the methods and kits of the present invention may also include known cancer markers including known breast or ovarian cancer markers. It will further be appreciated that the methods and kits may be used to identify cancers other than breast or ovarian cancer.

DETAILED DESCRIPTION OF THE INVENTION

The invention relates to newly discovered Markers 1-56 (Table 1) associated with cancer and more particularly the cancerous state of breast and/or ovarian cells. Table 1 lists the markers of the invention, which are over-expressed in breast and/or ovarian cancer cells compared to normal (*i.e.*, non-cancerous) cells and provides the sequence listing identifiers of the cDNA sequence of a nucleotide transcript and the amino acid sequence of a protein encoded by or corresponding to each marker. It has been discovered that higher than normal level of expression of any of Markers 1-33 (Table 2) or a combination of these markers correlates with the presence of cancer, particularly breast cancer in a patient. Likewise, it has been discovered that higher than normal level of expression of any of Markers 34-56 (Table 3) or a combination of these markers correlates with the presence of cancer, particularly ovarian cancer in a patient. Methods are provided for detecting the presence of cancer, particularly breast or ovarian cancer in a sample, the absence of breast or ovarian cancer in a sample, the stage of a breast or ovarian cancer, and with other characteristics of breast or ovarian cancer that are relevant to prevention, diagnosis, characterization, and therapy of breast or ovarian cancer in a patient. Methods of treating cancer, particularly breast or ovarian cancer are also provided.

Definitions

As used herein, each of the following terms has the meaning associated with it in this section.

The articles "a" and "an" are used herein to refer to one or to more than one (*i.e.* to at least one) of the grammatical object of the article. By way of example, "an element" means one element or more than one element.

A "marker" is a gene whose altered level of expression in a tissue or cell from its expression level in normal or healthy tissue or cell is associated with a disease state, such as cancer. A "marker nucleic acid" is a nucleic acid (*e.g.*, mRNA, cDNA) encoded by or corresponding to a marker of the invention. Such marker nucleic acids

include DNA (*e.g.*, cDNA) comprising the entire or a partial sequence of any of the odd number SEQ ID NOs. or the complement of such a sequence. The marker nucleic acids also include RNA comprising the entire or a partial sequence of any odd number SEQ ID NO. or the complement of such a sequence, wherein all thymidine residues are
5 replaced with uridine residues. A "marker protein" is a protein encoded by or corresponding to a marker of the invention. A marker protein comprises the entire or a partial sequence of any of the even numbered SEQ ID NOs. The terms "protein" and "polypeptide" are used interchangeably.

The term "probe" refers to any molecule which is capable of selectively
10 binding to a specifically intended target molecule, for example, a nucleotide transcript or protein encoded by or corresponding to a marker. Probes can be either synthesized by one skilled in the art, or derived from appropriate biological preparations. For purposes of detection of the target molecule, probes may be specifically designed to be labeled, as described herein. Examples of molecules that can be utilized as probes include, but are
15 not limited to, RNA, DNA, proteins, antibodies, and organic molecules.

A "breast-associated" body fluid is a fluid which, when in the body of a patient, contacts or passes through breast cells or into which cells or proteins shed from breast cells are capable of passing. Exemplary breast-associated body fluids include, for example, blood fluids, lymph and cystic fluids, as well as nipple aspirates.

20 An "ovarian-associated" body fluid is a fluid which, when in the body of a patient contacts or passes through ovarian cells or into which cells or proteins shed from ovarian cells are capable of passing. Ovary-associated body fluids include, for example, fluids include blood fluids (*e.g.* whole blood, blood serum, blood having platelets removed therefrom, etc.), lymph, ascitic fluids, gynecological fluids (*e.g.*
25 ovarian, fallopian, and uterine secretions, menses, vaginal douching fluids, fluids used to rinse ovarian cell samples, etc.), cystic fluid, urine, fluids collected by peritoneal rinsing (*e.g.* fluids applied and collected during laparoscopy or fluids instilled into and withdrawn from the peritoneal cavity of a human patient), a fluid collected by uterine rinsing, a uterine fluid, a uterine exudate or menses, a pleural fluid, or an ovarian
30 exudate.

The "normal" level of expression of a marker is the level of expression of the marker in breast or ovarian cells of a human subject or patient not afflicted with breast or ovarian cancer

An "over-expression" or "significantly higher level of expression" of a
35 marker refers to an expression level in a test sample that is greater than the standard error of the assay employed to assess expression, and is preferably at least twice, and more preferably three, four, five or ten times the expression level of the marker in a

control sample (*e.g.*, sample from a healthy subjects not having the marker associated disease) and preferably, the average expression level of the marker in several control samples.

5 A "significantly lower level of expression" of a marker refers to an expression level in a test sample that is at least twice, and more preferably three, four, five or ten times lower than the expression level of the marker in a control sample (*e.g.*, sample from a healthy subjects not having the marker associated disease) and preferably, the average expression level of the marker in several control samples.

10 As used herein, the term "promoter/regulatory sequence" means a nucleic acid sequence which is required for expression of a gene product operably linked to the promoter/regulatory sequence. In some instances, this sequence may be the core promoter sequence and in other instances, this sequence may also include an enhancer sequence and other regulatory elements which are required for expression of the gene product. The promoter/regulatory sequence may, for example, be one which expresses
15 the gene product in a tissue-specific manner.

A "constitutive" promoter is a nucleotide sequence which, when operably linked with a polynucleotide which encodes or specifies a gene product, causes the gene product to be produced in a living human cell under most or all physiological conditions of the cell.

20 An "inducible" promoter is a nucleotide sequence which, when operably linked with a polynucleotide which encodes or specifies a gene product, causes the gene product to be produced in a living human cell substantially only when an inducer which corresponds to the promoter is present in the cell.

A "tissue-specific" promoter is a nucleotide sequence which, when
25 operably linked with a polynucleotide which encodes or specifies a gene product, causes the gene product to be produced in a living human cell substantially only if the cell is a cell of the tissue type corresponding to the promoter.

A "transcribed polynucleotide" or "nucleotide transcript" is a polynucleotide (*e.g.* an mRNA, hnRNA, a cDNA, or an analog of such RNA or cDNA)
30 which is complementary to or homologous with all or a portion of a mature mRNA made by transcription of a marker of the invention and normal post-transcriptional processing (*e.g.* splicing), if any, of the RNA transcript, and reverse transcription of the RNA transcript.

"Complementary" refers to the broad concept of sequence
35 complementarity between regions of two nucleic acid strands or between two regions of the same nucleic acid strand. It is known that an adenine residue of a first nucleic acid region is capable of forming specific hydrogen bonds ("base pairing") with a residue of a

second nucleic acid region which is antiparallel to the first region if the residue is thymine or uracil. Similarly, it is known that a cytosine residue of a first nucleic acid strand is capable of base pairing with a residue of a second nucleic acid strand which is antiparallel to the first strand if the residue is guanine. A first region of a nucleic acid is complementary to a second region of the same or a different nucleic acid if, when the two regions are arranged in an antiparallel fashion, at least one nucleotide residue of the first region is capable of base pairing with a residue of the second region. Preferably, the first region comprises a first portion and the second region comprises a second portion, whereby, when the first and second portions are arranged in an antiparallel fashion, at least about 50%, and preferably at least about 75%, at least about 90%, or at least about 95% of the nucleotide residues of the first portion are capable of base pairing with nucleotide residues in the second portion. More preferably, all nucleotide residues of the first portion are capable of base pairing with nucleotide residues in the second portion.

"Homologous" as used herein, refers to nucleotide sequence similarity between two regions of the same nucleic acid strand or between regions of two different nucleic acid strands. When a nucleotide residue position in both regions is occupied by the same nucleotide residue, then the regions are homologous at that position. A first region is homologous to a second region if at least one nucleotide residue position of each region is occupied by the same residue. Homology between two regions is expressed in terms of the proportion of nucleotide residue positions of the two regions that are occupied by the same nucleotide residue. By way of example, a region having the nucleotide sequence 5'-ATTGCC-3' and a region having the nucleotide sequence 5'-TATGGC-3' share 50% homology. Preferably, the first region comprises a first portion and the second region comprises a second portion, whereby, at least about 50%, and preferably at least about 75%, at least about 90%, or at least about 95% of the nucleotide residue positions of each of the portions are occupied by the same nucleotide residue. More preferably, all nucleotide residue positions of each of the portions are occupied by the same nucleotide residue.

A molecule is "fixed" or "affixed" to a substrate if it is covalently or non-covalently associated with the substrate such the substrate can be rinsed with a fluid (*e.g.* standard saline citrate, pH 7.4) without a substantial fraction of the molecule dissociating from the substrate.

As used herein, a "naturally-occurring" nucleic acid molecule refers to an RNA or DNA molecule having a nucleotide sequence that occurs in an organism found in nature.

A cancer is "inhibited" if at least one symptom of the cancer is alleviated, terminated, slowed, or prevented. As used herein, breast or ovarian cancer is also "inhibited" if recurrence or metastasis of the cancer is reduced, slowed, delayed, or prevented.

5 A kit is any manufacture (*e.g.* a package or container) comprising at least one reagent, *e.g.* a probe, for specifically detecting the expression of a marker of the invention. The kit may be promoted, distributed, or sold as a unit for performing the methods of the present invention.

10 "Proteins of the invention" encompass marker proteins and their fragments; variant marker proteins and their fragments; peptides and polypeptides comprising an at least 15 amino acid segment of a marker or variant marker protein; and fusion proteins comprising a marker or variant marker protein, or an at least 15 amino acid segment of a marker or variant marker protein.

15 Unless otherwise specified herewithin, the terms "antibody" and "antibodies" broadly encompass naturally-occurring forms of antibodies (*e.g.*, IgG, IgA, IgM, IgE) and recombinant antibodies such as single-chain antibodies, chimeric and humanized antibodies and multi-specific antibodies, as well as fragments and derivatives of all of the foregoing, which fragments and derivatives have at least an antigenic binding site. Antibody derivatives may comprise a protein or chemical moiety
20 conjugated to an antibody moiety.

Description

The present invention is based, in part, on newly identified markers which are over-expressed in breast or ovarian cancer cells as compared to their
25 expression in normal (*i.e.* non-cancerous) breast or ovarian cells. The enhanced expression of one or more of these markers in breast or ovarian cells is herein correlated with the cancerous state of the tissue. The invention provides compositions, kits, and methods for assessing the cancerous state of breast or ovarian cells (*e.g.* cells obtained from a human, cultured human cells, archived or preserved human cells and *in vivo*
30 cells) as well as treating patients afflicted with breast or ovarian cancer.

The compositions, kits, and methods of the invention have the following uses, among others:

- 1) assessing whether a patient is afflicted with breast or ovarian cancer;
- 35 2) assessing the stage of breast or ovarian cancer in a human patient;
- 3) assessing the grade of breast or ovarian cancer in a patient;

- 4) assessing the benign or malignant nature of breast or ovarian cancer in a patient;
- 5) assessing the metastatic potential of breast or ovarian cancer in a patient;
- 5 6) assessing the histological type of neoplasm associated with breast or ovarian cancer in a patient;
- 7) making antibodies, antibody fragments or antibody derivatives that are useful for treating breast or ovarian cancer and/or assessing whether a patient is afflicted with breast or ovarian cancer;
- 10 8) assessing the presence of breast or ovarian cancer cells;
- 9) assessing the efficacy of one or more test compounds for inhibiting breast or ovarian cancer in a patient;
- 10 10) assessing the efficacy of a therapy for inhibiting breast or ovarian cancer in a patient;
- 15 11) monitoring the progression of breast or ovarian cancer in a patient;
- 12) selecting a composition or therapy for inhibiting breast or ovarian cancer in a patient;
- 20 13) treating a patient afflicted with breast or ovarian cancer;
- 14) inhibiting breast or ovarian cancer in a patient;
- 15) assessing the breast or ovarian carcinogenic potential of a test compound; and
- 25 16) preventing the onset of breast or ovarian cancer in a patient at risk for developing breast or ovarian cancer.

The invention thus includes a method of assessing whether a patient is afflicted with breast or ovarian cancer which includes assessing whether the patient has pre-metastasized breast or ovarian cancer. This method comprises comparing the level of expression of a marker of the invention in a patient sample and the normal level of expression of the marker in a control, *e.g.*, a non-cancerous breast or ovarian sample. A significantly higher level of expression of the marker in the patient sample as compared to the normal level is an indication that the patient is afflicted with breast or ovarian cancer.

Gene delivery vehicles, host cells and compositions (all described herein) containing nucleic acids comprising the entirety, or a segment of 15 or more nucleotides, of any of the sequences of the odd numbered SEQ ID NOs. or the complement of such sequences, and polypeptides comprising the entirety, or a segment of 10 or more amino

acids, of any of the sequences of the even numbered SEQ ID NOs. are also provided by this invention.

As described herein, breast or ovarian cancer in patients is associated with an increased level of expression of one or more markers of the invention. While, as
5 discussed above, some of these changes in expression level result from occurrence of the breast or ovarian cancer, others of these changes induce, maintain, and promote the cancerous state of breast or ovarian cancer cells. Thus, breast or ovarian cancer characterized by an increase in the level of expression of one or more markers of the invention can be inhibited by reducing and/or interfering with the expression of the
10 markers and/or function of the proteins encoded by those markers.

Expression of a marker of the invention can be inhibited in a number of ways generally known in the art. For example, an antisense oligonucleotide can be provided to the breast or ovarian cancer cells in order to inhibit transcription, translation, or both, of the marker(s). Alternately, a polynucleotide encoding an antibody, an
15 antibody derivative, or an antibody fragment which specifically binds a marker protein, and operably linked with an appropriate promoter/regulator region, can be provided to the cell in order to generate intracellular antibodies which will inhibit the function or activity of the protein. The expression and/or function of a marker may also be inhibited by treating the breast or ovarian cancer cell with an antibody, antibody derivative or
20 antibody fragment that specifically binds a marker protein. Using the methods described herein, a variety of molecules, particularly including molecules sufficiently small that they are able to cross the cell membrane, can be screened in order to identify molecules which inhibit expression of a marker or inhibit the function of a marker protein. The compound so identified can be provided to the patient in order to inhibit breast or
25 ovarian cancer cells of the patient.

Any marker or combination of markers of the invention, as well as any known markers in combination with the markers of the invention, may be used in the compositions, kits, and methods of the present invention. In general, it is preferable to use markers for which the difference between the level of expression of the marker in
30 breast or ovarian cancer cells and the level of expression of the same marker in normal breast or ovarian cells is as great as possible. Although this difference can be as small as the limit of detection of the method for assessing expression of the marker, it is preferred that the difference be at least greater than the standard error of the assessment method, and preferably a difference of at least 2-, 3-, 4-, 5-, 6-, 7-, 8-, 9-, 10-, 15-, 20-, 25-, 100-,
35 500-, 1000-fold or greater than the level of expression of the same marker in normal breast or ovarian tissue.

The marker proteins of the present invention are transmembrane proteins and are therefore extremely useful in the compositions, kits, and methods of the invention, owing to the fact that the such marker proteins can be detected in a breast or ovary-associated body fluid sample, which may be more easily collected from a human patient than a tissue biopsy sample. In addition, preferred *in vivo* techniques for detection of a marker protein include introducing into a subject a labeled antibody directed against the protein. For example, the antibody can be labeled with a radioactive marker whose presence and location in a subject can be detected by standard imaging techniques. Anti-cancer therapy utilizing antibodies directed against the marker proteins of the present invention is also provided. In particular, it has been found that Markers 7 and 32 are attractive targets for inhibiting breast, ovary, lung and colon tumors, as well as for inhibiting angiogenesis associated with tumor growth.

It will be appreciated that patient samples containing breast or ovarian cells may be used in the methods of the present invention. In these embodiments, the level of expression of the marker can be assessed by assessing the amount (*e.g.* absolute amount or concentration) of the marker in a breast or ovarian cell sample, *e.g.*, breast or ovarian tissue biopsy obtained from a patient. The cell sample can, of course, be subjected to a variety of well-known post-collection preparative and storage techniques (*e.g.*, nucleic acid and/or protein extraction, fixation, storage, freezing, ultrafiltration, concentration, evaporation, centrifugation, etc.) prior to assessing the amount of the marker in the sample.

Expression of a marker of the invention may be assessed by any of a wide variety of well known methods for detecting expression of a transcribed nucleic acid or protein. Non-limiting examples of such methods include immunological methods for detection of secreted, cell-surface, cytoplasmic, or nuclear proteins, protein purification methods, protein function or activity assays, nucleic acid hybridization methods, nucleic acid reverse transcription methods, and nucleic acid amplification methods.

In a preferred embodiment, expression of a marker is assessed using an antibody (*e.g.* a radio-labeled, chromophore-labeled, fluorophore-labeled, or enzyme-labeled antibody), an antibody derivative (*e.g.* an antibody conjugated with a substrate or with the protein or ligand of a protein-ligand pair {*e.g.* biotin-streptavidin}), or an antibody fragment (*e.g.* a single-chain antibody, an isolated antibody hypervariable domain, etc.) which binds specifically with a marker protein or fragment thereof, including a marker protein which has undergone all or a portion of its normal post-translational modification.

In another preferred embodiment, expression of a marker is assessed by preparing mRNA/cDNA (*i.e.* a transcribed polynucleotide) from cells in a patient sample, and by hybridizing the mRNA/cDNA with a reference polynucleotide which is a complement of a marker nucleic acid, or a fragment thereof. cDNA can, optionally, be amplified using any of a variety of polymerase chain reaction methods prior to hybridization with the reference polynucleotide; preferably, it is not amplified. Expression of one or more markers can likewise be detected using quantitative PCR to assess the level of expression of the marker(s). Alternatively, any of the many known methods of detecting mutations or variants (*e.g.* single nucleotide polymorphisms, deletions, etc.) of a marker of the invention may be used to detect occurrence of a marker in a patient.

In a related embodiment, a mixture of transcribed polynucleotides obtained from the sample is contacted with a substrate having fixed thereto a polynucleotide complementary to or homologous with at least a portion (*e.g.* at least 7, 10, 15, 20, 25, 30, 40, 50, 100, 500, or more nucleotide residues) of a marker nucleic acid. If polynucleotides complementary to or homologous with are differentially detectable on the substrate (*e.g.* detectable using different chromophores or fluorophores, or fixed to different selected positions), then the levels of expression of a plurality of markers can be assessed simultaneously using a single substrate (*e.g.* a "gene chip" microarray of polynucleotides fixed at selected positions). When a method of assessing marker expression is used which involves hybridization of one nucleic acid with another, it is preferred that the hybridization be performed under stringent hybridization conditions.

Because the compositions, kits, and methods of the invention rely on detection of a difference in expression levels of one or more markers of the invention, it is preferable that the level of expression of the marker is significantly greater than the minimum detection limit of the method used to assess expression in at least one of normal breast or ovarian cells and cancerous breast or ovarian cells.

It is understood that by routine screening of additional patient samples using one or more of the markers of the invention, it will be realized that certain of the markers are over-expressed in cancers of various types, including specific breast or ovarian cancers, as well as other cancers such as lung cancer, colon cancer, etc. For example, it will be confirmed that some of the markers of the invention are over-expressed in most (*i.e.* 50% or more) or substantially all (*i.e.* 80% or more) of breast or ovarian cancers. Furthermore, it will be confirmed that certain of the markers of the invention are associated with breast cancer of various stages (*i.e.* stage 0, I, II, III, and IV breast cancers, as well as subclassifications IIA, IIB, IIIA, and IIIB, using the FIGO

Stage Grouping system for primary carcinoma of the breast; (see Breast, In: *American Joint Committee on Cancer: AJCC Cancer Staging Manual*. Lippincott-Raven Publishers, 5th ed., 1997, pp. 171-180), or stage I, II, III, and IV ovarian cancers, as well as subclassifications IA, IB, IC, IIA, IIB, IIC, IIIA, IIIB, and IIIC, using the FIGO Stage

5 Grouping system for primary carcinoma of the ovary; 1987, *Am. J. Obstet. Gynecol.* 156:236, of various histologic subtypes (e.g. serous, mucinous, endometrioid, and clear cell subtypes, as well as subclassifications and alternate classifications adenocarcinoma, papillary adenocarcinoma, papillary cystadenocarcinoma, surface papillary carcinoma, malignant adenofibroma, cystadenofibroma, adenocarcinoma, cystadenocarcinoma,

10 adenoacanthoma, endometrioid stromal sarcoma, mesodermal (Müllerian) mixed tumor, mesonephroid tumor, malignant carcinoma, Brenner tumor, mixed epithelial tumor, and undifferentiated carcinoma, using the WHO/FIGO system for classification of malignant breast and ovarian tumors; Scully, *Atlas of Tumor Pathology*, 3d series, Washington DC), and various grades (i.e. grade I {well differentiated}, grade II {moderately well

15 differentiated}, and grade III {poorly differentiated from surrounding normal tissue})). In addition, as a greater number of patient samples are assessed for expression of the markers of the invention and the outcomes of the individual patients from whom the samples were obtained are correlated, it will also be confirmed that altered expression of

20 certain of the markers of the invention are strongly correlated with malignant cancers and that altered expression of other markers of the invention are strongly correlated with benign tumors. The compositions, kits, and methods of the invention are thus useful for characterizing one or more of the stage, grade, histological type, and benign/malignant nature of breast or ovarian cancer in patients.

When the compositions, kits, and methods of the invention are used for

25 characterizing one or more of the stage, grade, histological type, and benign/malignant nature of breast or ovarian cancer in a patient, it is preferred that the marker or panel of markers of the invention is selected such that a positive result is obtained in at least about 20%, and preferably at least about 40%, 60%, or 80%, and more preferably in substantially all patients afflicted with a breast or ovarian cancer of the corresponding

30 stage, grade, histological type, or benign/malignant nature. Preferably, the marker or panel of markers of the invention is selected such that a positive predictive value (PPV) of greater than about 10% is obtained for the general population (more preferably coupled with an assay specificity greater than 80%).

When a plurality of markers of the invention are used in the

35 compositions, kits, and methods of the invention, the level of expression of each marker in a patient sample can be compared with the normal level of expression of each of the plurality of markers in non-cancerous samples of the same type, either in a single

reaction mixture (*i.e.* using reagents, such as different fluorescent probes, for each marker) or in individual reaction mixtures corresponding to one or more of the markers. In one embodiment, a significantly increased level of expression of more than one of the plurality of markers in the sample, relative to the corresponding normal levels, is an indication that the patient is afflicted with breast or ovarian cancer. When a plurality of markers is used, it is preferred that 2, 3, 4, 5, 8, 10, 12, 15, 20, 30, or 50 or more individual markers be used, wherein fewer markers are preferred.

In order to maximize the sensitivity of the compositions, kits, and methods of the invention (*i.e.* by interference attributable to cells of non-breast or ovarian origin in a patient sample), it is preferable that the marker of the invention used therein be a marker which has a restricted tissue distribution, *e.g.*, normally not expressed in a non-breast or ovarian tissue.

Only a small number of markers are known to be associated with breast or ovarian cancers (*e.g.*, for breast: *BRCA1* and *BRCA2*; and, for ovarian: *AKT2*, *Ki-RAS*, *ERBB2*, *c-MYC*, *RBI*, and *TP53*). These markers are not, of course, included among the markers of the invention, although they may be used together with one or more markers of the invention in a panel of markers, for example. It is well known that certain types of genes, such as oncogenes, tumor suppressor genes, growth factor-like genes, protease-like genes, and protein kinase-like genes are often involved with development of cancers of various types. Thus, among the markers of the invention, use of those which correspond to proteins which resemble known proteins encoded by known oncogenes and tumor suppressor genes, and those which correspond to proteins which resemble growth factors, proteases, and protein kinases are preferred.

It is recognized that the compositions, kits, and methods of the invention will be of particular utility to patients having an enhanced risk of developing breast or ovarian cancer and their medical advisors. Patients recognized as having an enhanced risk of developing breast or ovarian cancer include, for example, patients having a familial history of breast or ovarian cancer, patients identified as having a mutant oncogene (*i.e.* at least one allele), and patients of advancing age (*i.e.* women older than about 50 or 60 years).

The level of expression of a marker in normal (*i.e.* non-cancerous) human breast or ovarian tissue can be assessed in a variety of ways. In one embodiment, this normal level of expression is assessed by assessing the level of expression of the marker in a portion of breast or ovarian cells which appears to be non-cancerous and by comparing this normal level of expression with the level of expression in a portion of the breast or ovarian cells which is suspected of being cancerous. Alternately, and particularly as further information becomes available as a result of routine performance

of the methods described herein, population-average values for normal expression of the markers of the invention may be used. In other embodiments, the 'normal' level of expression of a marker may be determined by assessing expression of the marker in a patient sample obtained from a non-cancer-afflicted patient, from a patient sample
5 obtained from a patient before the suspected onset of breast or ovarian cancer in the patient, from archived patient samples, and the like.

The invention includes compositions, kits, and methods for assessing the presence of breast or ovarian cancer cells in a sample (*e.g.* an archived tissue sample or a sample obtained from a patient). These compositions, kits, and methods are
10 substantially the same as those described above, except that, where necessary, the compositions, kits, and methods are adapted for use with samples other than patient samples. For example, when the sample to be used is a paraffinized, archived human tissue sample, it can be necessary to adjust the ratio of compounds in the compositions of the invention, in the kits of the invention, or the methods used to assess levels of
15 marker expression in the sample. Such methods are well known in the art and within the skill of the ordinary artisan.

The invention includes a kit for assessing the presence of breast or ovarian cancer cells (*e.g.* in a sample such as a patient sample). The kit comprises a plurality of reagents, each of which is capable of binding specifically with a marker
20 nucleic acid or protein. Suitable reagents for binding with a marker protein include antibodies, antibody derivatives, antibody fragments, and the like. Suitable reagents for binding with a marker nucleic acid (*e.g.* a genomic DNA, an mRNA, a spliced mRNA, a cDNA, or the like) include complementary nucleic acids. For example, the nucleic acid reagents may include oligonucleotides (labeled or non-labeled) fixed to a substrate,
25 labeled oligonucleotides not bound with a substrate, pairs of PCR primers, molecular beacon probes, and the like.

The kit of the invention may optionally comprise additional components useful for performing the methods of the invention. By way of example, the kit may comprise fluids (*e.g.* SSC buffer) suitable for annealing complementary nucleic acids or
30 for binding an antibody with a protein with which it specifically binds, one or more sample compartments, an instructional material which describes performance of a method of the invention, a sample of normal breast or ovarian cells, a sample of breast or ovarian cancer cells, and the like.

The invention also includes a method of making an isolated hybridoma
35 which produces an antibody useful for assessing whether patient is afflicted with an breast or ovarian cancer. In this method, a protein or peptide comprising the entirety or a segment of a marker protein is synthesized or isolated (*e.g.* by purification from a cell

in which it is expressed or by transcription and translation of a nucleic acid encoding the protein or peptide *in vivo* or *in vitro* using known methods). A vertebrate, preferably a mammal such as a mouse, rat, rabbit, or sheep, is immunized using the protein or peptide. The vertebrate may optionally (and preferably) be immunized at least one
5 additional time with the protein or peptide, so that the vertebrate exhibits a robust immune response to the protein or peptide. Splenocytes are isolated from the immunized vertebrate and fused with an immortalized cell line to form hybridomas, using any of a variety of methods well known in the art. Hybridomas formed in this manner are then screened using standard methods to identify one or more hybridomas
10 which produce an antibody which specifically binds with the marker protein or a fragment thereof. The invention also includes hybridomas made by this method and antibodies made using such hybridomas.

The invention also includes a method of assessing the efficacy of a test compound for inhibiting breast or ovarian cancer cells. As described above, differences
15 in the level of expression of the markers of the invention correlate with the cancerous state of breast or ovarian cells. Although it is recognized that changes in the levels of expression of certain of the markers of the invention likely result from the cancerous state of breast or ovarian cells, it is likewise recognized that changes in the levels of expression of other of the markers of the invention induce, maintain, and promote the
20 cancerous state of those cells. Thus, compounds which inhibit an breast or ovarian cancer in a patient will cause the level of expression of one or more of the markers of the invention to change to a level nearer the normal level of expression for that marker (*i.e.* the level of expression for the marker in non-cancerous breast or ovarian cells).

This method thus comprises comparing expression of a marker in a first
25 breast or ovarian cell sample and maintained in the presence of the test compound and expression of the marker in a second breast or ovarian cell sample and maintained in the absence of the test compound. A significantly reduced expression of a marker of the invention in the presence of the test compound is an indication that the test compound inhibits breast or ovarian cancer. The breast or ovarian cell samples may, for example,
30 be aliquots of a single sample of normal breast or ovarian cells obtained from a patient, pooled samples of normal breast or ovarian cells obtained from a patient, cells of a normal breast or ovarian cell line, aliquots of a single sample of breast or ovarian cancer cells obtained from a patient, pooled samples of breast or ovarian cancer cells obtained from a patient, cells of an breast or ovarian cancer cell line, or the like. In one
35 embodiment, the samples are breast or ovarian cancer cells obtained from a patient and a plurality of compounds known to be effective for inhibiting various breast or ovarian

cancers are tested in order to identify the compound which is likely to best inhibit the breast or ovarian cancer in the patient.

This method may likewise be used to assess the efficacy of a therapy for inhibiting breast or ovarian cancer in a patient. In this method, the level of expression of one or more markers of the invention in a pair of samples (one subjected to the therapy, the other not subjected to the therapy) is assessed. As with the method of assessing the efficacy of test compounds, if the therapy induces a significantly lower level of expression of a marker of the invention then the therapy is efficacious for inhibiting breast or ovarian cancer. As above, if samples from a selected patient are used in this method, then alternative therapies can be assessed *in vitro* in order to select a therapy most likely to be efficacious for inhibiting breast or ovarian cancer in the patient.

As described above, the cancerous state of human breast or ovarian cells is correlated with changes in the levels of expression of the markers of the invention. The invention includes a method for assessing the human breast or ovarian cell carcinogenic potential of a test compound. This method comprises maintaining separate aliquots of human breast or ovarian cells in the presence and absence of the test compound. Expression of a marker of the invention in each of the aliquots is compared. A significantly higher level of expression of a marker of the invention in the aliquot maintained in the presence of the test compound (relative to the aliquot maintained in the absence of the test compound) is an indication that the test compound possesses human breast or ovarian cell carcinogenic potential. The relative carcinogenic potentials of various test compounds can be assessed by comparing the degree of enhancement or inhibition of the level of expression of the relevant markers, by comparing the number of markers for which the level of expression is enhanced or inhibited, or by comparing both.

Various aspects of the invention are described in further detail in the following subsections.

I. Isolated Nucleic Acid Molecules

One aspect of the invention pertains to isolated nucleic acid molecules, including nucleic acids which encode a marker protein or a portion thereof. Isolated nucleic acids of the invention also include nucleic acid molecules sufficient for use as hybridization probes to identify marker nucleic acid molecules, and fragments of marker nucleic acid molecules, *e.g.*, those suitable for use as PCR primers for the amplification or mutation of marker nucleic acid molecules. As used herein, the term "nucleic acid molecule" is intended to include DNA molecules (*e.g.*, cDNA or genomic DNA) and RNA molecules (*e.g.*, mRNA) and analogs of the DNA or RNA generated using

nucleotide analogs. The nucleic acid molecule can be single-stranded or double-stranded, but preferably is double-stranded DNA.

An "isolated" nucleic acid molecule is one which is separated from other nucleic acid molecules which are present in the natural source of the nucleic acid molecule. Preferably, an "isolated" nucleic acid molecule is free of sequences (preferably protein-encoding sequences) which naturally flank the nucleic acid (*i.e.*, sequences located at the 5' and 3' ends of the nucleic acid) in the genomic DNA of the organism from which the nucleic acid is derived. For example, in various embodiments, the isolated nucleic acid molecule can contain less than about 5 kB, 4 kB, 3 kB, 2 kB, 1 kB, 0.5 kB or 0.1 kB of nucleotide sequences which naturally flank the nucleic acid molecule in genomic DNA of the cell from which the nucleic acid is derived. Moreover, an "isolated" nucleic acid molecule, such as a cDNA molecule, can be substantially free of other cellular material, or culture medium when produced by recombinant techniques, or substantially free of chemical precursors or other chemicals when chemically synthesized.

A nucleic acid molecule of the present invention can be isolated using standard molecular biology techniques and the sequence information in the database records described herein. Using all or a portion of such nucleic acid sequences, nucleic acid molecules of the invention can be isolated using standard hybridization and cloning techniques (*e.g.*, as described in Sambrook *et al.*, ed., *Molecular Cloning: A Laboratory Manual*, 2nd ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, 1989).

A nucleic acid molecule of the invention can be amplified using cDNA, mRNA, or genomic DNA as a template and appropriate oligonucleotide primers according to standard PCR amplification techniques. The nucleic acid so amplified can be cloned into an appropriate vector and characterized by DNA sequence analysis. Furthermore, nucleotides corresponding to all or a portion of a nucleic acid molecule of the invention can be prepared by standard synthetic techniques, *e.g.*, using an automated DNA synthesizer.

In another preferred embodiment, an isolated nucleic acid molecule of the invention comprises a nucleic acid molecule which has a nucleotide sequence complementary to the nucleotide sequence of a marker nucleic acid or to the nucleotide sequence of a nucleic acid encoding a marker protein. A nucleic acid molecule which is complementary to a given nucleotide sequence is one which is sufficiently complementary to the given nucleotide sequence that it can hybridize to the given nucleotide sequence thereby forming a stable duplex.

Moreover, a nucleic acid molecule of the invention can comprise only a portion of a nucleic acid sequence, wherein the full length nucleic acid sequence comprises a marker nucleic acid or which encodes a marker protein. Such nucleic acids can be used, for example, as a probe or primer. The probe/primer typically is used as one or more substantially purified oligonucleotides. The oligonucleotide typically comprises a region of nucleotide sequence that hybridizes under stringent conditions to at least about 7, preferably about 15, more preferably about 25, 50, 75, 100, 125, 150, 175, 200, 250, 300, 350, or 400 or more consecutive nucleotides of a nucleic acid of the invention.

Probes based on the sequence of a nucleic acid molecule of the invention can be used to detect transcripts or genomic sequences corresponding to one or more markers of the invention. The probe comprises a label group attached thereto, *e.g.*, a radioisotope, a fluorescent compound, an enzyme, or an enzyme co-factor. Such probes can be used as part of a diagnostic test kit for identifying cells or tissues which mis-express the protein, such as by measuring levels of a nucleic acid molecule encoding the protein in a sample of cells from a subject, *e.g.*, detecting mRNA levels or determining whether a gene encoding the protein has been mutated or deleted.

The invention further encompasses nucleic acid molecules that differ, due to degeneracy of the genetic code, from the nucleotide sequence of nucleic acids encoding a marker protein (*e.g.*, protein having the sequence of the even numbered SEQ ID NOs.), and thus encode the same protein.

It will be appreciated by those skilled in the art that DNA sequence polymorphisms that lead to changes in the amino acid sequence can exist within a population (*e.g.*, the human population). Such genetic polymorphisms can exist among individuals within a population due to natural allelic variation. An allele is one of a group of genes which occur alternatively at a given genetic locus. In addition, it will be appreciated that DNA polymorphisms that affect RNA expression levels can also exist that may affect the overall expression level of that gene (*e.g.*, by affecting regulation or degradation).

As used herein, the phrase "allelic variant" refers to a nucleotide sequence which occurs at a given locus or to a polypeptide encoded by the nucleotide sequence.

As used herein, the terms "gene" and "recombinant gene" refer to nucleic acid molecules comprising an open reading frame encoding a polypeptide corresponding to a marker of the invention. Such natural allelic variations can typically result in 1-5% variance in the nucleotide sequence of a given gene. Alternative alleles can be identified by sequencing the gene of interest in a number of different individuals. This can be readily carried out by using hybridization probes to identify the same genetic locus in a

variety of individuals. Any and all such nucleotide variations and resulting amino acid polymorphisms or variations that are the result of natural allelic variation and that do not alter the functional activity are intended to be within the scope of the invention.

In another embodiment, an isolated nucleic acid molecule of the
5 invention is at least 7, 15, 20, 25, 30, 40, 60, 80, 100, 150, 200, 250, 300, 350, 400, 450, 550, 650, 700, 800, 900, 1000, 1200, 1400, 1600, 1800, 2000, 2200, 2400, 2600, 2800, 3000, 3500, 4000, 4500, or more nucleotides in length and hybridizes under stringent conditions to a marker nucleic acid or to a nucleic acid encoding a marker protein. As used herein, the term "hybridizes under stringent conditions" is intended to describe
10 conditions for hybridization and washing under which nucleotide sequences at least 60% (65%, 70%, preferably 75%) identical to each other typically remain hybridized to each other. Such stringent conditions are known to those skilled in the art and can be found in sections 6.3.1-6.3.6 of *Current Protocols in Molecular Biology*, John Wiley & Sons, N.Y. (1989). A preferred, non-limiting example of stringent hybridization conditions
15 are hybridization in 6X sodium chloride/sodium citrate (SSC) at about 45°C, followed by one or more washes in 0.2X SSC, 0.1% SDS at 50-65°C.

In addition to naturally-occurring allelic variants of a nucleic acid molecule of the invention that can exist in the population, the skilled artisan will further appreciate that sequence changes can be introduced by mutation thereby leading to
20 changes in the amino acid sequence of the encoded protein, without altering the biological activity of the protein encoded thereby. For example, one can make nucleotide substitutions leading to amino acid substitutions at "non-essential" amino acid residues. A "non-essential" amino acid residue is a residue that can be altered from the wild-type sequence without altering the biological activity, whereas an "essential"
25 amino acid residue is required for biological activity. For example, amino acid residues that are not conserved or only semi-conserved among homologs of various species may be non-essential for activity and thus would be likely targets for alteration. Alternatively, amino acid residues that are conserved among the homologs of various species (e.g., murine and human) may be essential for activity and thus would not be
30 likely targets for alteration.

Accordingly, another aspect of the invention pertains to nucleic acid molecules encoding a variant marker protein that contain changes in amino acid residues that are not essential for activity. Such variant marker proteins differ in amino acid sequence from the naturally-occurring marker proteins, yet retain biological activity. In
35 one embodiment, such a variant marker protein has an amino acid sequence that is at least about 40% identical, 50%, 60%, 70%, 80%, 90%, 95%, or 98% identical to the amino acid sequence of a marker protein.

An isolated nucleic acid molecule encoding a variant marker protein can be created by introducing one or more nucleotide substitutions, additions or deletions into the nucleotide sequence of marker nucleic acids, such that one or more amino acid residue substitutions, additions, or deletions are introduced into the encoded protein.

- 5 Mutations can be introduced by standard techniques, such as site-directed mutagenesis and PCR-mediated mutagenesis. Preferably, conservative amino acid substitutions are made at one or more predicted non-essential amino acid residues. A "conservative amino acid substitution" is one in which the amino acid residue is replaced with an amino acid residue having a similar side chain. Families of amino acid residues having
- 10 similar side chains have been defined in the art. These families include amino acids with basic side chains (*e.g.*, lysine, arginine, histidine), acidic side chains (*e.g.*, aspartic acid, glutamic acid), uncharged polar side chains (*e.g.*, glycine, asparagine, glutamine, serine, threonine, tyrosine, cysteine), non-polar side chains (*e.g.*, alanine, valine, leucine, isoleucine, proline, phenylalanine, methionine, tryptophan), beta-branched side chains
- 15 (*e.g.*, threonine, valine, isoleucine) and aromatic side chains (*e.g.*, tyrosine, phenylalanine, tryptophan, histidine). Alternatively, mutations can be introduced randomly along all or part of the coding sequence, such as by saturation mutagenesis, and the resultant mutants can be screened for biological activity to identify mutants that retain activity. Following mutagenesis, the encoded protein can be expressed
- 20 recombinantly and the activity of the protein can be determined.

- The present invention encompasses antisense nucleic acid molecules, *i.e.*, molecules which are complementary to a sense nucleic acid of the invention, *e.g.*, complementary to the coding strand of a double-stranded marker cDNA molecule or complementary to a marker mRNA sequence. Accordingly, an antisense nucleic acid of
- 25 the invention can hydrogen bond to (*i.e.* anneal with) a sense nucleic acid of the invention. The antisense nucleic acid can be complementary to an entire coding strand, or to only a portion thereof, *e.g.*, all or part of the protein coding region (or open reading frame). An antisense nucleic acid molecule can also be antisense to all or part of a non-coding region of the coding strand of a nucleotide sequence encoding a marker protein.
- 30 The non-coding regions ("5' and 3' untranslated regions") are the 5' and 3' sequences which flank the coding region and are not translated into amino acids.

- An antisense oligonucleotide can be, for example, about 5, 10, 15, 20, 25, 30, 35, 40, 45, or 50 or more nucleotides in length. An antisense nucleic acid of the invention can be constructed using chemical synthesis and enzymatic ligation reactions
- 35 using procedures known in the art. For example, an antisense nucleic acid (*e.g.*, an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to increase the biological

stability of the molecules or to increase the physical stability of the duplex formed between the antisense and sense nucleic acids, *e.g.*, phosphorothioate derivatives and acridine substituted nucleotides can be used. Examples of modified nucleotides which can be used to generate the antisense nucleic acid include 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (*v*), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (*v*), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)*w*, and 2,6-diaminopurine. Alternatively, the antisense nucleic acid can be produced biologically using an expression vector into which a nucleic acid has been sub-cloned in an antisense orientation (*i.e.*, RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of interest, described further in the following subsection).

The antisense nucleic acid molecules of the invention are typically administered to a subject or generated *in situ* such that they hybridize with or bind to cellular mRNA and/or genomic DNA encoding a marker protein to thereby inhibit expression of the marker, *e.g.*, by inhibiting transcription and/or translation. The hybridization can be by conventional nucleotide complementarity to form a stable duplex, or, for example, in the case of an antisense nucleic acid molecule which binds to DNA duplexes, through specific interactions in the major groove of the double helix. Examples of a route of administration of antisense nucleic acid molecules of the invention includes direct injection at a tissue site or infusion of the antisense nucleic acid into a breast-or ovary- associated body fluid. Alternatively, antisense nucleic acid molecules can be modified to target selected cells and then administered systemically. For example, for systemic administration, antisense molecules can be modified such that they specifically bind to receptors or antigens expressed on a selected cell surface, *e.g.*, by linking the antisense nucleic acid molecules to peptides or antibodies which bind to cell surface receptors or antigens. The antisense nucleic acid molecules can also be delivered to cells using the vectors described herein. To achieve sufficient intracellular concentrations of the antisense molecules, vector constructs in which the antisense

nucleic acid molecule is placed under the control of a strong pol II or pol III promoter are preferred.

An antisense nucleic acid molecule of the invention can be an α -anomeric nucleic acid molecule. An α -anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual α -units, the strands run parallel to each other (Gaultier *et al.*, 1987, *Nucleic Acids Res.* 15:6625-6641). The antisense nucleic acid molecule can also comprise a 2'-O-methylribonucleotide (Inoue *et al.*, 1987, *Nucleic Acids Res.* 15:6131-6148) or a chimeric RNA-DNA analogue (Inoue *et al.*, 1987, *FEBS Lett.* 215:327-330).

10 The invention also encompasses ribozymes. Ribozymes are catalytic RNA molecules with ribonuclease activity which are capable of cleaving a single-stranded nucleic acid, such as an mRNA, to which they have a complementary region. Thus, ribozymes (*e.g.*, hammerhead ribozymes as described in Haselhoff and Gerlach, 1988, *Nature* 334:585-591) can be used to catalytically cleave mRNA transcripts to
15 thereby inhibit translation of the protein encoded by the mRNA. A ribozyme having specificity for a nucleic acid molecule encoding a marker protein can be designed based upon the nucleotide sequence of a cDNA corresponding to the marker. For example, a derivative of a *Tetrahymena* L-19 IVS RNA can be constructed in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved
20 (see Cech *et al.* U.S. Patent No. 4,987,071; and Cech *et al.* U.S. Patent No. 5,116,742). Alternatively, an mRNA encoding a polypeptide of the invention can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules (see, *e.g.*, Bartel and Szostak, 1993, *Science* 261:1411-1418).

The invention also encompasses nucleic acid molecules which form triple
25 helical structures. For example, expression of a marker of the invention can be inhibited by targeting nucleotide sequences complementary to the regulatory region of the gene encoding the marker nucleic acid or protein (*e.g.*, the promoter and/or enhancer) to form triple helical structures that prevent transcription of the gene in target cells. See generally Helene (1991) *Anticancer Drug Des.* 6(6):569-84; Helene (1992) *Ann. N.Y. Acad. Sci.* 660:27-36; and Maher (1992) *Bioassays* 14(12):807-15.
30

In various embodiments, the nucleic acid molecules of the invention can be modified at the base moiety, sugar moiety or phosphate backbone to improve, *e.g.*, the stability, hybridization, or solubility of the molecule. For example, the deoxyribose phosphate backbone of the nucleic acids can be modified to generate peptide nucleic acids (see Hyrup *et al.*, 1996, *Bioorganic & Medicinal Chemistry* 4(1): 5-23). As used
35 herein, the terms "peptide nucleic acids" or "PNAs" refer to nucleic acid mimics, *e.g.*, DNA mimics, in which the deoxyribose phosphate backbone is replaced by a

pseudopeptide backbone and only the four natural nucleobases are retained. The neutral backbone of PNAs has been shown to allow for specific hybridization to DNA and RNA under conditions of low ionic strength. The synthesis of PNA oligomers can be performed using standard solid phase peptide synthesis protocols as described in Hyrup *et al.* (1996), *supra*; Perry-O'Keefe *et al.* (1996) *Proc. Natl. Acad. Sci. USA* 93:14670-675.

PNAs can be used in therapeutic and diagnostic applications. For example, PNAs can be used as antisense or antigene agents for sequence-specific modulation of gene expression by, *e.g.*, inducing transcription or translation arrest or inhibiting replication. PNAs can also be used, *e.g.*, in the analysis of single base pair mutations in a gene by, *e.g.*, PNA directed PCR clamping; as artificial restriction enzymes when used in combination with other enzymes, *e.g.*, S1 nucleases (Hyrup (1996), *supra*; or as probes or primers for DNA sequence and hybridization (Hyrup, 1996, *supra*; Perry-O'Keefe *et al.*, 1996, *Proc. Natl. Acad. Sci. USA* 93:14670-675).

In another embodiment, PNAs can be modified, *e.g.*, to enhance their stability or cellular uptake, by attaching lipophilic or other helper groups to PNA, by the formation of PNA-DNA chimeras, or by the use of liposomes or other techniques of drug delivery known in the art. For example, PNA-DNA chimeras can be generated which can combine the advantageous properties of PNA and DNA. Such chimeras allow DNA recognition enzymes, *e.g.*, RNase H and DNA polymerases, to interact with the DNA portion while the PNA portion would provide high binding affinity and specificity. PNA-DNA chimeras can be linked using linkers of appropriate lengths selected in terms of base stacking, number of bonds between the nucleobases, and orientation (Hyrup, 1996, *supra*). The synthesis of PNA-DNA chimeras can be performed as described in Hyrup (1996), *supra*, and Finn *et al.* (1996) *Nucleic Acids Res.* 24(17):3357-63. For example, a DNA chain can be synthesized on a solid support using standard phosphoramidite coupling chemistry and modified nucleoside analogs. Compounds such as 5'-(4-methoxytrityl)amino-5'-deoxy-thymidine phosphoramidite can be used as a link between the PNA and the 5' end of DNA (Mag *et al.*, 1989, *Nucleic Acids Res.* 17:5973-88). PNA monomers are then coupled in a step-wise manner to produce a chimeric molecule with a 5' PNA segment and a 3' DNA segment (Finn *et al.*, 1996, *Nucleic Acids Res.* 24(17):3357-63). Alternatively, chimeric molecules can be synthesized with a 5' DNA segment and a 3' PNA segment (Peterser *et al.*, 1975, *Bioorganic Med. Chem. Lett.* 5:1119-11124).

In other embodiments, the oligonucleotide can include other appended groups such as peptides (*e.g.*, for targeting host cell receptors *in vivo*), or agents facilitating transport across the cell membrane (see, *e.g.*, Letsinger *et al.*, 1989, *Proc.*

Natl. Acad. Sci. USA 86:6553-6556; Lemaitre *et al.*, 1987, *Proc. Natl. Acad. Sci. USA* 84:648-652; PCT Publication No. WO 88/09810) or the blood-brain barrier (see, *e.g.*, PCT Publication No. WO 89/10134). In addition, oligonucleotides can be modified with hybridization-triggered cleavage agents (see, *e.g.*, Krol *et al.*, 1988, *Bio/Techniques* 6:958-976) or intercalating agents (see, *e.g.*, Zon, 1988, *Pharm. Res.* 5:539-549). To this end, the oligonucleotide can be conjugated to another molecule, *e.g.*, a peptide, hybridization triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent, etc.

The invention also includes molecular beacon nucleic acids having at least one region which is complementary to a nucleic acid of the invention, such that the molecular beacon is useful for quantitating the presence of the nucleic acid of the invention in a sample. A "molecular beacon" nucleic acid is a nucleic acid comprising a pair of complementary regions and having a fluorophore and a fluorescent quencher associated therewith. The fluorophore and quencher are associated with different portions of the nucleic acid in such an orientation that when the complementary regions are annealed with one another, fluorescence of the fluorophore is quenched by the quencher. When the complementary regions of the nucleic acid are not annealed with one another, fluorescence of the fluorophore is quenched to a lesser degree. Molecular beacon nucleic acids are described, for example, in U.S. Patent 5,876,930.

II. Isolated Proteins and Antibodies

One aspect of the invention pertains to isolated marker proteins and biologically active portions thereof, as well as polypeptide fragments suitable for use as immunogens to raise antibodies directed against a marker protein or a fragment thereof. In one embodiment, the native marker protein can be isolated from cells or tissue sources by an appropriate purification scheme using standard protein purification techniques. In another embodiment, a protein or peptide comprising the whole or a segment of the marker protein is produced by recombinant DNA techniques. Alternative to recombinant expression, such protein or peptide can be synthesized chemically using standard peptide synthesis techniques.

An "isolated" or "purified" protein or biologically active portion thereof is substantially free of cellular material or other contaminating proteins from the cell or tissue source from which the protein is derived, or substantially free of chemical precursors or other chemicals when chemically synthesized. The language "substantially free of cellular material" includes preparations of protein in which the protein is separated from cellular components of the cells from which it is isolated or recombinantly produced. Thus, protein that is substantially free of cellular material

includes preparations of protein having less than about 30%, 20%, 10%, or 5% (by dry weight) of heterologous protein (also referred to herein as a "contaminating protein"). When the protein or biologically active portion thereof is recombinantly produced, it is also preferably substantially free of culture medium, *i.e.*, culture medium represents less than about 20%, 10%, or 5% of the volume of the protein preparation. When the protein is produced by chemical synthesis, it is preferably substantially free of chemical precursors or other chemicals, *i.e.*, it is separated from chemical precursors or other chemicals which are involved in the synthesis of the protein. Accordingly such preparations of the protein have less than about 30%, 20%, 10%, 5% (by dry weight) of chemical precursors or compounds other than the polypeptide of interest.

Biologically active portions of a marker protein include polypeptides comprising amino acid sequences sufficiently identical to or derived from the amino acid sequence of the marker protein, which include fewer amino acids than the full length protein, and exhibit at least one activity of the corresponding full-length protein. Typically, biologically active portions comprise a domain or motif with at least one activity of the corresponding full-length protein. A biologically active portion of a marker protein of the invention can be a polypeptide which is, for example, 10, 25, 50, 100 or more amino acids in length. Moreover, other biologically active portions, in which other regions of the marker protein are deleted, can be prepared by recombinant techniques and evaluated for one or more of the functional activities of the native form of the marker protein.

Preferred marker proteins are encoded by nucleotide sequences comprising the sequence of any of the even numbered SEQ ID NOs. Other useful proteins are substantially identical (*e.g.*, at least about 40%, preferably 50%, 60%, 70%, 80%, 90%, 95%, or 99%) to one of these sequences and retain the functional activity of the corresponding naturally-occurring marker protein yet differ in amino acid sequence due to natural allelic variation or mutagenesis.

To determine the percent identity of two amino acid sequences or of two nucleic acids, the sequences are aligned for optimal comparison purposes (*e.g.*, gaps can be introduced in the sequence of a first amino acid or nucleic acid sequence for optimal alignment with a second amino or nucleic acid sequence). The amino acid residues or nucleotides at corresponding amino acid positions or nucleotide positions are then compared. When a position in the first sequence is occupied by the same amino acid residue or nucleotide as the corresponding position in the second sequence, then the molecules are identical at that position. The percent identity between the two sequences is a function of the number of identical positions shared by the sequences (*i.e.*, %

identity = # of identical positions/total # of positions (e.g., overlapping positions) x100). In one embodiment the two sequences are the same length.

The determination of percent identity between two sequences can be accomplished using a mathematical algorithm. A preferred, non-limiting example of a mathematical algorithm utilized for the comparison of two sequences is the algorithm of Karlin and Altschul (1990) *Proc. Natl. Acad. Sci. USA* 87:2264-2268, modified as in Karlin and Altschul (1993) *Proc. Natl. Acad. Sci. USA* 90:5873-5877. Such an algorithm is incorporated into the BLASTN and BLASTX programs of Altschul, *et al.* (1990) *J. Mol. Biol.* 215:403-410. BLAST nucleotide searches can be performed with the BLASTN program, score = 100, wordlength = 12 to obtain nucleotide sequences homologous to a nucleic acid molecules of the invention. BLAST protein searches can be performed with the BLASTP program, score = 50, wordlength = 3 to obtain amino acid sequences homologous to a protein molecules of the invention. To obtain gapped alignments for comparison purposes, a newer version of the BLAST algorithm called Gapped BLAST can be utilized as described in Altschul *et al.* (1997) *Nucleic Acids Res.* 25:3389-3402, which is able to perform gapped local alignments for the programs BLASTN, BLASTP and BLASTX. Alternatively, PSI-Blast can be used to perform an iterated search which detects distant relationships between molecules. When utilizing BLAST, Gapped BLAST, and PSI-Blast programs, the default parameters of the respective programs (e.g., BLASTX and BLASTN) can be used. See <http://www.ncbi.nlm.nih.gov>. Another preferred, non-limiting example of a mathematical algorithm utilized for the comparison of sequences is the algorithm of Myers and Miller, (1988) *CABIOS* 4:11-17. Such an algorithm is incorporated into the ALIGN program (version 2.0) which is part of the GCG sequence alignment software package. When utilizing the ALIGN program for comparing amino acid sequences, a PAM120 weight residue table, a gap length penalty of 12, and a gap penalty of 4 can be used. Yet another useful algorithm for identifying regions of local sequence similarity and alignment is the FASTA algorithm as described in Pearson and Lipman (1988) *Proc. Natl. Acad. Sci. USA* 85:2444-2448. When using the FASTA algorithm for comparing nucleotide or amino acid sequences, a PAM120 weight residue table can, for example, be used with a *k*-tuple value of 2.

The percent identity between two sequences can be determined using techniques similar to those described above, with or without allowing gaps. In calculating percent identity, only exact matches are counted.

The invention also provides chimeric or fusion proteins comprising a marker protein or a segment thereof. As used herein, a "chimeric protein" or "fusion protein" comprises all or part (preferably a biologically active part) of a marker protein

operably linked to a heterologous polypeptide (*i.e.*, a polypeptide other than the marker protein). Within the fusion protein, the term "operably linked" is intended to indicate that the marker protein or segment thereof and the heterologous polypeptide are fused in-frame to each other. The heterologous polypeptide can be fused to the amino-
5 terminus or the carboxyl-terminus of the marker protein or segment.

One useful fusion protein is a GST fusion protein in which a marker protein or segment is fused to the carboxyl terminus of GST sequences. Such fusion proteins can facilitate the purification of a recombinant polypeptide of the invention.

In another embodiment, the fusion protein contains a heterologous signal
10 sequence at its amino terminus. For example, the native signal sequence of a marker protein can be removed and replaced with a signal sequence from another protein. For example, the gp67 secretory sequence of the baculovirus envelope protein can be used as a heterologous signal sequence (Ausubel *et al.*, ed., *Current Protocols in Molecular Biology*, John Wiley & Sons, NY, 1992). Other examples of eukaryotic heterologous
15 signal sequences include the secretory sequences of melittin and human placental alkaline phosphatase (Stratagene; La Jolla, California). In yet another example, useful prokaryotic heterologous signal sequences include the phoA secretory signal (Sambrook *et al.*, *supra*) and the protein A secretory signal (Pharmacia Biotech; Piscataway, New Jersey).

In yet another embodiment, the fusion protein is an immunoglobulin
20 fusion protein in which all or part of a marker protein is fused to sequences derived from a member of the immunoglobulin protein family. The immunoglobulin fusion proteins of the invention can be incorporated into pharmaceutical compositions and administered to a subject to inhibit an interaction between a ligand (soluble or membrane-bound) and
25 a protein on the surface of a cell (receptor), to thereby suppress signal transduction *in vivo*. The immunoglobulin fusion protein can be used to affect the bioavailability of a cognate ligand of a marker protein. Inhibition of ligand/receptor interaction can be useful therapeutically, both for treating proliferative and differentiative disorders and for modulating (*e.g.* promoting or inhibiting) cell survival. Moreover, the immunoglobulin
30 fusion proteins of the invention can be used as immunogens to produce antibodies directed against a marker protein in a subject, to purify ligands and in screening assays to identify molecules which inhibit the interaction of the marker protein with ligands.

Chimeric and fusion proteins of the invention can be produced by
standard recombinant DNA techniques. In another embodiment, the fusion gene can be
35 synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers which give rise to complementary overhangs between two consecutive gene

fragments which can subsequently be annealed and re-amplified to generate a chimeric gene sequence (see, *e.g.*, Ausubel *et al.*, *supra*). Moreover, many expression vectors are commercially available that already encode a fusion moiety (*e.g.*, a GST polypeptide). A nucleic acid encoding a polypeptide of the invention can be cloned into such an
5 expression vector such that the fusion moiety is linked in-frame to the polypeptide of the invention.

A signal sequence can be used to facilitate secretion and isolation of marker proteins. Signal sequences are typically characterized by a core of hydrophobic amino acids which are generally cleaved from the mature protein during secretion in one
10 or more cleavage events. Such signal peptides contain processing sites that allow cleavage of the signal sequence from the mature proteins as they pass through the secretory pathway. Thus, the invention pertains to marker proteins, fusion proteins or segments thereof having a signal sequence, as well as to such proteins from which the signal sequence has been proteolytically cleaved (*i.e.*, the cleavage products). In one
15 embodiment, a nucleic acid sequence encoding a signal sequence can be operably linked in an expression vector to a protein of interest, such as a marker protein or a segment thereof. The signal sequence directs secretion of the protein, such as from a eukaryotic host into which the expression vector is transformed, and the signal sequence is subsequently or concurrently cleaved. The protein can then be readily purified from the
20 extracellular medium by art recognized methods. Alternatively, the signal sequence can be linked to the protein of interest using a sequence which facilitates purification, such as with a GST domain.

The present invention also pertains to variants of the marker proteins. Such variants have an altered amino acid sequence which can function as either agonists
25 (mimetics) or as antagonists. Variants can be generated by mutagenesis, *e.g.*, discrete point mutation or truncation. An agonist can retain substantially the same, or a subset, of the biological activities of the naturally occurring form of the protein. An antagonist of a protein can inhibit one or more of the activities of the naturally occurring form of the protein by, for example, competitively binding to a downstream or upstream member
30 of a cellular signaling cascade which includes the protein of interest. Thus, specific biological effects can be elicited by treatment with a variant of limited function. Treatment of a subject with a variant having a subset of the biological activities of the naturally occurring form of the protein can have fewer side effects in a subject relative to treatment with the naturally occurring form of the protein.

35 Variants of a marker protein which function as either agonists (mimetics) or as antagonists can be identified by screening combinatorial libraries of mutants, *e.g.*, truncation mutants, of the protein of the invention for agonist or antagonist activity. In

one embodiment, a variegated library of variants is generated by combinatorial mutagenesis at the nucleic acid level and is encoded by a variegated gene library. A variegated library of variants can be produced by, for example, enzymatically ligating a mixture of synthetic oligonucleotides into gene sequences such that a degenerate set of potential protein sequences is expressible as individual polypeptides, or alternatively, as a set of larger fusion proteins (e.g., for phage display). There are a variety of methods which can be used to produce libraries of potential variants of the marker proteins from a degenerate oligonucleotide sequence. Methods for synthesizing degenerate oligonucleotides are known in the art (see, e.g., Narang, 1983, *Tetrahedron* 39:3; Itakura et al., 1984, *Annu. Rev. Biochem.* 53:323; Itakura et al., 1984, *Science* 198:1056; Ike et al., 1983 *Nucleic Acid Res.* 11:477).

In addition, libraries of segments of a marker protein can be used to generate a variegated population of polypeptides for screening and subsequent selection of variant marker proteins or segments thereof. For example, a library of coding sequence fragments can be generated by treating a double stranded PCR fragment of the coding sequence of interest with a nuclease under conditions wherein nicking occurs only about once per molecule, denaturing the double stranded DNA, renaturing the DNA to form double stranded DNA which can include sense/antisense pairs from different nicked products, removing single stranded portions from reformed duplexes by treatment with S1 nuclease, and ligating the resulting fragment library into an expression vector. By this method, an expression library can be derived which encodes amino terminal and internal fragments of various sizes of the protein of interest.

Several techniques are known in the art for screening gene products of combinatorial libraries made by point mutations or truncation, and for screening cDNA libraries for gene products having a selected property. The most widely used techniques, which are amenable to high through-put analysis, for screening large gene libraries typically include cloning the gene library into replicable expression vectors, transforming appropriate cells with the resulting library of vectors, and expressing the combinatorial genes under conditions in which detection of a desired activity facilitates isolation of the vector encoding the gene whose product was detected. Recursive ensemble mutagenesis (REM), a technique which enhances the frequency of functional mutants in the libraries, can be used in combination with the screening assays to identify variants of a protein of the invention (Arkin and Yourvan, 1992, *Proc. Natl. Acad. Sci. USA* 89:7811-7815; Delgrave et al., 1993, *Protein Engineering* 6(3):327-331).

Another aspect of the invention pertains to antibodies directed against a protein of the invention. In preferred embodiments, the antibodies specifically bind a marker protein or a fragment thereof. The terms "antibody" and "antibodies" as used

interchangeably herein refer to immunoglobulin molecules as well as fragments and derivatives thereof that comprise an immunologically active portion of an immunoglobulin molecule, (*i.e.*, such a portion contains an antigen binding site which specifically binds an antigen, such as a marker protein, *e.g.*, an epitope of a marker protein). An antibody which specifically binds to a protein of the invention is an antibody which binds the protein, but does not substantially bind other molecules in a sample, *e.g.*, a biological sample, which naturally contains the protein. Examples of an immunologically active portion of an immunoglobulin molecule include, but are not limited to, single-chain antibodies (scAb), F(ab) and F(ab')₂ fragments.

10 An isolated protein of the invention or a fragment thereof can be used as an immunogen to generate antibodies. The full-length protein can be used or, alternatively, the invention provides antigenic peptide fragments for use as immunogens. The antigenic peptide of a protein of the invention comprises at least 8 (preferably 10, 15, 20, or 30 or more) amino acid residues of the amino acid sequence of one of the proteins of the invention, and encompasses at least one epitope of the protein such that an antibody raised against the peptide forms a specific immune complex with the protein. Preferred epitopes encompassed by the antigenic peptide are regions that are located on the surface of the protein, *e.g.*, hydrophilic regions. Hydrophobicity sequence analysis, hydrophilicity sequence analysis, or similar analyses can be used to identify hydrophilic regions. In preferred embodiments, an isolated marker protein or fragment thereof is used as an immunogen.

25 An immunogen typically is used to prepare antibodies by immunizing a suitable (*i.e.* immunocompetent) subject such as a rabbit, goat, mouse, or other mammal or vertebrate. An appropriate immunogenic preparation can contain, for example, recombinantly-expressed or chemically-synthesized protein or peptide. The preparation can further include an adjuvant, such as Freund's complete or incomplete adjuvant, or a similar immunostimulatory agent. Preferred immunogen compositions are those that contain no other human proteins such as, for example, immunogen compositions made using a non-human host cell for recombinant expression of a protein of the invention. In such a manner, the resulting antibody compositions have reduced or no binding of human proteins other than a protein of the invention.

35 The invention provides polyclonal and monoclonal antibodies. The term "monoclonal antibody" or "monoclonal antibody composition", as used herein, refers to a population of antibody molecules that contain only one species of an antigen binding site capable of immunoreacting with a particular epitope. Preferred polyclonal and monoclonal antibody compositions are ones that have been selected for antibodies directed against a protein of the invention. Particularly preferred polyclonal and

monoclonal antibody preparations are ones that contain only antibodies directed against a marker protein or fragment thereof.

Polyclonal antibodies can be prepared by immunizing a suitable subject with a protein of the invention as an immunogen. The antibody titer in the immunized subject can be monitored over time by standard techniques, such as with an enzyme linked immunosorbent assay (ELISA) using immobilized polypeptide. At an appropriate time after immunization, *e.g.*, when the specific antibody titers are highest, antibody-producing cells can be obtained from the subject and used to prepare monoclonal antibodies (mAb) by standard techniques, such as the hybridoma technique originally described by Kohler and Milstein (1975) *Nature* 256:495-497, the human B cell hybridoma technique (see Kozbor *et al.*, 1983, *Immunol. Today* 4:72), the EBV-hybridoma technique (see Cole *et al.*, pp. 77-96 In *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, Inc., 1985) or trioma techniques. The technology for producing hybridomas is well known (see generally *Current Protocols in Immunology*, Coligan *et al.* ed., John Wiley & Sons, New York, 1994). Hybridoma cells producing a monoclonal antibody of the invention are detected by screening the hybridoma culture supernatants for antibodies that bind the polypeptide of interest, *e.g.*, using a standard ELISA assay.

Alternative to preparing monoclonal antibody-secreting hybridomas, a monoclonal antibody directed against a protein of the invention can be identified and isolated by screening a recombinant combinatorial immunoglobulin library (*e.g.*, an antibody phage display library) with the polypeptide of interest. Kits for generating and screening phage display libraries are commercially available (*e.g.*, the Pharmacia *Recombinant Phage Antibody System*, Catalog No. 27-9400-01; and the Stratagene *SurfZAP Phage Display Kit*, Catalog No. 240612). Additionally, examples of methods and reagents particularly amenable for use in generating and screening antibody display library can be found in, for example, U.S. Patent No. 5,223,409; PCT Publication No. WO 92/18619; PCT Publication No. WO 91/17271; PCT Publication No. WO 92/20791; PCT Publication No. WO 92/15679; PCT Publication No. WO 93/01288; PCT Publication No. WO 92/01047; PCT Publication No. WO 92/09690; PCT Publication No. WO 90/02809; Fuchs *et al.* (1991) *Bio/Technology* 9:1370-1372; Hay *et al.* (1992) *Hum. Antibod. Hybridomas* 3:81-85; Huse *et al.* (1989) *Science* 246:1275-1281; Griffiths *et al.* (1993) *EMBO J.* 12:725-734.

The invention also provides recombinant antibodies that specifically bind a protein of the invention. In preferred embodiments, the recombinant antibodies specifically binds a marker protein or fragment thereof. Recombinant antibodies include, but are not limited to, chimeric and humanized monoclonal antibodies,

comprising both human and non-human portions, single-chain antibodies and multi-specific antibodies. A chimeric antibody is a molecule in which different portions are derived from different animal species, such as those having a variable region derived from a murine mAb and a human immunoglobulin constant region. (See, *e.g.*, Cabilly et al., U.S. Patent No. 4,816,567; and Boss et al., U.S. Patent No. 4,816,397, which are incorporated herein by reference in their entirety.) Single-chain antibodies have an antigen binding site and consist of single polypeptides. They can be produced by techniques known in the art, for example using methods described in Ladner *et. al* U.S. Pat. No. 4,946,778 (which is incorporated herein by reference in its entirety); Bird *et al.*, (1988) *Science* 242:423-426; Whitlow *et al.*, (1991) *Methods in Enzymology* 2:1-9; Whitlow *et al.*, (1991) *Methods in Enzymology* 2:97-105; and Huston *et al.*, (1991) *Methods in Enzymology Molecular Design and Modeling: Concepts and Applications* 203:46-88. Multi-specific antibodies are antibody molecules having at least two antigen-binding sites that specifically bind different antigens. Such molecules can be produced by techniques known in the art, for example using methods described in Segal, U.S. Patent No. 4,676,980 (the disclosure of which is incorporated herein by reference in its entirety); Holliger et al., (1993) *Proc. Natl. Acad. Sci. USA* 90:6444-6448; Whitlow *et al.*, (1994) *Protein Eng.* 7:1017-1026 and U.S. Pat. No. 6,121,424.

Humanized antibodies are antibody molecules from non-human species having one or more complementarity determining regions (CDRs) from the non-human species and a framework region from a human immunoglobulin molecule. (See, *e.g.*, Queen, U.S. Patent No. 5,585,089, which is incorporated herein by reference in its entirety.) Humanized monoclonal antibodies can be produced by recombinant DNA techniques known in the art, for example using methods described in PCT Publication No. WO 87/02671; European Patent Application 184,187; European Patent Application 171,496; European Patent Application 173,494; PCT Publication No. WO 86/01533; U.S. Patent No. 4,816,567; European Patent Application 125,023; Better *et al.* (1988) *Science* 240:1041-1043; Liu *et al.* (1987) *Proc. Natl. Acad. Sci. USA* 84:3439-3443; Liu *et al.* (1987) *J. Immunol.* 139:3521-3526; Sun *et al.* (1987) *Proc. Natl. Acad. Sci. USA* 84:214-218; Nishimura *et al.* (1987) *Cancer Res.* 47:999-1005; Wood *et al.* (1985) *Nature* 314:446-449; and Shaw *et al.* (1988) *J. Natl. Cancer Inst.* 80:1553-1559; Morrison (1985) *Science* 229:1202-1207; Oi *et al.* (1986) *Bio/Techniques* 4:214; U.S. Patent 5,225,539; Jones *et al.* (1986) *Nature* 321:552-525; Verhoevan *et al.* (1988) *Science* 239:1534; and Beidler *et al.* (1988) *J. Immunol.* 141:4053-4060.

More particularly, humanized antibodies can be produced, for example, using transgenic mice which are incapable of expressing endogenous immunoglobulin heavy and light chains genes, but which can express human heavy and light chain genes.

The transgenic mice are immunized in the normal fashion with a selected antigen, *e.g.*, all or a portion of a polypeptide corresponding to a marker of the invention. Monoclonal antibodies directed against the antigen can be obtained using conventional hybridoma technology. The human immunoglobulin transgenes harbored by the transgenic mice
5 rearrange during B cell differentiation, and subsequently undergo class switching and somatic mutation. Thus, using such a technique, it is possible to produce therapeutically useful IgG, IgA and IgE antibodies. For an overview of this technology for producing human antibodies, see Lonberg and Huszar (1995) *Int. Rev. Immunol.* 13:65-93). For a
10 detailed discussion of this technology for producing human antibodies and human monoclonal antibodies and protocols for producing such antibodies, see, *e.g.*, U.S. Patent 5,625,126; U.S. Patent 5,633,425; U.S. Patent 5,569,825; U.S. Patent 5,661,016; and U.S. Patent 5,545,806. In addition, companies such as Abgenix, Inc. (Freemont, CA), can be engaged to provide human antibodies directed against a selected antigen using technology similar to that described above.

15 Completely human antibodies which recognize a selected epitope can be generated using a technique referred to as "guided selection." In this approach a selected non-human monoclonal antibody, *e.g.*, a murine antibody, is used to guide the selection of a completely human antibody recognizing the same epitope (Jespers *et al.*, 1994, *Bio/technology* 12:899-903).

20 The antibodies of the invention can be isolated after production (*e.g.*, from the blood or serum of the subject) or synthesis and further purified by well-known techniques. For example, IgG antibodies can be purified using protein A chromatography. Antibodies specific for a protein of the invention can be selected or (*e.g.*, partially purified) or purified by, *e.g.*, affinity chromatography. For example, a
25 recombinantly expressed and purified (or partially purified) protein of the invention is produced as described herein, and covalently or non-covalently coupled to a solid support such as, for example, a chromatography column. The column can then be used to affinity purify antibodies specific for the proteins of the invention from a sample containing antibodies directed against a large number of different epitopes, thereby
30 generating a substantially purified antibody composition, *i.e.*, one that is substantially free of contaminating antibodies. By a substantially purified antibody composition is meant, in this context, that the antibody sample contains at most only 30% (by dry weight) of contaminating antibodies directed against epitopes other than those of the desired protein of the invention, and preferably at most 20%, yet more preferably at
35 most 10%, and most preferably at most 5% (by dry weight) of the sample is contaminating antibodies. A purified antibody composition means that at least 99% of

the antibodies in the composition are directed against the desired protein of the invention.

In a preferred embodiment, the substantially purified antibodies of the invention may specifically bind to a signal peptide, a secreted sequence, an extracellular domain, a transmembrane or a cytoplasmic domain or cytoplasmic membrane of a protein of the invention. In a particularly preferred embodiment, the substantially purified antibodies of the invention specifically bind to a secreted sequence or an extracellular domain of the amino acid sequences of a protein of the invention. In a more preferred embodiment, the substantially purified antibodies of the invention specifically bind to a secreted sequence or an extracellular domain of the amino acid sequences of a marker protein.

An antibody directed against a protein of the invention can be used to isolate the protein by standard techniques, such as affinity chromatography or immunoprecipitation. Moreover, such an antibody can be used to detect the marker protein or fragment thereof (*e.g.*, in a cellular lysate or cell supernatant) in order to evaluate the level and pattern of expression of the marker. The antibodies can also be used diagnostically to monitor protein levels in tissues or body fluids (*e.g.* in a breast- or ovary-associated body fluid) as part of a clinical testing procedure, *e.g.*, to, for example, determine the efficacy of a given treatment regimen. Detection can be facilitated by the use of an antibody derivative, which comprises an antibody of the invention coupled to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, and radioactive materials. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, β -galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin, and examples of suitable radioactive material include ^{125}I , ^{131}I , ^{35}S or ^3H .

Antibodies of the invention may also be used as therapeutic agents in treating cancers. In a preferred embodiment, completely human antibodies of the invention are used for therapeutic treatment of human cancer patients, particularly those having breast or ovarian cancer. In another preferred embodiment, antibodies that bind specifically to a marker protein or fragment thereof are used for therapeutic treatment. Further, such therapeutic antibody may be an antibody derivative or immunotoxin comprising an antibody conjugated to a therapeutic moiety such as a cytotoxin, a

therapeutic agent or a radioactive metal ion. A cytotoxin or cytotoxic agent includes any agent that is detrimental to cells. Examples include taxol, cytochalasin B, gramicidin D, ethidium bromide, emetine, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicin, doxorubicin, daunorubicin, dihydroxy anthracin dione, mitoxantrone, mithramycin, actinomycin D, 1-dehydrotestosterone, glucocorticoids, procaine, tetracaine, lidocaine, propranolol, and puromycin and analogs or homologs thereof. Therapeutic agents include, but are not limited to, antimetabolites (*e.g.*, methotrexate, 6-mercaptopurine, 6-thioguanine, cytarabine, 5-fluorouracil decarbazine), alkylating agents (*e.g.*, mechlorethamine, thioepa chlorambucil, melphalan, carmustine (BSNU) and lomustine (CCNU), cyclophosphamide, busulfan, dibromomannitol, streptozotocin, mitomycin C, and cis-dichlorodiamine platinum (II) (DDP) cisplatin), anthracyclines (*e.g.*, daunorubicin (formerly daunomycin) and doxorubicin), antibiotics (*e.g.*, dactinomycin (formerly actinomycin), bleomycin, mithramycin, and anthramycin (AMC)), and anti-mitotic agents (*e.g.*, vincristine and vinblastine).

The conjugated antibodies of the invention can be used for modifying a given biological response, for the drug moiety is not to be construed as limited to classical chemical therapeutic agents. For example, the drug moiety may be a protein or polypeptide possessing a desired biological activity. Such proteins may include, for example, a toxin such as ribosome-inhibiting protein (see Better et al., U.S. Patent No. 6,146,631, the disclosure of which is incorporated herein in its entirety), abrin, ricin A, pseudomonas exotoxin, or diphtheria toxin; a protein such as tumor necrosis factor, .alpha.-interferon, .beta.-interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator; or, biological response modifiers such as, for example, lymphokines, interleukin-1 ("IL-1"), interleukin-2 ("IL-2"), interleukin-6 ("IL-6"), granulocyte macrophage colony stimulating factor ("GM-CSF"), granulocyte colony stimulating factor ("G-CSF"), or other growth factors.

Techniques for conjugating such therapeutic moiety to antibodies are well known, see, *e.g.*, Arnon et al., "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", in *Monoclonal Antibodies And Cancer Therapy*, Reisfeld et al. (eds.), pp. 243-56 (Alan R. Liss, Inc. 1985); Hellstrom et al., "Antibodies For Drug Delivery", in *Controlled Drug Delivery* (2nd Ed.), Robinson et al. (eds.), pp. 623-53 (Marcel Dekker, Inc. 1987); Thorpe, "Antibody Carriers Of Cytotoxic Agents In Cancer Therapy: A Review", in *Monoclonal Antibodies '84: Biological And Clinical Applications*, Pinchera et al. (eds.), pp. 475-506 (1985); "Analysis, Results, And Future Prospective Of The Therapeutic Use Of Radiolabeled Antibody In Cancer Therapy", in *Monoclonal Antibodies For Cancer Detection And Therapy*, Baldwin et al. (eds.), pp.

303-16 (Academic Press 1985), and Thorpe et al., "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", Immunol. Rev., 62:119-58 (1982).

Accordingly, in one aspect, the invention provides substantially purified antibodies, antibody fragments and derivatives, all of which specifically bind to a
5 protein of the invention and preferably, a marker protein. In various embodiments, the substantially purified antibodies of the invention, or fragments or derivatives thereof, can be human, non-human, chimeric and/or humanized antibodies. In another aspect, the invention provides non-human antibodies, antibody fragments and derivatives, all of which specifically bind to a protein of the invention and preferably, a marker protein.
10 Such non-human antibodies can be goat, mouse, sheep, horse, chicken, rabbit, or rat antibodies. Alternatively, the non-human antibodies of the invention can be chimeric and/or humanized antibodies. In addition, the non-human antibodies of the invention can be polyclonal antibodies or monoclonal antibodies. In still a further aspect, the invention provides monoclonal antibodies, antibody fragments and derivatives, all of
15 which specifically bind to a protein of the invention and preferably, a marker protein. The monoclonal antibodies can be human, humanized, chimeric and/or non-human antibodies.

The invention also provides a kit containing an antibody of the invention conjugated to a detectable substance, and instructions for use. Still another aspect of the
20 invention is a pharmaceutical composition comprising an antibody of the invention. In one embodiment, the pharmaceutical composition comprises an antibody of the invention, a therapeutic moiety, and a pharmaceutically acceptable carrier.

III. Recombinant Expression Vectors and Host Cells

25 Another aspect of the invention pertains to vectors, preferably expression vectors, containing a nucleic acid encoding a marker protein (or a portion of such a protein). As used herein, the term "vector" refers to a nucleic acid molecule capable of transporting another nucleic acid to which it has been linked. One type of vector is a "plasmid", which refers to a circular double stranded DNA loop into which additional
30 DNA segments can be ligated. Another type of vector is a viral vector, wherein additional DNA segments can be ligated into the viral genome. Certain vectors are capable of autonomous replication in a host cell into which they are introduced (*e.g.*, bacterial vectors having a bacterial origin of replication and episomal mammalian vectors). Other vectors (*e.g.*, non-episomal mammalian vectors) are integrated into the
35 genome of a host cell upon introduction into the host cell, and thereby are replicated along with the host genome. Moreover, certain vectors, namely expression vectors, are capable of directing the expression of genes to which they are operably linked. In

general, expression vectors of utility in recombinant DNA techniques are often in the form of plasmids (vectors). However, the invention is intended to include such other forms of expression vectors, such as viral vectors (*e.g.*, replication defective retroviruses, adenoviruses and adeno-associated viruses), which serve equivalent functions.

The recombinant expression vectors of the invention comprise a nucleic acid of the invention in a form suitable for expression of the nucleic acid in a host cell. This means that the recombinant expression vectors include one or more regulatory sequences, selected on the basis of the host cells to be used for expression, which is operably linked to the nucleic acid sequence to be expressed. Within a recombinant expression vector, "operably linked" is intended to mean that the nucleotide sequence of interest is linked to the regulatory sequence(s) in a manner which allows for expression of the nucleotide sequence (*e.g.*, in an *in vitro* transcription/translation system or in a host cell when the vector is introduced into the host cell). The term "regulatory sequence" is intended to include promoters, enhancers and other expression control elements (*e.g.*, polyadenylation signals). Such regulatory sequences are described, for example, in Goeddel, *Methods in Enzymology: Gene Expression Technology* vol.185, Academic Press, San Diego, CA (1991). Regulatory sequences include those which direct constitutive expression of a nucleotide sequence in many types of host cell and those which direct expression of the nucleotide sequence only in certain host cells (*e.g.*, tissue-specific regulatory sequences). It will be appreciated by those skilled in the art that the design of the expression vector can depend on such factors as the choice of the host cell to be transformed, the level of expression of protein desired, and the like. The expression vectors of the invention can be introduced into host cells to thereby produce proteins or peptides, including fusion proteins or peptides, encoded by nucleic acids as described herein.

The recombinant expression vectors of the invention can be designed for expression of a marker protein or a segment thereof in prokaryotic (*e.g.*, *E. coli*) or eukaryotic cells (*e.g.*, insect cells {using baculovirus expression vectors}, yeast cells or mammalian cells). Suitable host cells are discussed further in Goeddel, *supra*. Alternatively, the recombinant expression vector can be transcribed and translated *in vitro*, for example using T7 promoter regulatory sequences and T7 polymerase.

Expression of proteins in prokaryotes is most often carried out in *E. coli* with vectors containing constitutive or inducible promoters directing the expression of either fusion or non-fusion proteins. Fusion vectors add a number of amino acids to a protein encoded therein, usually to the amino terminus of the recombinant protein. Such fusion vectors typically serve three purposes: 1) to increase expression of recombinant

protein; 2) to increase the solubility of the recombinant protein; and 3) to aid in the purification of the recombinant protein by acting as a ligand in affinity purification. Often, in fusion expression vectors, a proteolytic cleavage site is introduced at the junction of the fusion moiety and the recombinant protein to enable separation of the recombinant protein from the fusion moiety subsequent to purification of the fusion protein. Such enzymes, and their cognate recognition sequences, include Factor Xa, thrombin and enterokinase. Typical fusion expression vectors include pGEX (Pharmacia Biotech Inc; Smith and Johnson, 1988, *Gene* 67:31-40), pMAL (New England Biolabs, Beverly, MA) and pRIT5 (Pharmacia, Piscataway, NJ) which fuse glutathione S-transferase (GST), maltose E binding protein, or protein A, respectively, to the target recombinant protein.

Examples of suitable inducible non-fusion *E. coli* expression vectors include pTrc (Amann *et al.*, 1988, *Gene* 69:301-315) and pET 11d (Studier *et al.*, p. 60-89, In *Gene Expression Technology: Methods in Enzymology* vol.185, Academic Press, San Diego, CA, 1991). Target gene expression from the pTrc vector relies on host RNA polymerase transcription from a hybrid trp-lac fusion promoter. Target gene expression from the pET 11d vector relies on transcription from a T7 gn10-lac fusion promoter mediated by a co-expressed viral RNA polymerase (T7 gn1). This viral polymerase is supplied by host strains BL21(DE3) or HMS174(DE3) from a resident prophage harboring a T7 gn1 gene under the transcriptional control of the lacUV 5 promoter.

One strategy to maximize recombinant protein expression in *E. coli* is to express the protein in a host bacteria with an impaired capacity to proteolytically cleave the recombinant protein (Gottesman, p. 119-128, In *Gene Expression Technology: Methods in Enzymology* vol. 185, Academic Press, San Diego, CA, 1990. Another strategy is to alter the nucleic acid sequence of the nucleic acid to be inserted into an expression vector so that the individual codons for each amino acid are those preferentially utilized in *E. coli* (Wada *et al.*, 1992, *Nucleic Acids Res.* 20:2111-2118). Such alteration of nucleic acid sequences of the invention can be carried out by standard DNA synthesis techniques.

In another embodiment, the expression vector is a yeast expression vector. Examples of vectors for expression in yeast *S. cerevisiae* include pYepSec1 (Baldari *et al.*, 1987, *EMBO J.* 6:229-234), pMFa (Kurjan and Herskowitz, 1982, *Cell* 30:933-943), pJRY88 (Schultz *et al.*, 1987, *Gene* 54:113-123), pYES2 (Invitrogen Corporation, San Diego, CA), and pPicZ (Invitrogen Corp, San Diego, CA).

Alternatively, the expression vector is a baculovirus expression vector. Baculovirus vectors available for expression of proteins in cultured insect cells (*e.g.*, Sf 9 cells) include the pAc series (Smith *et al.*, 1983, *Mol. Cell Biol.* 3:2156-2165) and the pVL series (Lucklow and Summers, 1989, *Virology* 170:31-39).

5 In yet another embodiment, a nucleic acid of the invention is expressed in mammalian cells using a mammalian expression vector. Examples of mammalian expression vectors include pCDM8 (Seed, 1987, *Nature* 329:840) and pMT2PC (Kaufman *et al.*, 1987, *EMBO J.* 6:187-195). When used in mammalian cells, the expression vector's control functions are often provided by viral regulatory elements.
10 For example, commonly used promoters are derived from polyoma, Adenovirus 2, cytomegalovirus and Simian Virus 40. For other suitable expression systems for both prokaryotic and eukaryotic cells see chapters 16 and 17 of Sambrook *et al.*, *supra*.

In another embodiment, the recombinant mammalian expression vector is capable of directing expression of the nucleic acid preferentially in a particular cell type
15 (*e.g.*, tissue-specific regulatory elements are used to express the nucleic acid). Tissue-specific regulatory elements are known in the art. Non-limiting examples of suitable tissue-specific promoters include the albumin promoter (liver-specific; Pinkert *et al.*, 1987, *Genes Dev.* 1:268-277), lymphoid-specific promoters (Calame and Eaton, 1988, *Adv. Immunol.* 43:235-275), in particular promoters of T cell receptors (Winoto and
20 Baltimore, 1989, *EMBO J.* 8:729-733) and immunoglobulins (Banerji *et al.*, 1983, *Cell* 33:729-740; Queen and Baltimore, 1983, *Cell* 33:741-748), neuron-specific promoters (*e.g.*, the neurofilament promoter; Byrne and Ruddle, 1989, *Proc. Natl. Acad. Sci. USA* 86:5473-5477), pancreas-specific promoters (Edlund *et al.*, 1985, *Science* 230:912-916), and mammary gland-specific promoters (*e.g.*, milk whey promoter; U.S. Patent No.
25 4,873,316 and European Application Publication No. 264,166). Developmentally-regulated promoters are also encompassed, for example the murine hox promoters (Kessel and Gruss, 1990, *Science* 249:374-379) and the α -fetoprotein promoter (Camper and Tilghman, 1989, *Genes Dev.* 3:537-546).

The invention further provides a recombinant expression vector
30 comprising a DNA molecule of the invention cloned into the expression vector in an antisense orientation. That is, the DNA molecule is operably linked to a regulatory sequence in a manner which allows for expression (by transcription of the DNA molecule) of an RNA molecule which is antisense to the mRNA encoding a polypeptide of the invention. Regulatory sequences operably linked to a nucleic acid cloned in the
35 antisense orientation can be chosen which direct the continuous expression of the antisense RNA molecule in a variety of cell types, for instance viral promoters and/or enhancers, or regulatory sequences can be chosen which direct constitutive, tissue-

specific or cell type specific expression of antisense RNA. The antisense expression vector can be in the form of a recombinant plasmid, phagemid, or attenuated virus in which antisense nucleic acids are produced under the control of a high efficiency regulatory region, the activity of which can be determined by the cell type into which the vector is introduced. For a discussion of the regulation of gene expression using antisense genes see Weintraub *et al.*, 1986, *Trends in Genetics*, Vol. 1(1).

Another aspect of the invention pertains to host cells into which a recombinant expression vector of the invention has been introduced. The terms "host cell" and "recombinant host cell" are used interchangeably herein. It is understood that such terms refer not only to the particular subject cell but to the progeny or potential progeny of such a cell. Because certain modifications may occur in succeeding generations due to either mutation or environmental influences, such progeny may not, in fact, be identical to the parent cell, but are still included within the scope of the term as used herein.

A host cell can be any prokaryotic (*e.g.*, *E. coli*) or eukaryotic cell (*e.g.*, insect cells, yeast or mammalian cells).

Vector DNA can be introduced into prokaryotic or eukaryotic cells via conventional transformation or transfection techniques. As used herein, the terms "transformation" and "transfection" are intended to refer to a variety of art-recognized techniques for introducing foreign nucleic acid into a host cell, including calcium phosphate or calcium chloride co-precipitation, DEAE-dextran-mediated transfection, lipofection, or electroporation. Suitable methods for transforming or transfecting host cells can be found in Sambrook, *et al.* (*supra*), and other laboratory manuals.

For stable transfection of mammalian cells, it is known that, depending upon the expression vector and transfection technique used, only a small fraction of cells may integrate the foreign DNA into their genome. In order to identify and select these integrants, a gene that encodes a selectable marker (*e.g.*, for resistance to antibiotics) is generally introduced into the host cells along with the gene of interest. Preferred selectable markers include those which confer resistance to drugs, such as G418, hygromycin and methotrexate. Cells stably transfected with the introduced nucleic acid can be identified by drug selection (*e.g.*, cells that have incorporated the selectable marker will survive, while the other cells die).

A host cell of the invention, such as a prokaryotic or eukaryotic host cell in culture, can be used to produce a marker protein or a segment thereof. Accordingly, the invention further provides methods for producing a marker protein or a segment thereof using the host cells of the invention. In one embodiment, the method comprises culturing the host cell of the invention (into which a recombinant expression vector

encoding a marker protein or a segment thereof has been introduced) in a suitable medium such that the is produced. In another embodiment, the method further comprises isolating the a marker protein or a segment thereof from the medium or the host cell.

5 The host cells of the invention can also be used to produce nonhuman transgenic animals. For example, in one embodiment, a host cell of the invention is a fertilized oocyte or an embryonic stem cell into which a sequences encoding a marker protein or a segment thereof have been introduced. Such host cells can then be used to create non-human transgenic animals in which exogenous sequences encoding a marker
10 protein of the invention have been introduced into their genome or homologous recombinant animals in which endogenous gene(s) encoding a marker protein have been altered. Such animals are useful for studying the function and/or activity of the marker protein and for identifying and/or evaluating modulators of marker protein. As used herein, a "transgenic animal" is a non-human animal, preferably a mammal, more
15 preferably a rodent such as a rat or mouse, in which one or more of the cells of the animal includes a transgene. Other examples of transgenic animals include non-human primates, sheep, dogs, cows, goats, chickens, amphibians, etc. A transgene is exogenous DNA which is integrated into the genome of a cell from which a transgenic animal develops and which remains in the genome of the mature animal, thereby directing the
20 expression of an encoded gene product in one or more cell types or tissues of the transgenic animal. As used herein, an "homologous recombinant animal" is a non-human animal, preferably a mammal, more preferably a mouse, in which an endogenous gene has been altered by homologous recombination between the endogenous gene and an exogenous DNA molecule introduced into a cell of the animal, *e.g.*, an embryonic
25 cell of the animal, prior to development of the animal.

A transgenic animal of the invention can be created by introducing a nucleic acid encoding a marker protein into the male pronuclei of a fertilized oocyte, *e.g.*, by microinjection, retroviral infection, and allowing the oocyte to develop in a pseudopregnant female foster animal. Intronic sequences and polyadenylation signals
30 can also be included in the transgene to increase the efficiency of expression of the transgene. A tissue-specific regulatory sequence(s) can be operably linked to the transgene to direct expression of the polypeptide of the invention to particular cells. Methods for generating transgenic animals via embryo manipulation and microinjection, particularly animals such as mice, have become conventional in the art and are
35 described, for example, in U.S. Patent Nos. 4,736,866 and 4,870,009, U.S. Patent No. 4,873,191 and in Hogan, *Manipulating the Mouse Embryo*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y., 1986. Similar methods are used for

production of other transgenic animals. A transgenic founder animal can be identified based upon the presence of the transgene in its genome and/or expression of mRNA encoding the transgene in tissues or cells of the animals. A transgenic founder animal can then be used to breed additional animals carrying the transgene. Moreover,
5 transgenic animals carrying the transgene can further be bred to other transgenic animals carrying other transgenes.

To create an homologous recombinant animal, a vector is prepared which contains at least a portion of a gene encoding a marker protein into which a deletion, addition or substitution has been introduced to thereby alter, *e.g.*, functionally disrupt,
10 the gene. In a preferred embodiment, the vector is designed such that, upon homologous recombination, the endogenous gene is functionally disrupted (*i.e.*, no longer encodes a functional protein; also referred to as a "knock out" vector). Alternatively, the vector can be designed such that, upon homologous recombination, the endogenous gene is mutated or otherwise altered but still encodes functional protein (*e.g.*, the upstream
15 regulatory region can be altered to thereby alter the expression of the endogenous protein). In the homologous recombination vector, the altered portion of the gene is flanked at its 5' and 3' ends by additional nucleic acid of the gene to allow for homologous recombination to occur between the exogenous gene carried by the vector and an endogenous gene in an embryonic stem cell. The additional flanking nucleic acid
20 sequences are of sufficient length for successful homologous recombination with the endogenous gene. Typically, several kilobases of flanking DNA (both at the 5' and 3' ends) are included in the vector (see, *e.g.*, Thomas and Capecchi, 1987, *Cell* 51:503 for a description of homologous recombination vectors). The vector is introduced into an embryonic stem cell line (*e.g.*, by electroporation) and cells in which the introduced
25 gene has homologously recombined with the endogenous gene are selected (see, *e.g.*, Li *et al.*, 1992, *Cell* 69:915). The selected cells are then injected into a blastocyst of an animal (*e.g.*, a mouse) to form aggregation chimeras (see, *e.g.*, Bradley, *Teratocarcinomas and Embryonic Stem Cells: A Practical Approach*, Robertson, Ed., IRL, Oxford, 1987, pp. 113-152). A chimeric embryo can then be implanted into a
30 suitable pseudopregnant female foster animal and the embryo brought to term. Progeny harboring the homologously recombined DNA in their germ cells can be used to breed animals in which all cells of the animal contain the homologously recombined DNA by germline transmission of the transgene. Methods for constructing homologous recombination vectors and homologous recombinant animals are described further in
35 Bradley (1991) *Current Opinion in Bio/Technology* 2:823-829 and in PCT Publication NOS. WO 90/11354, WO 91/01140, WO 92/0968, and WO 93/04169.

In another embodiment, transgenic non-human animals can be produced which contain selected systems which allow for regulated expression of the transgene. One example of such a system is the *cre/loxP* recombinase system of bacteriophage P1. For a description of the *cre/loxP* recombinase system, see, *e.g.*, Lakso *et al.* (1992) *Proc. Natl. Acad. Sci. USA* 89:6232-6236. Another example of a recombinase system is the FLP recombinase system of *Saccharomyces cerevisiae* (O'Gorman *et al.*, 1991, *Science* 251:1351-1355). If a *cre/loxP* recombinase system is used to regulate expression of the transgene, animals containing transgenes encoding both the *Cre* recombinase and a selected protein are required. Such animals can be provided through the construction of "double" transgenic animals, *e.g.*, by mating two transgenic animals, one containing a transgene encoding a selected protein and the other containing a transgene encoding a recombinase.

Clones of the non-human transgenic animals described herein can also be produced according to the methods described in Wilmut *et al.* (1997) *Nature* 385:810-813 and PCT Publication NOS. WO 97/07668 and WO 97/07669.

IV. Pharmaceutical Compositions

The nucleic acid molecules, polypeptides, and antibodies (also referred to herein as "active compounds") of the invention can be incorporated into pharmaceutical compositions suitable for administration. Such compositions typically comprise the nucleic acid molecule, protein, or antibody and a pharmaceutically acceptable carrier. As used herein the language "pharmaceutically acceptable carrier" is intended to include any and all solvents, dispersion media, coatings, antibacterial and antifungal agents, isotonic and absorption delaying agents, and the like, compatible with pharmaceutical administration. The use of such media and agents for pharmaceutically active substances is well known in the art. Except insofar as any conventional media or agent is incompatible with the active compound, use thereof in the compositions is contemplated. Supplementary active compounds can also be incorporated into the compositions.

The invention includes methods for preparing pharmaceutical compositions for modulating the expression or activity of a marker nucleic acid or protein. Such methods comprise formulating a pharmaceutically acceptable carrier with an agent which modulates expression or activity of a marker nucleic acid or protein. Such compositions can further include additional active agents. Thus, the invention further includes methods for preparing a pharmaceutical composition by formulating a pharmaceutically acceptable carrier with an agent which modulates expression or

activity of a marker nucleic acid or protein and one or more additional active compounds.

The invention also provides methods (also referred to herein as "screening assays") for identifying modulators, *i.e.*, candidate or test compounds or agents (*e.g.*, peptides, peptidomimetics, peptoids, small molecules or other drugs) which (a) bind to the marker, or (b) have a modulatory (*e.g.*, stimulatory or inhibitory) effect on the activity of the marker or, more specifically, (c) have a modulatory effect on the interactions of the marker with one or more of its natural substrates (*e.g.*, peptide, protein, hormone, co-factor, or nucleic acid), or (d) have a modulatory effect on the expression of the marker. Such assays typically comprise a reaction between the marker and one or more assay components. The other components may be either the test compound itself, or a combination of test compound and a natural binding partner of the marker.

The test compounds of the present invention may be obtained from any available source, including systematic libraries of natural and/or synthetic compounds. Test compounds may also be obtained by any of the numerous approaches in combinatorial library methods known in the art, including: biological libraries; peptoid libraries (libraries of molecules having the functionalities of peptides, but with a novel, non-peptide backbone which are resistant to enzymatic degradation but which nevertheless remain bioactive; see, *e.g.*, Zuckermann *et al.*, 1994, *J. Med. Chem.* 37:2678-85); spatially addressable parallel solid phase or solution phase libraries; synthetic library methods requiring deconvolution; the 'one-bead one-compound' library method; and synthetic library methods using affinity chromatography selection. The biological library and peptoid library approaches are limited to peptide libraries, while the other four approaches are applicable to peptide, non-peptide oligomer or small molecule libraries of compounds (Lam, 1997, *Anticancer Drug Des.* 12:145).

Examples of methods for the synthesis of molecular libraries can be found in the art, for example in: DeWitt *et al.* (1993) *Proc. Natl. Acad. Sci. U.S.A.* 90:6909; Erb *et al.* (1994) *Proc. Natl. Acad. Sci. USA* 91:11422; Zuckermann *et al.* (1994). *J. Med. Chem.* 37:2678; Cho *et al.* (1993) *Science* 261:1303; Carrell *et al.* (1994) *Angew. Chem. Int. Ed. Engl.* 33:2059; Carell *et al.* (1994) *Angew. Chem. Int. Ed. Engl.* 33:2061; and in Gallop *et al.* (1994) *J. Med. Chem.* 37:1233.

Libraries of compounds may be presented in solution (*e.g.*, Houghten, 1992, *Biotechniques* 13:412-421), or on beads (Lam, 1991, *Nature* 354:82-84), chips (Fodor, 1993, *Nature* 364:555-556), bacteria and/or spores, (Ladner, USP 5,223,409), plasmids (Cull *et al.*, 1992, *Proc Natl Acad Sci USA* 89:1865-1869) or on phage (Scott and Smith, 1990, *Science* 249:386-390; Devlin, 1990, *Science* 249:404-406; Cwirla *et*

al, 1990, *Proc. Natl. Acad. Sci.* 87:6378-6382; Felici, 1991, *J. Mol. Biol.* 222:301-310; Ladner, *supra.*).

In one embodiment, the invention provides assays for screening candidate or test compounds which are substrates of a protein encoded by or corresponding to a marker or biologically active portion thereof. In another embodiment, the invention provides assays for screening candidate or test compounds which bind to a protein encoded by or corresponding to a marker or biologically active portion thereof. Determining the ability of the test compound to directly bind to a protein can be accomplished, for example, by coupling the compound with a radioisotope or enzymatic label such that binding of the compound to the marker can be determined by detecting the labeled marker compound in a complex. For example, compounds (*e.g.*, marker substrates) can be labeled with ^{125}I , ^{35}S , ^{14}C , or ^3H , either directly or indirectly, and the radioisotope detected by direct counting of radioemission or by scintillation counting. Alternatively, assay components can be enzymatically labeled with, for example, horseradish peroxidase, alkaline phosphatase, or luciferase, and the enzymatic label detected by determination of conversion of an appropriate substrate to product.

In another embodiment, the invention provides assays for screening candidate or test compounds which modulate the expression of a marker or the activity of a protein encoded by or corresponding to a marker, or a biologically active portion thereof. In all likelihood, the protein encoded by or corresponding to the marker can, *in vivo*, interact with one or more molecules, such as but not limited to, peptides, proteins, hormones, cofactors and nucleic acids. For the purposes of this discussion, such cellular and extracellular molecules are referred to herein as "binding partners" or marker "substrate".

One necessary embodiment of the invention in order to facilitate such screening is the use of a protein encoded by or corresponding to marker to identify the protein's natural *in vivo* binding partners. There are many ways to accomplish this which are known to one skilled in the art. One example is the use of the marker protein as "bait protein" in a two-hybrid assay or three-hybrid assay (see, *e.g.*, U.S. Patent No. 5,283,317; Zervos *et al*, 1993, *Cell* 72:223-232; Madura *et al*, 1993, *J. Biol. Chem.* 268:12046-12054; Bartel *et al*, 1993, *Biotechniques* 14:920-924; Iwabuchi *et al*, 1993 *Oncogene* 8:1693-1696; Brent WO94/10300) in order to identify other proteins which bind to or interact with the marker (binding partners) and, therefore, are possibly involved in the natural function of the marker. Such marker binding partners are also likely to be involved in the propagation of signals by the marker protein or downstream elements of a marker protein-mediated signaling pathway. Alternatively, such marker protein binding partners may also be found to be inhibitors of the marker protein.

The two-hybrid system is based on the modular nature of most transcription factors, which consist of separable DNA-binding and activation domains. Briefly, the assay utilizes two different DNA constructs. In one construct, the gene that encodes a marker protein fused to a gene encoding the DNA binding domain of a known transcription factor (*e.g.*, GAL-4). In the other construct, a DNA sequence, from a library of DNA sequences, that encodes an unidentified protein ("prey" or "sample") is fused to a gene that codes for the activation domain of the known transcription factor. If the "bait" and the "prey" proteins are able to interact, *in vivo*, forming a marker-dependent complex, the DNA-binding and activation domains of the transcription factor are brought into close proximity. This proximity allows transcription of a reporter gene (*e.g.*, LacZ) which is operably linked to a transcriptional regulatory site responsive to the transcription factor. Expression of the reporter gene can be readily detected and cell colonies containing the functional transcription factor can be isolated and used to obtain the cloned gene which encodes the protein which interacts with the marker protein.

In a further embodiment, assays may be devised through the use of the invention for the purpose of identifying compounds which modulate (*e.g.*, affect either positively or negatively) interactions between a marker protein and its substrates and/or binding partners. Such compounds can include, but are not limited to, molecules such as antibodies, peptides, hormones, oligonucleotides, nucleic acids, and analogs thereof. Such compounds may also be obtained from any available source, including systematic libraries of natural and/or synthetic compounds. The preferred assay components for use in this embodiment is a breast or ovarian cancer marker protein identified herein, the known binding partner and/or substrate of same, and the test compound. Test compounds can be supplied from any source.

The basic principle of the assay systems used to identify compounds that interfere with the interaction between the marker protein and its binding partner involves preparing a reaction mixture containing the marker protein and its binding partner under conditions and for a time sufficient to allow the two products to interact and bind, thus forming a complex. In order to test an agent for inhibitory activity, the reaction mixture is prepared in the presence and absence of the test compound. The test compound can be initially included in the reaction mixture, or can be added at a time subsequent to the addition of the marker protein and its binding partner. Control reaction mixtures are incubated without the test compound or with a placebo. The formation of any complexes between the marker protein and its binding partner is then detected. The formation of a complex in the control reaction, but less or no such formation in the reaction mixture containing the test compound, indicates that the compound interferes with the interaction of the marker protein and its binding partner.

Conversely, the formation of more complex in the presence of compound than in the control reaction indicates that the compound may enhance interaction of the marker protein and its binding partner.

The assay for compounds that interfere with the interaction of the marker protein with its binding partner may be conducted in a heterogeneous or homogeneous format. Heterogeneous assays involve anchoring either the marker protein or its binding partner onto a solid phase and detecting complexes anchored to the solid phase at the end of the reaction. In homogeneous assays, the entire reaction is carried out in a liquid phase. In either approach, the order of addition of reactants can be varied to obtain different information about the compounds being tested. For example, test compounds that interfere with the interaction between the marker proteins and the binding partners (*e.g.*, by competition) can be identified by conducting the reaction in the presence of the test substance, *i.e.*, by adding the test substance to the reaction mixture prior to or simultaneously with the marker and its interactive binding partner. Alternatively, test compounds that disrupt preformed complexes, *e.g.*, compounds with higher binding constants that displace one of the components from the complex, can be tested by adding the test compound to the reaction mixture after complexes have been formed. The various formats are briefly described below.

In a heterogeneous assay system, either the marker protein or its binding partner is anchored onto a solid surface or matrix, while the other corresponding non-anchored component may be labeled, either directly or indirectly. In practice, microtitre plates are often utilized for this approach. The anchored species can be immobilized by a number of methods, either non-covalent or covalent, that are typically well known to one who practices the art. Non-covalent attachment can often be accomplished simply by coating the solid surface with a solution of the marker protein or its binding partner and drying. Alternatively, an immobilized antibody specific for the assay component to be anchored can be used for this purpose. Such surfaces can often be prepared in advance and stored.

In related embodiments, a fusion protein can be provided which adds a domain that allows one or both of the assay components to be anchored to a matrix. For example, glutathione-S-transferase/marker fusion proteins or glutathione-S-transferase/binding partner can be adsorbed onto glutathione sepharose beads (Sigma Chemical, St. Louis, MO) or glutathione derivatized microtiter plates, which are then combined with the test compound or the test compound and either the non-adsorbed marker or its binding partner, and the mixture incubated under conditions conducive to complex formation (*e.g.*, physiological conditions). Following incubation, the beads or microtiter plate wells are washed to remove any unbound assay components, the

immobilized complex assessed either directly or indirectly, for example, as described above. Alternatively, the complexes can be dissociated from the matrix, and the level of marker binding or activity determined using standard techniques.

Other techniques for immobilizing proteins on matrices can also be used in the screening assays of the invention. For example, either a marker protein or a marker protein binding partner can be immobilized utilizing conjugation of biotin and streptavidin. Biotinylated marker protein or target molecules can be prepared from biotin-NHS (N-hydroxy-succinimide) using techniques known in the art (*e.g.*, biotinylation kit, Pierce Chemicals, Rockford, IL), and immobilized in the wells of streptavidin-coated 96 well plates (Pierce Chemical). In certain embodiments, the protein-immobilized surfaces can be prepared in advance and stored.

In order to conduct the assay, the corresponding partner of the immobilized assay component is exposed to the coated surface with or without the test compound. After the reaction is complete, unreacted assay components are removed (*e.g.*, by washing) and any complexes formed will remain immobilized on the solid surface. The detection of complexes anchored on the solid surface can be accomplished in a number of ways. Where the non-immobilized component is pre-labeled, the detection of label immobilized on the surface indicates that complexes were formed. Where the non-immobilized component is not pre-labeled, an indirect label can be used to detect complexes anchored on the surface; *e.g.*, using a labeled antibody specific for the initially non-immobilized species (the antibody, in turn, can be directly labeled or indirectly labeled with, *e.g.*, a labeled anti-Ig antibody). Depending upon the order of addition of reaction components, test compounds which modulate (inhibit or enhance) complex formation or which disrupt preformed complexes can be detected.

In an alternate embodiment of the invention, a homogeneous assay may be used. This is typically a reaction, analogous to those mentioned above, which is conducted in a liquid phase in the presence or absence of the test compound. The formed complexes are then separated from unreacted components, and the amount of complex formed is determined. As mentioned for heterogeneous assay systems, the order of addition of reactants to the liquid phase can yield information about which test compounds modulate (inhibit or enhance) complex formation and which disrupt preformed complexes.

In such a homogeneous assay, the reaction products may be separated from unreacted assay components by any of a number of standard techniques, including but not limited to: differential centrifugation, chromatography, electrophoresis and immunoprecipitation. In differential centrifugation, complexes of molecules may be separated from uncomplexed molecules through a series of centrifugal steps, due to the

different sedimentation equilibria of complexes based on their different sizes and densities (see, for example, Rivas, G., and Minton, A.P., *Trends Biochem Sci* 1993 Aug;18(8):284-7). Standard chromatographic techniques may also be utilized to separate complexed molecules from uncomplexed ones. For example, gel filtration chromatography separates molecules based on size, and through the utilization of an appropriate gel filtration resin in a column format, for example, the relatively larger complex may be separated from the relatively smaller uncomplexed components. Similarly, the relatively different charge properties of the complex as compared to the uncomplexed molecules may be exploited to differentially separate the complex from the remaining individual reactants, for example through the use of ion-exchange chromatography resins. Such resins and chromatographic techniques are well known to one skilled in the art (see, e.g., Heegaard, 1998, *J Mol. Recognit.* 11:141-148; Hage and Tweed, 1997, *J. Chromatogr. B. Biomed. Sci. Appl.*, 699:499-525). Gel electrophoresis may also be employed to separate complexed molecules from unbound species (see, e.g., Ausubel *et al* (eds.), In: *Current Protocols in Molecular Biology*, J. Wiley & Sons, New York, 1999). In this technique, protein or nucleic acid complexes are separated based on size or charge, for example. In order to maintain the binding interaction during the electrophoretic process, nondenaturing gels in the absence of reducing agent are typically preferred, but conditions appropriate to the particular interactants will be well known to one skilled in the art. Immunoprecipitation is another common technique utilized for the isolation of a protein-protein complex from solution (see, e.g., Ausubel *et al* (eds.), In: *Current Protocols in Molecular Biology*, J. Wiley & Sons, New York, 1999). In this technique, all proteins binding to an antibody specific to one of the binding molecules are precipitated from solution by conjugating the antibody to a polymer bead that may be readily collected by centrifugation. The bound assay components are released from the beads (through a specific proteolysis event or other technique well known in the art which will not disturb the protein-protein interaction in the complex), and a second immunoprecipitation step is performed, this time utilizing antibodies specific for the correspondingly different interacting assay component. In this manner, only formed complexes should remain attached to the beads. Variations in complex formation in both the presence and the absence of a test compound can be compared, thus offering information about the ability of the compound to modulate interactions between the marker protein and its binding partner.

Also within the scope of the present invention are methods for direct detection of interactions between the marker protein and its natural binding partner and/or a test compound in a homogeneous or heterogeneous assay system without further sample manipulation. For example, the technique of fluorescence energy transfer

may be utilized (see, *e.g.*, Lakowicz *et al.*, U.S. Patent No. 5,631,169; Stavrianopoulos *et al.*, U.S. Patent No. 4,868,103). Generally, this technique involves the addition of a fluorophore label on a first 'donor' molecule (*e.g.*, marker or test compound) such that its emitted fluorescent energy will be absorbed by a fluorescent label on a second, 5 'acceptor' molecule (*e.g.*, marker or test compound), which in turn is able to fluoresce due to the absorbed energy. Alternately, the 'donor' protein molecule may simply utilize the natural fluorescent energy of tryptophan residues. Labels are chosen that emit different wavelengths of light, such that the 'acceptor' molecule label may be differentiated from that of the 'donor'. Since the efficiency of energy transfer between 10 the labels is related to the distance separating the molecules, spatial relationships between the molecules can be assessed. In a situation in which binding occurs between the molecules, the fluorescent emission of the 'acceptor' molecule label in the assay should be maximal. An FET binding event can be conveniently measured through standard fluorometric detection means well known in the art (*e.g.*, using a fluorimeter).

15 A test substance which either enhances or hinders participation of one of the species in the preformed complex will result in the generation of a signal variant to that of background. In this way, test substances that modulate interactions between a marker and its binding partner can be identified in controlled assays.

In another embodiment, modulators of marker expression are identified in 20 a method wherein a cell is contacted with a candidate compound and the expression of marker mRNA or protein in the cell, is determined. The level of expression of marker mRNA or protein in the presence of the candidate compound is compared to the level of expression of marker mRNA or protein in the absence of the candidate compound. The candidate compound can then be identified as a modulator of marker expression based 25 on this comparison. For example, when expression of marker mRNA or protein is greater (statistically significantly greater) in the presence of the candidate compound than in its absence, the candidate compound is identified as a stimulator of marker mRNA or protein expression. Conversely, when expression of marker mRNA or protein is less (statistically significantly less) in the presence of the candidate compound than in 30 its absence, the candidate compound is identified as an inhibitor of marker mRNA or protein expression. The level of marker mRNA or protein expression in the cells can be determined by methods described herein for detecting marker mRNA or protein.

In another aspect, the invention pertains to a combination of two or more of the assays described herein. For example, a modulating agent can be identified using 35 a cell-based or a cell free assay, and the ability of the agent to modulate the activity of a marker protein can be further confirmed *in vivo*, *e.g.*, in a whole animal model for cellular transformation and/or tumorigenesis:

This invention further pertains to novel agents identified by the above-described screening assays. Accordingly, it is within the scope of this invention to further use an agent identified as described herein in an appropriate animal model. For example, an agent identified as described herein (*e.g.*, an marker modulating agent, an antisense marker nucleic acid molecule, an marker-specific antibody, or an marker-binding partner) can be used in an animal model to determine the efficacy, toxicity, or side effects of treatment with such an agent. Alternatively, an agent identified as described herein can be used in an animal model to determine the mechanism of action of such an agent. Furthermore, this invention pertains to uses of novel agents identified by the above-described screening assays for treatments as described herein.

It is understood that appropriate doses of small molecule agents and protein or polypeptide agents depends upon a number of factors within the knowledge of the ordinarily skilled physician, veterinarian, or researcher. The dose(s) of these agents will vary, for example, depending upon the identity, size, and condition of the subject or sample being treated, further depending upon the route by which the composition is to be administered, if applicable, and the effect which the practitioner desires the agent to have upon the nucleic acid or polypeptide of the invention. Exemplary doses of a small molecule include milligram or microgram amounts per kilogram of subject or sample weight (*e.g.* about 1 microgram per kilogram to about 500 milligrams per kilogram, about 100 micrograms per kilogram to about 5 milligrams per kilogram, or about 1 microgram per kilogram to about 50 micrograms per kilogram). Exemplary doses of a protein or polypeptide include gram, milligram or microgram amounts per kilogram of subject or sample weight (*e.g.* about 1 microgram per kilogram to about 5 grams per kilogram, about 100 micrograms per kilogram to about 500 milligrams per kilogram, or about 1 milligram per kilogram to about 50 milligrams per kilogram). It is furthermore understood that appropriate doses of one of these agents depend upon the potency of the agent with respect to the expression or activity to be modulated. Such appropriate doses can be determined using the assays described herein. When one or more of these agents is to be administered to an animal (*e.g.* a human) in order to modulate expression or activity of a polypeptide or nucleic acid of the invention, a physician, veterinarian, or researcher can, for example, prescribe a relatively low dose at first, subsequently increasing the dose until an appropriate response is obtained. In addition, it is understood that the specific dose level for any particular animal subject will depend upon a variety of factors including the activity of the specific agent employed, the age, body weight, general health, gender, and diet of the subject, the time of administration, the route of administration, the rate of excretion, any drug combination, and the degree of expression or activity to be modulated.

A pharmaceutical composition of the invention is formulated to be compatible with its intended route of administration. Examples of routes of administration include parenteral, *e.g.*, intravenous, intradermal, subcutaneous, oral (*e.g.*, inhalation), transdermal (topical), transmucosal, and rectal administration.

5 Solutions or suspensions used for parenteral, intradermal, or subcutaneous application can include the following components: a sterile diluent such as water for injection, saline solution, fixed oils, polyethylene glycols, glycerine, propylene glycol or other synthetic solvents; antibacterial agents such as benzyl alcohol or methyl parabens; antioxidants such as ascorbic acid or sodium bisulfite; chelating agents such as ethylenediamine-
10 tetraacetic acid; buffers such as acetates, citrates or phosphates and agents for the adjustment of tonicity such as sodium chloride or dextrose. pH can be adjusted with acids or bases, such as hydrochloric acid or sodium hydroxide. The parenteral preparation can be enclosed in ampules, disposable syringes or multiple dose vials made of glass or plastic.

15 Pharmaceutical compositions suitable for injectable use include sterile aqueous solutions (where water soluble) or dispersions and sterile powders for the extemporaneous preparation of sterile injectable solutions or dispersions. For intravenous administration, suitable carriers include physiological saline, bacteriostatic water, Cremophor EL (BASF; Parsippany, NJ) or phosphate buffered saline (PBS). In
20 all cases, the composition must be sterile and should be fluid to the extent that easy syringability exists. It must be stable under the conditions of manufacture and storage and must be preserved against the contaminating action of microorganisms such as bacteria and fungi. The carrier can be a solvent or dispersion medium containing, for example, water, ethanol, polyol (for example, glycerol, propylene glycol, and liquid
25 polyethylene glycol, and the like), and suitable mixtures thereof. The proper fluidity can be maintained, for example, by the use of a coating such as lecithin, by the maintenance of the required particle size in the case of dispersion and by the use of surfactants. Prevention of the action of microorganisms can be achieved by various antibacterial and antifungal agents, for example, parabens, chlorobutanol, phenol, ascorbic acid,
30 thimerosal, and the like. In many cases, it will be preferable to include isotonic agents, for example, sugars, polyalcohols such as mannitol, sorbitol, or sodium chloride in the composition. Prolonged absorption of the injectable compositions can be brought about by including in the composition an agent which delays absorption, for example, aluminum monostearate and gelatin.

35 Sterile injectable solutions can be prepared by incorporating the active compound (*e.g.*, a polypeptide or antibody) in the required amount in an appropriate solvent with one or a combination of ingredients enumerated above, as required,

followed by filtered sterilization. Generally, dispersions are prepared by incorporating the active compound into a sterile vehicle which contains a basic dispersion medium, and then incorporating the required other ingredients from those enumerated above. In the case of sterile powders for the preparation of sterile injectable solutions, the preferred methods of preparation are vacuum drying and freeze-drying which yields a powder of the active ingredient plus any additional desired ingredient from a previously sterile-filtered solution thereof.

Oral compositions generally include an inert diluent or an edible carrier. They can be enclosed in gelatin capsules or compressed into tablets. For the purpose of oral therapeutic administration, the active compound can be incorporated with excipients and used in the form of tablets, troches, or capsules. Oral compositions can also be prepared using a fluid carrier for use as a mouthwash, wherein the compound in the fluid carrier is applied orally and swished and expectorated or swallowed.

Pharmaceutically compatible binding agents, and/or adjuvant materials can be included as part of the composition. The tablets, pills, capsules, troches, and the like can contain any of the following ingredients, or compounds of a similar nature: a binder such as microcrystalline cellulose, gum tragacanth or gelatin; an excipient such as starch or lactose, a disintegrating agent such as alginic acid, Primogel, or corn starch; a lubricant such as magnesium stearate or Sterotes; a glidant such as colloidal silicon dioxide; a sweetening agent such as sucrose or saccharin; or a flavoring agent such as peppermint, methyl salicylate, or orange flavoring.

For administration by inhalation, the compounds are delivered in the form of an aerosol spray from a pressurized container or dispenser which contains a suitable propellant, *e.g.*, a gas such as carbon dioxide, or a nebulizer.

Systemic administration can also be by transmucosal or transdermal means. For transmucosal or transdermal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art, and include, for example, for transmucosal administration, detergents, bile salts, and fusidic acid derivatives. Transmucosal administration can be accomplished through the use of nasal sprays or suppositories. For transdermal administration, the active compounds are formulated into ointments, salves, gels, or creams as generally known in the art.

The compounds can also be prepared in the form of suppositories (*e.g.*, with conventional suppository bases such as cocoa butter and other glycerides) or retention enemas for rectal delivery.

In one embodiment, the active compounds are prepared with carriers that will protect the compound against rapid elimination from the body, such as a controlled release formulation, including implants and microencapsulated delivery systems. Biodegradable, biocompatible polymers can be used, such as ethylene vinyl acetate, 5 polyanhydrides, polyglycolic acid, collagen, polyorthoesters, and polylactic acid. Methods for preparation of such formulations will be apparent to those skilled in the art. The materials can also be obtained commercially from Alza Corporation and Nova Pharmaceuticals, Inc. Liposomal suspensions (including liposomes having monoclonal antibodies incorporated therein or thereon) can also be used as pharmaceutically 10 acceptable carriers. These can be prepared according to methods known to those skilled in the art, for example, as described in U.S. Patent No. 4,522,811.

It is especially advantageous to formulate oral or parenteral compositions in dosage unit form for ease of administration and uniformity of dosage. Dosage unit form as used herein refers to physically discrete units suited as unitary dosages for the 15 subject to be treated; each unit containing a predetermined quantity of active compound calculated to produce the desired therapeutic effect in association with the required pharmaceutical carrier. The specification for the dosage unit forms of the invention are dictated by and directly dependent on the unique characteristics of the active compound and the particular therapeutic effect to be achieved, and the limitations inherent in the art 20 of compounding such an active compound for the treatment of individuals.

For antibodies, the preferred dosage is 0.1 mg/kg to 100 mg/kg of body weight (generally 10 mg/kg to 20 mg/kg). If the antibody is to act in the brain, a dosage of 50 mg/kg to 100 mg/kg is usually appropriate. Generally, partially human antibodies and fully human antibodies have a longer half-life within the human body than other 25 antibodies. Accordingly, lower dosages and less frequent administration is often possible. Modifications such as lipidation can be used to stabilize antibodies and to enhance uptake and tissue penetration. A method for lipidation of antibodies is described by Cruikshank *et al.* (1997) *J. Acquired Immune Deficiency Syndromes and Human Retrovirology* 14:193.

30 The marker nucleic acid molecules can be inserted into vectors and used as gene therapy vectors. Gene therapy vectors can be delivered to a subject by, for example, intravenous injection, local administration (U.S. Patent 5,328,470), or by stereotactic injection (see, *e.g.*, Chen *et al.*, 1994, *Proc. Natl. Acad. Sci. USA* 91:3054-3057). The pharmaceutical preparation of the gene therapy vector can include the gene 35 therapy vector in an acceptable diluent, or can comprise a slow release matrix in which the gene delivery vehicle is imbedded. Alternatively, where the complete gene delivery vector can be produced intact from recombinant cells, *e.g.* retroviral vectors, the

pharmaceutical preparation can include one or more cells which produce the gene delivery system.

The pharmaceutical compositions can be included in a container, pack, or dispenser together with instructions for administration.

5

V. Predictive Medicine

The present invention pertains to the field of predictive medicine in which diagnostic assays, prognostic assays, pharmacogenomics, and monitoring clinical trails are used for prognostic (predictive) purposes to thereby treat an individual prophylactically. Accordingly, one aspect of the present invention relates to diagnostic
10 assays for determining the level of expression of one or more marker proteins or nucleic acids, in order to determine whether an individual is at risk of developing breast or ovarian cancer. Such assays can be used for prognostic or predictive purposes to thereby prophylactically treat an individual prior to the onset of the cancer.

15 Yet another aspect of the invention pertains to monitoring the influence of agents (*e.g.*, drugs or other compounds administered either to inhibit breast or ovarian cancer or to treat or prevent any other disorder {*i.e.* in order to understand any breast or ovarian carcinogenic effects that such treatment may have}) on the expression or activity of a marker of the invention in clinical trials. These and other agents are
20 described in further detail in the following sections.

A. Diagnostic Assays

An exemplary method for detecting the presence or absence of a marker protein or nucleic acid in a biological sample involves obtaining a biological sample
25 (*e.g.* a breast- or ovary-associated body fluid) from a test subject and contacting the biological sample with a compound or an agent capable of detecting the polypeptide or nucleic acid (*e.g.*, mRNA, genomic DNA, or cDNA). The detection methods of the invention can thus be used to detect mRNA, protein, cDNA, or genomic DNA, for example, in a biological sample *in vitro* as well as *in vivo*. For example, *in vitro*
30 techniques for detection of mRNA include Northern hybridizations and *in situ* hybridizations. *In vitro* techniques for detection of a marker protein include enzyme linked immunosorbent assays (ELISAs), Western blots, immunoprecipitations and immunofluorescence. *In vitro* techniques for detection of genomic DNA include Southern hybridizations. Furthermore, *in vivo* techniques for detection of a marker
35 protein include introducing into a subject a labeled antibody directed against the protein or fragment thereof. For example, the antibody can be labeled with a radioactive marker

whose presence and location in a subject can be detected by standard imaging techniques.

A general principle of such diagnostic and prognostic assays involves preparing a sample or reaction mixture that may contain a marker, and a probe, under
5 appropriate conditions and for a time sufficient to allow the marker and probe to interact and bind, thus forming a complex that can be removed and/or detected in the reaction mixture. These assays can be conducted in a variety of ways.

For example, one method to conduct such an assay would involve anchoring the marker or probe onto a solid phase support, also referred to as a substrate,
10 and detecting target marker/probe complexes anchored on the solid phase at the end of the reaction. In one embodiment of such a method, a sample from a subject, which is to be assayed for presence and/or concentration of marker, can be anchored onto a carrier or solid phase support. In another embodiment, the reverse situation is possible, in which the probe can be anchored to a solid phase and a sample from a subject can be
15 allowed to react as an unanchored component of the assay.

There are many established methods for anchoring assay components to a solid phase. These include, without limitation, marker or probe molecules which are immobilized through conjugation of biotin and streptavidin. Such biotinylated assay components can be prepared from biotin-NHS (N-hydroxy-succinimide) using
20 techniques known in the art (*e.g.*, biotinylation kit, Pierce Chemicals, Rockford, IL), and immobilized in the wells of streptavidin-coated 96 well plates (Pierce Chemical). In certain embodiments, the surfaces with immobilized assay components can be prepared in advance and stored.

Other suitable carriers or solid phase supports for such assays include any
25 material capable of binding the class of molecule to which the marker or probe belongs. Well-known supports or carriers include, but are not limited to, glass, polystyrene, nylon, polypropylene, nylon, polyethylene, dextran, amylases, natural and modified celluloses, polyacrylamides, gabbros, and magnetite.

In order to conduct assays with the above mentioned approaches, the non-
30 immobilized component is added to the solid phase upon which the second component is anchored. After the reaction is complete, uncomplexed components may be removed (*e.g.*, by washing) under conditions such that any complexes formed will remain immobilized upon the solid phase. The detection of marker/probe complexes anchored to the solid phase can be accomplished in a number of methods outlined herein.

In a preferred embodiment, the probe, when it is the unanchored assay component, can be labeled for the purpose of detection and readout of the assay, either directly or indirectly, with detectable labels discussed herein and which are well-known to one skilled in the art.

5 It is also possible to directly detect marker/probe complex formation without further manipulation or labeling of either component (marker or probe), for example by utilizing the technique of fluorescence energy transfer (see, for example, Lakowicz *et al.*, U.S. Patent No. 5,631,169; Stavrianopoulos, *et al.*, U.S. Patent No. 4,868,103). A fluorophore label on the first, 'donor' molecule is selected such that, upon
10 excitation with incident light of appropriate wavelength, its emitted fluorescent energy will be absorbed by a fluorescent label on a second 'acceptor' molecule, which in turn is able to fluoresce due to the absorbed energy. Alternately, the 'donor' protein molecule may simply utilize the natural fluorescent energy of tryptophan residues. Labels are chosen that emit different wavelengths of light, such that the 'acceptor' molecule label
15 may be differentiated from that of the 'donor'. Since the efficiency of energy transfer between the labels is related to the distance separating the molecules, spatial relationships between the molecules can be assessed. In a situation in which binding occurs between the molecules, the fluorescent emission of the 'acceptor' molecule label in the assay should be maximal. An FET binding event can be conveniently measured
20 through standard fluorometric detection means well known in the art (*e.g.*, using a fluorimeter).

 In another embodiment, determination of the ability of a probe to recognize a marker can be accomplished without labeling either assay component (probe or marker) by utilizing a technology such as real-time Biomolecular Interaction Analysis
25 (BIA) (see, *e.g.*, Sjolander, S. and Urbaniczky, C., 1991, *Anal. Chem.* 63:2338-2345 and Szabo *et al.*, 1995, *Curr. Opin. Struct. Biol.* 5:699-705). As used herein, "BIA" or "surface plasmon resonance" is a technology for studying biospecific interactions in real time, without labeling any of the interactants (*e.g.*, BIAcore). Changes in the mass at the binding surface (indicative of a binding event) result in alterations of the refractive index
30 of light near the surface (the optical phenomenon of surface plasmon resonance (SPR)), resulting in a detectable signal which can be used as an indication of real-time reactions between biological molecules.

 Alternatively, in another embodiment, analogous diagnostic and prognostic assays can be conducted with marker and probe as solutes in a liquid phase.
35 In such an assay, the complexed marker and probe are separated from uncomplexed components by any of a number of standard techniques, including but not limited to: differential centrifugation, chromatography, electrophoresis and immunoprecipitation.

In differential centrifugation, marker/probe complexes may be separated from uncomplexed assay components through a series of centrifugal steps, due to the different sedimentation equilibria of complexes based on their different sizes and densities (see, for example, Rivas, G., and Minton, A.P., 1993, *Trends Biochem Sci.* 18(8):284-7).

5 Standard chromatographic techniques may also be utilized to separate complexed molecules from uncomplexed ones. For example, gel filtration chromatography separates molecules based on size, and through the utilization of an appropriate gel filtration resin in a column format, for example, the relatively larger complex may be separated from the relatively smaller uncomplexed components. Similarly, the relatively
10 different charge properties of the marker/probe complex as compared to the uncomplexed components may be exploited to differentiate the complex from uncomplexed components, for example through the utilization of ion-exchange chromatography resins. Such resins and chromatographic techniques are well known to one skilled in the art (see, e.g., Heegaard, N.H., 1998, *J. Mol. Recognit.* Winter 11(1-
15 6):141-8; Hage, D.S., and Tweed, S.A. *J Chromatogr B Biomed Sci Appl* 1997 Oct 10;699(1-2):499-525). Gel electrophoresis may also be employed to separate complexed assay components from unbound components (see, e.g., Ausubel *et al.*, ed., *Current Protocols in Molecular Biology*, John Wiley & Sons, New York, 1987-1999). In this technique, protein or nucleic acid complexes are separated based on size or charge, for
20 example. In order to maintain the binding interaction during the electrophoretic process, non-denaturing gel matrix materials and conditions in the absence of reducing agent are typically preferred. Appropriate conditions to the particular assay and components thereof will be well known to one skilled in the art.

In a particular embodiment, the level of marker mRNA can be
25 determined both by *in situ* and by *in vitro* formats in a biological sample using methods known in the art. The term "biological sample" is intended to include tissues, cells, biological fluids and isolates thereof, isolated from a subject, as well as tissues, cells and fluids present within a subject. Many expression detection methods use isolated RNA. For *in vitro* methods, any RNA isolation technique that does not select against the
30 isolation of mRNA can be utilized for the purification of RNA from breast or ovarian cells (see, e.g., Ausubel *et al.*, ed., *Current Protocols in Molecular Biology*, John Wiley & Sons, New York 1987-1999). Additionally, large numbers of tissue samples can readily be processed using techniques well known to those of skill in the art, such as, for example, the single-step RNA isolation process of Chomczynski (1989, U.S. Patent No.
35 4,843,155).

The isolated mRNA can be used in hybridization or amplification assays that include, but are not limited to, Southern or Northern analyses, polymerase chain reaction analyses and probe arrays. One preferred diagnostic method for the detection of mRNA levels involves contacting the isolated mRNA with a nucleic acid molecule
5 (probe) that can hybridize to the mRNA encoded by the gene being detected. The nucleic acid probe can be, for example, a full-length cDNA, or a portion thereof, such as an oligonucleotide of at least 7, 15, 30, 50, 100, 250 or 500 nucleotides in length and sufficient to specifically hybridize under stringent conditions to a mRNA or genomic
10 DNA encoding a marker of the present invention. Other suitable probes for use in the diagnostic assays of the invention are described herein. Hybridization of an mRNA with the probe indicates that the marker in question is being expressed.

In one format, the mRNA is immobilized on a solid surface and contacted with a probe, for example by running the isolated mRNA on an agarose gel and transferring the mRNA from the gel to a membrane, such as nitrocellulose. In an
15 alternative format, the probe(s) are immobilized on a solid surface and the mRNA is contacted with the probe(s), for example, in an Affymetrix gene chip array. A skilled artisan can readily adapt known mRNA detection methods for use in detecting the level of mRNA encoded by the markers of the present invention.

An alternative method for determining the level of mRNA marker in a
20 sample involves the process of nucleic acid amplification, *e.g.*, by rtPCR (the experimental embodiment set forth in Mullis, 1987, U.S. Patent No. 4,683,202), ligase chain reaction (Barany, 1991, *Proc. Natl. Acad. Sci. USA*, 88:189-193), self sustained sequence replication (Guatelli *et al.*, 1990, *Proc. Natl. Acad. Sci. USA* 87:1874-1878), transcriptional amplification system (Kwoh *et al.*, 1989, *Proc. Natl. Acad. Sci. USA*
25 86:1173-1177), Q-Beta Replicase (Lizardi *et al.*, 1988, *Bio/Technology* 6:1197), rolling circle replication (Lizardi *et al.*, U.S. Patent No. 5,854,033) or any other nucleic acid amplification method, followed by the detection of the amplified molecules using techniques well known to those of skill in the art. These detection schemes are especially useful for the detection of nucleic acid molecules if such molecules are
30 present in very low numbers. As used herein, amplification primers are defined as being a pair of nucleic acid molecules that can anneal to 5' or 3' regions of a gene (plus and minus strands, respectively, or vice-versa) and contain a short region in between. In general, amplification primers are from about 10 to 30 nucleotides in length and flank a region from about 50 to 200 nucleotides in length. Under appropriate conditions and
35 with appropriate reagents, such primers permit the amplification of a nucleic acid molecule comprising the nucleotide sequence flanked by the primers.

For *in situ* methods, mRNA does not need to be isolated from the breast or ovarian cells prior to detection. In such methods, a cell or tissue sample is prepared/processed using known histological methods. The sample is then immobilized on a support, typically a glass slide, and then contacted with a probe that can hybridize to mRNA that encodes the marker.

As an alternative to making determinations based on the absolute expression level of the marker, determinations may be based on the normalized expression level of the marker. Expression levels are normalized by correcting the absolute expression level of a marker by comparing its expression to the expression of a gene that is not a marker, *e.g.*, a housekeeping gene that is constitutively expressed. Suitable genes for normalization include housekeeping genes such as the actin gene, or epithelial cell-specific genes. This normalization allows the comparison of the expression level in one sample, *e.g.*, a patient sample, to another sample, *e.g.*, a non-breast or non-ovarian cancer sample, or between samples from different sources.

Alternatively, the expression level can be provided as a relative expression level. To determine a relative expression level of a marker, the level of expression of the marker is determined for 10 or more samples of normal versus cancer cell isolates, preferably 50 or more samples, prior to the determination of the expression level for the sample in question. The mean expression level of each of the genes assayed in the larger number of samples is determined and this is used as a baseline expression level for the marker. The expression level of the marker determined for the test sample (absolute level of expression) is then divided by the mean expression value obtained for that marker. This provides a relative expression level.

Preferably, the samples used in the baseline determination will be from breast or ovarian cancer or from non-breast or non-ovarian cancer cells of breast or ovarian tissue. The choice of the cell source is dependent on the use of the relative expression level. Using expression found in normal tissues as a mean expression score aids in validating whether the marker assayed is breast or ovarian specific (versus normal cells). In addition, as more data is accumulated, the mean expression value can be revised, providing improved relative expression values based on accumulated data. Expression data from breast or ovarian cells provides a means for grading the severity of the breast or ovarian cancer state.

In another embodiment of the present invention, a marker protein is detected. A preferred agent for detecting marker protein of the invention is an antibody capable of binding to such a protein or a fragment thereof, preferably an antibody with a detectable label. Antibodies can be polyclonal, or more preferably, monoclonal. An intact antibody, or a fragment or derivative thereof (*e.g.*, Fab or F(ab')₂) can be used.

The term "labeled", with regard to the probe or antibody, is intended to encompass direct labeling of the probe or antibody by coupling (*i.e.*, physically linking) a detectable substance to the probe or antibody, as well as indirect labeling of the probe or antibody by reactivity with another reagent that is directly labeled. Examples of indirect labeling
5 include detection of a primary antibody using a fluorescently labeled secondary antibody and end-labeling of a DNA probe with biotin such that it can be detected with fluorescently labeled streptavidin.

Proteins from breast or ovarian cells can be isolated using techniques that are well known to those of skill in the art. The protein isolation methods employed can,
10 for example, be such as those described in Harlow and Lane (Harlow and Lane, 1988, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York).

A variety of formats can be employed to determine whether a sample contains a protein that binds to a given antibody. Examples of such formats include, but
15 are not limited to, enzyme immunoassay (EIA), radioimmunoassay (RIA), Western blot analysis and enzyme linked immunoabsorbant assay (ELISA). A skilled artisan can readily adapt known protein/antibody detection methods for use in determining whether breast or ovarian cells express a marker of the present invention.

In one format, antibodies, or antibody fragments or derivatives, can be
20 used in methods such as Western blots or immunofluorescence techniques to detect the expressed proteins. In such uses, it is generally preferable to immobilize either the antibody or proteins on a solid support. Suitable solid phase supports or carriers include any support capable of binding an antigen or an antibody. Well-known supports or carriers include glass, polystyrene, polypropylene, polyethylene, dextran, nylon,
25 amylases, natural and modified celluloses, polyacrylamides, gabbros, and magnetite.

One skilled in the art will know many other suitable carriers for binding antibody or antigen, and will be able to adapt such support for use with the present invention. For example, protein isolated from breast or ovarian cells can be run on a polyacrylamide gel electrophoresis and immobilized onto a solid phase support such as
30 nitrocellulose. The support can then be washed with suitable buffers followed by treatment with the detectably labeled antibody. The solid phase support can then be washed with the buffer a second time to remove unbound antibody. The amount of bound label on the solid support can then be detected by conventional means.

The invention also encompasses kits for detecting the presence of a
35 marker protein or nucleic acid in a biological sample (*e.g.* a breast- or ovary-associated body fluid such as a urine sample). Such kits can be used to determine if a subject is suffering from or is at increased risk of developing breast or ovarian cancer. For

example, the kit can comprise a labeled compound or agent capable of detecting a marker protein or nucleic acid in a biological sample and means for determining the amount of the protein or mRNA in the sample (*e.g.*, an antibody which binds the protein or a fragment thereof, or an oligonucleotide probe which binds to DNA or mRNA
5 encoding the protein). Kits can also include instructions for interpreting the results obtained using the kit.

For antibody-based kits, the kit can comprise, for example: (1) a first antibody (*e.g.*, attached to a solid support) which binds to a marker protein; and, optionally, (2) a second, different antibody which binds to either the protein or the first
10 antibody and is conjugated to a detectable label.

For oligonucleotide-based kits, the kit can comprise, for example: (1) an oligonucleotide, *e.g.*, a detectably labeled oligonucleotide, which hybridizes to a nucleic acid sequence encoding a marker protein or (2) a pair of primers useful for amplifying a marker nucleic acid molecule. The kit can also comprise, *e.g.*, a buffering agent, a
15 preservative, or a protein stabilizing agent. The kit can further comprise components necessary for detecting the detectable label (*e.g.*, an enzyme or a substrate). The kit can also contain a control sample or a series of control samples which can be assayed and compared to the test sample. Each component of the kit can be enclosed within an individual container and all of the various containers can be within a single package,
20 along with instructions for interpreting the results of the assays performed using the kit.

B. Pharmacogenomics

The marker of the invention are also useful as pharmacogenomic markers. As used herein, a "pharmacogenomic marker" is an objective biochemical
25 marker whose expression level correlates with a specific clinical drug response or susceptibility in a patient (see, *e.g.*, McLeod *et al.* (1999) *Eur. J. Cancer* 35(12): 1650-1652). The presence or quantity of the pharmacogenomic marker expression is related to the predicted responsive of the patient and more particularly the patient's tumor to therapy with a specific drug or class of drugs. By assessing the presence or quantity of
30 the expression of one or more pharmacogenomic markers in a patient, a drug therapy which is most appropriate for the patient, or which is predicted to have a greater degree of success, may be selected. For example, based on the presence or quantity of RNA or protein encoded by specific tumor markers in a patient, a drug or course of treatment may be selected that is optimized for the treatment of the specific tumor likely to be
35 present in the patient. The use of pharmacogenomic markers therefore permits selecting or designing the most appropriate treatment for each cancer patient without trying different drugs or regimes.

Another aspect of pharmacogenomics deals with genetic conditions that alters the way the body acts on drugs. These pharmacogenetic conditions can occur either as rare defects or as polymorphisms. For example, glucose-6-phosphate dehydrogenase (G6PD) deficiency is a common inherited enzymopathy in which the
5 main clinical complication is hemolysis after ingestion of oxidant drugs (anti-malarials, sulfonamides, analgesics, nitrofurans) and consumption of fava beans.

As an illustrative embodiment, the activity of drug metabolizing enzymes is a major determinant of both the intensity and duration of drug action. The discovery of genetic polymorphisms of drug metabolizing enzymes (*e.g.*, N-acetyltransferase 2
10 (NAT 2) and cytochrome P450 enzymes CYP2D6 and CYP2C19) has provided an explanation as to why some patients do not obtain the expected drug effects or show exaggerated drug response and serious toxicity after taking the standard and safe dose of a drug. These polymorphisms are expressed in two phenotypes in the population, the extensive metabolizer (EM) and poor metabolizer (PM). The prevalence of PM is
15 different among different populations. For example, the gene coding for CYP2D6 is highly polymorphic and several mutations have been identified in PM, which all lead to the absence of functional CYP2D6. Poor metabolizers of CYP2D6 and CYP2C19 quite frequently experience exaggerated drug response and side effects when they receive standard doses. If a metabolite is the active therapeutic moiety, a PM will show no
20 therapeutic response, as demonstrated for the analgesic effect of codeine mediated by its CYP2D6-formed metabolite morphine. The other extreme are the so called ultra-rapid metabolizers who do not respond to standard doses. Recently, the molecular basis of ultra-rapid metabolism has been identified to be due to CYP2D6 gene amplification.

Thus, the level of expression of a marker of the invention in an individual
25 can be determined to thereby select appropriate agent(s) for therapeutic or prophylactic treatment of the individual. In addition, pharmacogenetic studies can be used to apply genotyping of polymorphic alleles encoding drug-metabolizing enzymes to the identification of an individual's drug responsiveness phenotype. This knowledge, when applied to dosing or drug selection, can avoid adverse reactions or therapeutic failure
30 and thus enhance therapeutic or prophylactic efficiency when treating a subject with a modulator of expression of a marker of the invention.

C. Monitoring Clinical Trials

Monitoring the influence of agents (*e.g.*, drug compounds) on the level of
35 expression of a marker of the invention can be applied not only in basic drug screening, but also in clinical trials. For example, the effectiveness of an agent to affect marker expression can be monitored in clinical trials of subjects receiving treatment for breast or

ovarian cancer. In a preferred embodiment, the present invention provides a method for monitoring the effectiveness of treatment of a subject with an agent (*e.g.*, an agonist, antagonist, peptidomimetic, protein, peptide, nucleic acid, small molecule, or other drug candidate) comprising the steps of (i) obtaining a pre-administration sample from a
5 subject prior to administration of the agent; (ii) detecting the level of expression of one or more selected markers of the invention in the pre-administration sample; (iii) obtaining one or more post-administration samples from the subject; (iv) detecting the level of expression of the marker(s) in the post-administration samples; (v) comparing the level of expression of the marker(s) in the pre-administration sample with the level
10 of expression of the marker(s) in the post-administration sample or samples; and (vi) altering the administration of the agent to the subject accordingly. For example, increased ofexpression of the marker gene(s) during the course of treatment may indicate ineffective dosage and the desirability of increasing the dosage. Conversely, decreased expression of the marker gene(s) may indicate efficacious treatment and no
15 need to change dosage.

D. Electronic Apparatus Readable Media and Arrays

Electronic apparatus readable media comprising a marker of the present invention is also provided. As used herein, "electronic apparatus readable media" refers
20 to any suitable medium for storing, holding or containing data or information that can be read and accessed directly by an electronic apparatus. Such media can include, but are not limited to: magnetic storage media, such as floppy discs, hard disc storage medium, and magnetic tape; optical storage media such as compact disc; electronic storage media such as RAM, ROM, EPROM, EEPROM and the like; general hard disks and hybrids of
25 these categories such as magnetic/optical storage media. The medium is adapted or configured for having recorded thereon a marker of the present invention.

As used herein, the term "electronic apparatus" is intended to include any suitable computing or processing apparatus or other device configured or adapted for storing data or information. Examples of electronic apparatus suitable for use with the
30 present invention include stand-alone computing apparatus; networks, including a local area network (LAN), a wide area network (WAN) Internet, Intranet, and Extranet; electronic appliances such as a personal digital assistants (PDAs), cellular phone, pager and the like; and local and distributed processing systems.

As used herein, "recorded" refers to a process for storing or encoding
35 information on the electronic apparatus readable medium. Those skilled in the art can readily adopt any of the presently known methods for recording information on known media to generate manufactures comprising the markers of the present invention.

A variety of software programs and formats can be used to store the marker information of the present invention on the electronic apparatus readable medium. For example, the marker nucleic acid sequence can be represented in a word processing text file, formatted in commercially-available software such as WordPerfect and MicroSoft Word, or represented in the form of an ASCII file, stored in a database application, such as DB2, Sybase, Oracle, or the like, as well as in other forms. Any number of data processor structuring formats (*e.g.*, text file or database) may be employed in order to obtain or create a medium having recorded thereon the markers of the present invention.

By providing the markers of the invention in readable form, one can routinely access the marker sequence information for a variety of purposes. For example, one skilled in the art can use the nucleotide or amino acid sequences of the present invention in readable form to compare a target sequence or target structural motif with the sequence information stored within the data storage means. Search means are used to identify fragments or regions of the sequences of the invention which match a particular target sequence or target motif.

The present invention therefore provides a medium for holding instructions for performing a method for determining whether a subject has breast or ovarian cancer or a pre-disposition to breast or ovarian cancer, wherein the method comprises the steps of determining the presence or absence of a marker and based on the presence or absence of the marker, determining whether the subject has breast or ovarian cancer or a pre-disposition to breast or ovarian cancer and/or recommending a particular treatment for breast or ovarian cancer or pre-breast or pre-ovarian cancer condition.

The present invention further provides in an electronic system and/or in a network, a method for determining whether a subject has breast or ovarian cancer or a pre-disposition to breast or ovarian cancer associated with a marker wherein the method comprises the steps of determining the presence or absence of the marker, and based on the presence or absence of the marker, determining whether the subject has breast or ovarian cancer or a pre-disposition to breast or ovarian cancer, and/or recommending a particular treatment for the breast or ovarian cancer or pre-breast or pre-ovarian cancer condition. The method may further comprise the step of receiving phenotypic information associated with the subject and/or acquiring from a network phenotypic information associated with the subject.

The present invention also provides in a network, a method for determining whether a subject has breast or ovarian cancer or a pre-disposition to breast or ovarian cancer associated with a marker, said method comprising the steps of receiving information associated with the marker receiving phenotypic information

associated with the subject, acquiring information from the network corresponding to the marker and/or breast or pre-ovarian cancer, and based on one or more of the phenotypic information, the marker, and the acquired information, determining whether the subject has a breast or ovarian cancer or a pre-disposition to breast or ovarian cancer. The
5 method may further comprise the step of recommending a particular treatment for the breast or ovarian cancer or pre-breast or pre-ovarian cancer condition.

The present invention also provides a business method for determining whether a subject has breast or ovarian cancer or a pre-disposition to breast or ovarian cancer, said method comprising the steps of receiving information associated with the
10 marker, receiving phenotypic information associated with the subject, acquiring information from the network corresponding to the marker and/or breast or ovarian cancer, and based on one or more of the phenotypic information, the marker, and the acquired information, determining whether the subject has breast or ovarian cancer or a pre-disposition to breast or ovarian cancer. The method may further comprise the step of
15 recommending a particular treatment for the breast or ovarian cancer or pre-breast or pre-ovarian cancer condition.

The invention also includes an array comprising a marker of the present invention. The array can be used to assay expression of one or more genes in the array. In one embodiment, the array can be used to assay gene expression in a tissue to
20 ascertain tissue specificity of genes in the array. In this manner, up to about 7600 genes can be simultaneously assayed for expression. This allows a profile to be developed showing a battery of genes specifically expressed in one or more tissues.

In addition to such qualitative determination, the invention allows the quantitation of gene expression. Thus, not only tissue specificity, but also the level of
25 expression of a battery of genes in the tissue is ascertainable. Thus, genes can be grouped on the basis of their tissue expression *per se* and level of expression in that tissue. This is useful, for example, in ascertaining the relationship of gene expression between or among tissues. Thus, one tissue can be perturbed and the effect on gene expression in a second tissue can be determined. In this context, the effect of one cell
30 type on another cell type in response to a biological stimulus can be determined. Such a determination is useful, for example, to know the effect of cell-cell interaction at the level of gene expression. If an agent is administered therapeutically to treat one cell type but has an undesirable effect on another cell type, the invention provides an assay to determine the molecular basis of the undesirable effect and thus provides the
35 opportunity to co-administer a counteracting agent or otherwise treat the undesired effect. Similarly, even within a single cell type, undesirable biological effects can be

determined at the molecular level. Thus, the effects of an agent on expression of other than the target gene can be ascertained and counteracted.

In another embodiment, the array can be used to monitor the time course of expression of one or more genes in the array. This can occur in various biological contexts, as disclosed herein, for example development of breast or ovarian cancer, progression of breast or ovarian cancer, and processes, such a cellular transformation associated with breast or ovarian cancer.

The array is also useful for ascertaining the effect of the expression of a gene on the expression of other genes in the same cell or in different cells. This provides, for example, for a selection of alternate molecular targets for therapeutic intervention if the ultimate or downstream target cannot be regulated.

The array is also useful for ascertaining differential expression patterns of one or more genes in normal and abnormal cells. This provides a battery of genes that could serve as a molecular target for diagnosis or therapeutic intervention.

15

E. Surrogate Markers

The markers of the invention may serve as surrogate markers for one or more disorders or disease states or for conditions leading up to disease states, and in particular, breast or ovarian cancer. As used herein, a "surrogate marker" is an objective biochemical marker which correlates with the absence or presence of a disease or disorder, or with the progression of a disease or disorder (*e.g.*, with the presence or absence of a tumor). The presence or quantity of such markers is independent of the disease. Therefore, these markers may serve to indicate whether a particular course of treatment is effective in lessening a disease state or disorder. Surrogate markers are of particular use when the presence or extent of a disease state or disorder is difficult to assess through standard methodologies (*e.g.*, early stage tumors), or when an assessment of disease progression is desired before a potentially dangerous clinical endpoint is reached (*e.g.*, an assessment of cardiovascular disease may be made using cholesterol levels as a surrogate marker, and an analysis of HIV infection may be made using HIV RNA levels as a surrogate marker, well in advance of the undesirable clinical outcomes of myocardial infarction or fully-developed AIDS). Examples of the use of surrogate markers in the art include: Koomen *et al.* (2000) *J. Mass. Spectrom.* 35: 258-264; and James (1994) *AIDS Treatment News Archive* 209.

The markers of the invention are also useful as pharmacodynamic markers. As used herein, a "pharmacodynamic marker" is an objective biochemical marker which correlates specifically with drug effects. The presence or quantity of a pharmacodynamic marker is not related to the disease state or disorder for which the

drug is being administered; therefore, the presence or quantity of the marker is indicative of the presence or activity of the drug in a subject. For example, a pharmacodynamic marker may be indicative of the concentration of the drug in a biological tissue, in that the marker is either expressed or transcribed or not expressed or transcribed in that tissue in relationship to the level of the drug. In this fashion, the distribution or uptake of the drug may be monitored by the pharmacodynamic marker. Similarly, the presence or quantity of the pharmacodynamic marker may be related to the presence or quantity of the metabolic product of a drug, such that the presence or quantity of the marker is indicative of the relative breakdown rate of the drug *in vivo*. Pharmacodynamic markers are of particular use in increasing the sensitivity of detection of drug effects, particularly when the drug is administered in low doses. Since even a small amount of a drug may be sufficient to activate multiple rounds of marker transcription or expression, the amplified marker may be in a quantity which is more readily detectable than the drug itself. Also, the marker may be more easily detected due to the nature of the marker itself; for example, using the methods described herein, antibodies may be employed in an immune-based detection system for a protein marker, or marker-specific radiolabeled probes may be used to detect a mRNA marker. Furthermore, the use of a pharmacodynamic marker may offer mechanism-based prediction of risk due to drug treatment beyond the range of possible direct observations. Examples of the use of pharmacodynamic markers in the art include: Matsuda *et al.* US 6,033,862; Hattis *et al.* (1991) *Env. Health Perspect.* 90: 229-238; Schentag (1999) *Am. J. Health-Syst. Pharm.* 56 Suppl. 3: S21-S24; and Nicolau (1999) *Am. J. Health-Syst. Pharm.* 56 Suppl. 3: S16-S20.

25 Experimental Protocol

A. Identification of Markers And Assembly of their Sequences

RNA from tumor and normal breast and ovarian tissue samples were extracted and amplified by poly-dT primed RT-PCR into cDNA using the SMART PCR kit from Clontech. Amplified cDNA was then labeled using random priming PRIME-IT from Stratagene with a radioactive nucleotide. Labeled cDNA was hybridized to nylon filters spotted with purified PCR product from EST sequences representing known and unknown genes. Several thousand clones were spotted on each nylon filter. Duplicate independent hybridization experiments were performed to generate transcriptional profiling data (see Nature Genetics, 1999, 21). After repeated washings the nylon filters were scanned and the intensity of each spotted gene was converted electronically to indicate expression level in the sample from which the cDNA was derived. Tables were generated for each sample showing the expression level for each

of the spotted ESTs. These tables were transferred to Microsoft Excel spreadsheets and the expression levels for each spotted EST was compared between samples. A total of 41 tumor samples representing both early and late stage breast cancer and 7 normal breast tissue samples were profiled on these EST arrays. Additionally, a total of 70 late stage ovarian tumor samples and 5 normal ovarian tissue samples were also profiled on the EST arrays. ESTs that displayed a 5-fold increase in the expression level over the average expression level in the normal samples in at least 30% of the tumor samples were exported to a separate data table.

The corresponding nucleotide sequences for each of these spots were imported and blasted against both public and proprietary sequence databases in order to identify other EST sequences with significant overlap. Thus, contiguous EST sequences were assembled into tentative full-length genes. Reblasting of the assembled sequences against databases of genes coding for known proteins was done to assess whether the assembled gene was a known or unknown protein. Genes in which the potential open reading frame was still open in the 5' end were experimentally extended by either 5'RACE PCR or extracted out from full length cDNA libraries by a simple PCR reaction between the vector and 5' end of the assembled electronic sequence. To predict whether an assembled gene encodes a potential integral membrane protein, hydropathy predictions of the predicted open reading frame was performed (Jones *et al.*, 1994, *Biochemistry*. 33:3038-3049). If the open reading frame contained a predicted signal peptide in the N-terminal portion and a single membrane spanning domain, it was labeled as being a potential type I transmembrane protein. If the predicted amino acid sequence contained a transmembrane domain in the N-terminal portion of the protein, it was labeled as being a potential type II transmembrane protein. If the predicted amino acid sequence was a short hydrophobic protein (<50 amino acids) it was labeled as a potential integral membrane protein. If the predicted amino acid sequence contained multiple membrane spanning regions it was labeled as a multi-transmembrane (multi-TM) region protein

B. Identification of Marker 7 and Marker 23 as Targets for Anti-cancer Therapy

Expression levels of Marker 7, a putative transmembrane protein was >5-fold higher in 25/56 breast, 17/20 colon and 26/58 ovarian cancer samples compared to normal tissues. The full-length gene was cloned and expressed and the protein found to be localized to the cell surface of transfected cells. Marker 7 does not belong to any known protein family and does not show significant homology to any protein in the

public databases. Northern blots of various carcinoma cells lines reveal the presence of a single mRNA species at approximately 1.4 kb.

Expression of Marker 7 in normal and malignant human tissues was further evaluated by quantitative PCR analysis. Expression levels in breast, ovary, lung and colon tumor samples were 10-300 fold higher than corresponding normal tissues. In addition there was high expression of Marker 7 in *in vitro* cultured endothelial cells and Wilms tumors and hemangiomas, which are highly vascularized tumors. In situ hybridization (ISH) on tumor samples showed that Marker 7 is predominantly expressed within the tumor stroma and possibly localized to tumor vasculature. Analysis of normal human tissues, including aorta, by ISH suggested that Marker 7 is not expressed on cells within mature vessels. When human tumor cells are transplanted subcutaneously in immunodeficient mice, there is an induction of Marker 7 expression in the mouse stroma associated with tumor vasculature. Marker 7 is hence found expressed in many human cancers, (e.g. breast, ovary, colon, lung and prostate) and not in normal adult tissue.

A similar analysis of Marker 23 showed that this marker is stroma specific, and is upregulated in ovary, breast, lung and colon cancers. Marker 7 and Marker 23 are therefore attractive targets for inhibition of cancers as well as angiogenesis in general. Antibodies, antibody derivatives, and antibody fragments which bind, specifically with Marker 7 or Marker 32 protein (*i.e.*, SEQ ID NOs: 14 and 64, respectively), or a fragment of the protein, may be used to treat cancer of the breast, ovary, lung, colon and prostate as well as generally inhibiting angiogenesis.

VII. Summary of the Data in the Tables:

Table 1 lists all of the markers of the invention.

Table 2 lists Markers 1-33 which were found to be upregulated (*i.e.*, over-expressed) by transcription profiling (TP) in breast cancer. The markers were upregulated at least 5-fold in >30% of the tumors arrayed.

Table 3 lists Markers 34-56 which were found to be upregulated by TP in ovarian cancer. The markers were upregulated at least 5-fold in >30% of the tumors arrayed.

Table 4 lists markers in which additional expression analyses were done by either *in situ* hybridization (ISH), quantitative mRNA analysis (Taqman) or both.

Table 5 lists markers whose encoded protein were heretofore unknown.

In Tables 1-3 and 5 the following definitions apply:

"Marker" corresponds to the arbitrary identifier used within this application to designate the marker of the invention.

“Gene Name” corresponds to the commonly used terminology for the marker gene, if it exists.

“Image Clone ID” corresponds to the cDNA clone number from the IMAGE Consortium (see, for example Lennon, G., *et al.*, 1996, *Genomics* 33:151-152; and <http://www-bio.llnl.gov/bbrp/image/image.html>). All referenced IMAGE clone sequences are expressly incorporated herein by reference.

“SEQ ID NO (nts)” designates the entry number in the Sequence Listing that corresponds to the nucleotide sequence of the particular marker. “SEQ ID NO (AAs)” designates the entry number in the Sequence Listing that corresponds to the amino acid sequence of the particular marker. Each known sequence submitted to GenBank has a unique identifier number, also called the GenBank GI Accession Number, for a complete sequence record in the relevant database (see, *e.g.* “http://www.ncbi.nlm.nih.gov/genbank/query_form.html” and “www.derwent.com” for further information). “Acc # (NTS)” corresponds to the GenBank Accession Number for a nucleotide sequence, while “Acc # (AA)” corresponds to the GenBank Accession Number for a protein sequence. “GI # (NTS)” is the GI identification number assigned to the nucleotide sequence of the marker gene in the GenBank database (see *supra*). “GI # (AA)” corresponds to the GI sequence identification number assigned to that particular protein translation within a nucleotide sequence record in the GenBank database.

The following data is presented in Table 4:

“Gene” corresponds to the arbitrary identifier used within this application to designate the marker of the invention.

The “TaqMan” and “ISH” columns of Table 4, designate whether expression of this marker was analyzed using TaqMan technology or *in situ* hybridization, respectively. “Yes” indicates that such analysis was done, while “No” similarly indicates that such analysis was not done. “TaqMan” corresponds to the results of quantitative PCR analysis using the TaqMan technology. Briefly, TaqMan technology relies on standard RT-PCR with the addition of a third gene-specific oligonucleotide (referred to as a probe) which has a fluorescent dye coupled to its 5' end (typically 6-FAM) and a quenching dye at the 3' end (typically TAMRA). When the fluorescently tagged oligonucleotide is intact, the fluorescent signal from the 5' dye is quenched. As PCR proceeds, the 5' to 3' nucleolytic activity of taq polymerase digests the labeled primer, producing a free nucleotide labeled with 6-FAM, which is detected as a fluorescent signal. The PCR cycle where fluorescence is first released and detected is directly proportional to the starting amount of the gene of interest in the test sample, thus providing a way of quantitating the initial template concentration.

“Ovary”, “Breast”, “Lung”, “Colon”, and “Prostate” correspond to expression as detected by TaqMan analysis in ovarian, breast, lung, colon and prostate cancer respectively. Markers scored with a “+” were found to be upregulated by at least 3-fold in at least 20% of the tumors analyzed ($n \geq 5$) in the designated tumor type by

5 Taqman analysis. Markers scored with a “-” were not found to be upregulated in the designated tumor type by Taqman analysis. Expression for markers scored with “ND” was not determined in the designated tumor type. In addition, ISH analysis confirmed that the genes were expressed by the carcinoma cells, except for Marker 23, which is stroma specific and Marker 7 which is expressed mostly in the stroma but can also be

10 found on tumor cells. Evidence to support this includes Taqman RNA analysis from cancer cell lines (breast, ovary, lung, colon and prostate) and ISH.

The contents of all references, patents, published patent applications, and database records including GenBank, IMAGE consortium and Derwent cited throughout this application, are hereby incorporated by reference.

15

Other Embodiments

Those skilled in the art will recognize, or be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the invention described herein. Such equivalents are intended to be encompassed by the

5 following claims:

What is claimed:

1. A method of assessing whether a patient is afflicted with breast cancer, the method comprising comparing:
 - 5 a) the level of expression of a marker in a patient sample, wherein the marker comprises SEQ ID NO:1, and
 - b) the normal level of expression of the marker in a control non-cancerous breast sample,wherein a significant increase in the level of expression of the marker in the
10 patient sample and the normal level is an indication that the patient is afflicted with breast cancer.
2. A method of assessing whether a patient is afflicted with ovarian cancer, the method comprising comparing:
 - 15 a) the level of expression of a marker in a patient sample, wherein the marker comprises SEQ ID NO:67, and
 - b) the normal level of expression of the marker in a control non-cancerous ovarian sample,wherein a significant increase in the level of expression of the marker in the
20 patient sample and the normal level is an indication that the patient is afflicted with ovarian cancer.
3. An isolated nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of SEQ ID NOs: 9, 13, 19, 29, 35, 37, 55 and 89.
25
4. A vector which contains the nucleic acid molecule of claim 3.
5. A host cell which contains the nucleic acid molecule of claim 3.
- 30 6. An isolated polypeptide which is encoded by a nucleic acid molecule comprising a nucleotide sequence selected from the group consisting of SEQ ID NOs: 9, 13, 19, 29, 35, 37, 55 and 89.
7. An antibody which selectively binds to the polypeptide of claim 6.
35

8. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NOs: 10, 14, 20, 30, 36, 38, 56 and 90.

9. An antibody which selectively binds to the polypeptide of claim 8.

1/2

TABLE 1

Marker	Gene Name	Image Clone ID	Acc # (NTS)	GI # (NTS)	SEQ ID NO (nts)	Acc # (AA)	GI # (AA)	SEQ ID NO (AAs)
Marker 1	KIAA0018	840878	D13643	285996	1	BAA02806	6630632	2
Marker 2	Nonspecific cross reacting antigen (NCA)	509823	M18728	189084	3	AAA51739	178691	4
Marker 3	Unnamed protein product	461336	AK001105	7022160	5	BAA91505	7022161	6
Marker 4	Net-6	416374	AF120265	4325179	7	AAD17294	4325180	8
Marker 5	DKFZp727C191	785703	AL117474	5911946	9			10
Marker 6	Interferon-induced protein 6-16	782513	Q28808	N/A	11	BAA01980	218574	12
Marker 7	UNNAMED	753428			13			14
Marker 8	Alphe 2,6-sialyltransferase	823590	AJ251053	6453383	15	CAB61434	6453384	16
Marker 9	Programmed cell death 9 (PCD9)	270558	AL355715	7799103	17	CAB90810	7799104	18
Marker 10	DKFZp564B1264	813730	AL117612	5912188	19			20
Marker 11	receptor protein tyrosine phosphatase	41647	AF043644	5468530	21	AAD09421	6554165	22
Marker 12	MAT-8	511428	Q14802	N/A	23	CAA63604	1085026	24
Marker 13	Neuropeptide Y receptor, type I	33045	P25929	N/A	25	CAA01819	1247453	26
Marker 14	Interferon-inducible protein 9-27	755599	P13164	N/A	27	CAA59337	1177476	28
Marker 15	UNNAMED	From subtracted library			29			30
Marker 16	Vascular cell adhesion molecule (VCAM)	44477	M30257	179885	31	AAA51917	179886	32
Marker 17	8D6 antigen	770879	AF161254	7406951	33	AAF61850	7406952	34
Marker 18	DKFZp564E1363	841067	AL110137	5817032	35			36
Marker 19	clone 25242 mRNA	795821	AF131854	4406700	37			38
Marker 20	multiple membrane spanning receptor (TRC8)	812050	AF064801	3395786	39	AAC39930	3395787	40
Marker 21	hypothetical protein	From subtracted library	AL080097	5262519	41	CAB45709	5262520	42
Marker 22	hypothetical protein	34442	AL121740	6012998	43	CAB57330	6012999	44
Marker 23	OSF-2	897910	D13665	393318	45	BAA02836	393319	46
Marker 24	CTL1 protein	838689	AJ245620	6996441	47	CAB75541	6996442	48
Marker 25	CEGPI protein	346321	AJ400877	8052236	49	CAB92285	8052237	50
Marker 26	LIV-1	52933	U41060	1256000	51	AAA96258	12711793	52

2/2

Marker 27	Adican	810224	AF245505	9280404	53	AAF86402	9280405	54
Marker 28	UNNAMED	754126			55			56
Marker 29	p24B protein	260628	AJ132270	4583676	57	CAB40416	4583677	58
Marker 30	Unnamed protein product	From subtracted library	AK001761	7023229	59	BAA91890	7023230	60
Marker 31	Unnamed protein product	266500	AX084239	13185742	61	CAC33425	13185743	62
Marker 32	ALCAM	26617	L38608	886257	63	AAB59499	886258	64
Marker 33	sperm membrane protein	290091	S83157	1836034	65	AAB46833	1836035	66
Marker 34	N-methyl-D-aspartate receptor	179163	U77783	2444025	67	AAC15910	2444026	68
Marker 35	Claudin-4	770388	AB000712	2570124	69	BAA22984	2570125	70
Marker 36	Hypothetical Protein KIAA0247	292894	D87434	1665762	71	BAA13378	1665763	72
Marker 37	bumetanide-sensitive Na-K-Cl cotransporter	685801	U30246	903681	73	AAC50561	903682	74
Marker 38	Glucose transporter, type I	207358	K03195	183302	75	AAA52571	183303	76
Marker 39	coxsaekie and adenovirus receptor protein	265680	Y07593	1881446	77	CAA68868	1881447	78
Marker 40	connexin 26	288663	BC002805	12803916	79	AAH02805	12803917	80
Marker 41	Cadherin-6	739155	D31784	974184	81	BAA06562	974185	82
Marker 42	claudin-7	841645	AJ011497	4128014	83	CAA09626	4128015	84
Marker 43	Prostasin	132636	U33446	1143193	85	AAB19071	1143194	86
Marker 44	MT3-MMP	46916	D85511	2424978	87	BAA22226	2424979	88
Marker 45	UNNAMED	771301			89			90
Marker 46	Cluadin-16	449034	AF152101	5410526	91	AAD43096	5410527	92
Marker 47	LR11, sortilin-related receptor	279388	U60975	1589775	93	AAC50891	5030424	94
Marker 48	Myoferlin	161992	AF182316	6731234	95	AAF27176	6731235	96
Marker 49	desmocollin type 3	544639	X83929	1122882	97	CAA58781	1122883	98
Marker 50	similar to D. melanogaster cadherin related tumor suppressor	175103	D87469	1665820	99	BAA13407	1665821	100
Marker 51	protocadherin	50114	AF152304	5456893	101	AAD43698	5456894	102
Marker 52	occludin	243159	U53823	1322281	103	AAB00195	1322282	104
Marker 53	Unnamed protein	12577	BC004337	13279268	105	AAH04337	13279269	106
Marker 54	Lutheran blood group protein	160656	X83425	603559	107	CAA58449	603560	108
Marker 55	AC133	27544	AF027208	2688948	109	AAB92514	2688949	110
Marker 56	epithelial V-like antigen	853998	AF030455	3169829	111	AAC39762	3169830	112

1/2

TABLE 2

Marker	Gene Name	Image Clone ID	Acc # (NTS)	GI # (NTS)	SEQ ID NO (nts)	Acc # (AA)	GI # (AA)	SEQ ID NO (AAs)
Marker 1	KIAA0018	840878	D13643	285996	1	BAA02806	6630632	2
Marker 2	Nonspecific cross reacting antigen (NCA)	509823	M18728	189084	3	AAA51739	178691	4
Marker 3	Unnamed protein product	461336	AK001105	7022160	5	BAA91505	7022161	6
Marker 4	Net-6	416374	AF120265	4325179	7	AAD17294	4325180	8
Marker 5	DKFZp727C191	785703	AL117474	5911946	9			10
Marker 6	Interferon-induced protein 6-16	782513	Q28808	N/A	11	BAA01980	218574	12
Marker 7	UNNAMED	753428			13			14
Marker 8	Alphe 2,6-sialyltransferase	823590	AJ251053	6453383	15	CAB61434	6453384	16
Marker 9	Programmed cell death 9 (PCD9)	270558	AL355715	7799103	17	CAB90810	7799104	18
Marker 10	DKFZp564B1264	813730	AL117612	5912188	19			20
Marker 11	receptor protein tyrosine phosphatase	41647	AF043644	5468530	21	AAD09421	6554165	22
Marker 12	MAT-8	511428	Q14802	N/A	23	CAA63604	1085026	24
Marker 13	Neuropeptide Y receptor, type I	33045	P25929	N/A	25	CAA01819	1247453	26
Marker 14	Interferon-inducible protein 9-27	755599	P13164	N/A	27	CAA59337	1177476	28
Marker 15	UNNAMED	From subtracted library			29			30
Marker 16	Vascular cell adhesion molecule (VCAM)	44477	M30257	179885	31	AAA51917	179886	32
Marker 17	8D6 antigen	770879	AF161254	7406951	33	AAF61850	7406952	34
Marker 18	DKFZp564E1363	841067	AL110137	5817032	35			36
Marker 19	clone 25242 mRNA	795821	AF131854	4406700	37			38
Marker 20	multiple mambrane spanning receptor (TRC8)	812050	AF064801	3395786	39	AAC39930	3395787	40
Marker 21	hypothetical protein	From subtracted library	AL080097	5262519	41	CAB45709	5262520	42
Marker 22	hypothetical protein	34442	AL121740	6012998	43	CAB57330	6012999	44
Marker 23	OSF-2	897910	D13665	393318	45	BAA02836	393319	46

2/2

Marker 24	CTL1 protein	838689	AJ245620	6996441	47	CAB75541	6996442	48
Marker 25	CEGPI protein	346321	AJ400877	8052236	49	CAB92285	8052237	50
Marker 26	LIV-1	52933	U41060	1256000	51	AAA96258	12711793	52
Marker 27	Adican	810224	AF245505	9280404	53	AAF86402	9280405	54
Marker 28	UNNAMED	754126			55			56
Marker 29	p24B protein	260628	AJ132270	4583676	57	CAB40416	4583677	58
Marker 30	Unnamed protein product	From subtracted library	AK001761	7023229	59	BAA91890	7023230	60
Marker 31	Unnamed protein product	266500	AX084239	13185742	61	CAC33425	13185743	62
Marker 32	ALCAM	26617	L38608	886257	63	AAB59499	886258	64
Marker 33	sperm membrane protein	290091	S83157	1836034	65	AAB46833	1836035	66

1/1

TABLE 3

Marker	Gene Name	Image Clone ID	Acc # (NTS)	GI # (NTS)	SEQ ID NO (nts)	Acc # (AA)	GI # (AA)	SEQ ID NO (AAs)
Marker 34	N-methyl-D-aspartate receptor	179163	U77783	2444025	67	AAC15910	2444026	68
Marker 35	Claudin-4	770388	AB000712	2570124	69	BAA22984	2570125	70
Marker 36	Hypothetical Protein KIAA0247	292894	D87434	1665762	71	BAA13378	1665763	72
Marker 37	bumetanide-sensitive Na-K-Cl cotransporter	685801	U30246	903681	73	AAC50561	903682	74
Marker 38	Glucose transporter, type 1	207358	K03195	183302	75	AAA52571	183303	76
Marker 39	coxsackie and adenovirus receptor protein	265680	Y07593	1881446	77	CAA68868	1881447	78
Marker 40	connexin 26	288663	BC002805	12803916	79	AAH02805	12803917	80
Marker 41	Cadherin-6	739155	D31784	974184	81	BAA06562	974185	82
Marker 42	claudin-7	841645	AJ011497	4128014	83	CAA09626	4128015	84
Marker 43	Prostasin	132636	U33446	1143193	85	AAB19071	1143194	86
Marker 44	MT3-MMP	46916	D85511	2424978	87	BAA22226	2424979	88
Marker 45	UNNAMED	771301			89			90
Marker 46	Claudin-16	449034	AF152101	5410526	91	AAD43096	5410527	92
Marker 47	LR11, sortilin-related receptor	279388	U60975	1589775	93	AAC50891	5030424	94
Marker 48	Myoferlin	161992	AF182316	6731234	95	AAF27176	6731235	96
Marker 49	desmocollin type 3	544639	X83929	1122882	97	CAA58781	1122883	98
Marker 50	similar to D. melanogaster cadherin related tumor suppressor	175103	D87469	1665820	99	BAA13407	1665821	100
Marker 51	protocadherin	50114	AF152304	5456893	101	AAD43698	5456894	102
Marker 52	occludin	243159	U53823	1322281	103	AAB00195	1322282	104
Marker 53	Unnamed protein	12577	BC004337	13279268	105	AAH04337	13279269	106
Marker 54	Lutheran blood group protein	160656	X83425	603559	107	CAA58449	603560	108
Marker 55	AC133	27544	AF027208	2688948	109	AAB92514	2688949	110
Marker 56	epithelial V-like antigen	853998	AF030455	3169829	111	AAC39762	3169830	112

1/1

TABLE 4

Gene	TaqMan	ISH	Ovary	Breast	Lung	Colon	Prostate
Marker 1	Yes	Yes	-	+	+	-	ND
Marker 2	Yes	Yes	-	+	+	-	-
Marker 3	Yes	Yes	-	+	+	-	-
Marker 4	Yes	Yes	+	+	+	+	+
Marker 6	Yes	Yes	+	+	+	+	-
Marker 7	Yes	Yes	+	+	+	+	+
Marker 22	Yes	Yes	-	+	+	+	-
Marker 23	Yes	Yes	+	+	+	+	ND
Marker 26	Yes	Yes	-	+	+	-	+
Marker 32	Yes	Yes	-	+	+	-	+
Marker 36	Yes	No	+	+	+	-	ND
Marker 39	Yes	No	+	-	+	-	ND
Marker 43	Yes	No	+	+	+	+	ND
Marker 45	Yes	Yes	+	-	-	+	
Marker 47	Yes	No	+	+	+	+	
Marker 56	Yes	No	+	-	+	+	-

1/1

TABLE 5

Marker	Gene Name	Image Clone ID	Acc # (NTS)	GI # (NTS)	SEQ ID NO (nts)	Acc # (AA)	GI # (AA)	SEQ ID NO (AAs)
Marker 5	DKFZp727C191	785703	AL117474	5911946	9			10
Marker 7	UNNAMED	753428			13			14
Marker 10	DKFZp564B1264	813730	AL117612	5912188	19			20
Marker 15	UNNAMED				29			30
Marker 18	DKFZp564E1363	841067	AL110137	5817032	35			36
Marker 19	clone 25242 mRNA	795821	AF131854	4406700	37			38
Marker 28	UNNAMED	754126			55			56
Marker 45	UNNAMED	771301			89			90

SEQUENCE LISTING

<110> Millennium Pharmaceuticals, Inc. et al.

<120> COMPOSITIONS, KITS, AND METHODS FOR
IDENTIFICATION, ASSESSMENT, PREVENTION, AND THERAPY OF BREAST
AND OVARIAN CANCER

<130> MRI-039PC

<150> 60/300,159

<151> 2001-06-21

<150> 60/301,351

<151> 2001-03-27

<160> 112

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 4275

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 4241, 4243, 4244, 4246, 4247, 4250, 4253, 4254, 4255, 4259,
4260, 4261, 4262, 4263, 4266, 4270, 4271, 4272, 4273

<223> n = A,T,C or G

<400> 1

```
ccgggccagg cgcgagctg gcggcagtga caggaggcgc gaacccgcag cgcttaccgc 60
gcggcgccgc accatggagc ccgccgtgtc gctggccgtg tgccgctgct tcttcctgct 120
tggtgtgcgc ctgaaggggc tggagtctgt gctcatccac cagcgtggg tggtcgtgtg 180
ctcttcctc ctgccgctct cgcttatctt cgatatctac tactacgtgc gcgcctgggt 240
ggtgttcaag ctccagcgcg ctccgcgcct gcacgagcag cgcgtgcggg acatccagaa 300
gcaggtgcgg gaattggaag agcagggtag caagacctt atgtgcacgg ggcgccctgg 360
ctggctcact gtctcactac gtgtcgggaa gtacaagaag acacacaaaa acatcatgat 420
caacctgatg gacattcttg aagtggacac caagaaacag attgtccgtg tggagccctt 480
ggtgacctat ggccaggtga ctgccctgct gacctccatt ggctggactc tcccctgtgt 540
gcctgagctt gatgacctca cagtgggggg cttgatcatg ggcacaggca tcgagtcata 600
atcccacaag tacggcctgt tccaacacat ctgcactgct tacgagctgg tcctggctga 660
tggcagcttt gtgcgatgca ctccgtccga aaactcagac ctgttctatg ccgtaccctg 720
gtcctgtggg acgctgggtt tcctgtgtgg cgtgagatc cgcatacatc ctgccaagaa 780
gtacgtcaag ctgcgtttcg agccagtgcg gggcctggag gctatctgtg ccaagttcac 840
ccacgagtcc cagcggcagc agaaccactt cgtggaaggg ctgctctact ccctggatga 900
ggctgtcatt atgacagggg tcatgacaga tgaggcagag cccagcaagc tgaatagcat 960
tggaattac tacaagccgt ggttctttaa gcatgtggag aactatctga agacaaaccg 1020
agagggcctg gagtacattc ccttgagaca ctactaccac cgccacacgc gcagcatctt 1080
ttgggagctc caggacatca tcccctttgg caacaacccc atcttccgct acctctttgg 1140
ctggatggtg cctcccaaga tctccctcct gaagctgacc cagggtgaga ccctgcgcaa 1200
gctgtacgag cagcaccacg tgggtcagga catgctggtg cccatgaagt gcctgcagca 1260
ggccctgcac accttccaaa acgacatcca cgtctacccc atctggctgt gtccgttcat 1320
cctgccagc cagccaggcc tagtgacccc caaaggaaat gaggcagagc tctacatcga 1380
cattggagca tatggggagc cgcgtgtgaa acactttgaa gccaggctct gcatgaggca 1440
gctggagaag tttgtccgca gcgtgcatgg cttccagatg ctgtatgccg actgctacat 1500
```

```

gaaccgggag gagttctggg agatgtttga tggctccttg taccacaagc tgcgagagaa 1560
gctgggttgc caggacgcct tccccgaggt gtacgacaag atctgcaagg ccgccaggca 1620
ctgagctgga gcccgccttg agagacagac acgtgtgagt ggtcaggcat cttcccttca 1680
ctcaagcttg gctgctttcc tagatccaca ctttcaaaga gaaacccctc cagaactccc 1740
accctgacag cccaacacca cttctctcct ggcttccagg gggcagccca gtggaatgga 1800
aagaatgtgg gatttggagt cagacaagcc tgagtccagt tccccgttta gaactcatta 1860
gctgtgtgac tctgggtgag tcccttaacc cctctgagcc cgggtctctt cattagtga 1920
aagggtagt aatacctact tgcaggttgt tgtcatctga gttgagcact ggtcacattg 1980
aaggtgctgg gtaagtggta gctcttgttg cttcccgttc agcgtcacat ctgcagtgga 2040
gcctgaaaag gctccacatt aggtcacctg tgcacagcca tggctggaat gatgaagggg 2100
atacgtgga gttgccctgc catgcctcc atcagccaga cgaggtcctc acaggagaag 2160
gacagctctt cccaccctg ggatctcagg agggcagcca cggagtgggg agggcccaga 2220
tgcgctgtgc caaagccagg tccgaggcca aagttctccc tgccatcctt ggtgccgtcc 2280
tgccccttcc tccttcatgc ctgggcctgc agggccaccc cagccaccac tgagtccact 2340
cggagtggcc tgtgttcttg gagaaggcat tccagggttg aatcttgtcc cagcctcagc 2400
ctgggacacc taggtggaga gagggtctc cgctctgaat tggatccagg ggacctggg 2460
tcattcttct tggctcacca accctgcagg cctcatcttt cccaaaacc actttgtctt 2520
ggtgggagtg ggtccgctg gctctgcagc aggggctggg gagtggacag catcagggtg 2580
gaaagtggag tccaccctca tgttctgtga ggattctcac cgtggggctg gaagaaaaga 2640
gcacgactt gatttctcca accactcatc cctctttttc tttcttccac cactccccac 2700
cccagctgta gtttaatttc gtgccttaca aatcctaagc tcagagaaag ttccatttcc 2760
gttccagagg gaagggaacc tccctaggtc cttccctggc ttgttataac gcaaagcttg 2820
gttgtttatg caactctatc ttaagaactg cccagcctca gctgaaaacc cgaatctgag 2880
aaggaattgc gtcagtgaag ggaagctgga attaagggag ctgagccagt catggttgtg 2940
gcgtgtgagt caggagacct aggtttcagc ccctctctac tgtcagcgag ctgtgcaacg 3000
tgggcaagtc attgtctctc gagctgcagt ttctctcatc gtcacatcgc tacagacaag 3060
acctccctgg aaccttctg attgtcttag acactgtggt tgcaaaacc acggaagacc 3120
tcatttgtgt ggaaagtcat aggaaaaatg atccagtgga cacttgggga ttatctgtca 3180
ttcaagatcc ttcttcaac cccaaggtca gctcccatct catttccaga aaggctcata 3240
cctggcttgc agggaagcat ctgtcttgtc attccaggtg ccagaatcct ctgagagtca 3300
ttgaagggtg ttacccatc ccaccaagg cttggcacac tgccagtgtc ttagcagggt 3360
cttgtgaggg ctgggggcat ccaggcactc agaaggcaaa ggaaccacc taccattttg 3420
gcctctggag ggggcagaag aaagaaagaa acctcatcct atattttaca aagcatgtga 3480
attctggcat tagctctcat aggagacca tgtgttctct tgctcagtgc aaaactgatg 3540
attctacttg ctgtagatga atggttaaca cgagctagtt aaacagtgcc attgttttgc 3600
cagtgaagcc tccaacccta agccactggg acgggtggcca gagatgccag cagcctctgt 3660
cgcccttagt catataacca aaatccagac cttatccaca acccggggct tggaaaggaa 3720
ggtatttttg aatcacacc tccggttatg ttgctccagt aaaatcttgc ctggaaagag 3780
gcagtcttct tagcatggtg agctgagttc atggcttttt tttgtagcca gtcctgtccc 3840
tggccatcca tgtgatggtt ttggatggag ttaaaactga tgccagtggg cagtgcattg 3900
ggaaagtatc agagtaagcc tctcccctcc agagccctga gtttcttggc tgcattgaag 3960
tttcttttag aatcagaatt gtagccagtt tctttggcca gaaggatgaa tacttgata 4020
ttactgaaag ggaggggtg agatgggtgt ggcagtgtat ggtgtgtgat tttattttc 4080
ttcttttggtc atgggggcca aggagaaagg catgaatctt ccctgtcagg ctcttacagc 4140
cacaggcact gtgtctactg tctggaagac atgtccccgt ggctgtgggg ccgtgtcttc 4200
tgtttaaata aaagtggcct ggaaaaaaaaa aaaaaaaaaa ngnnannstn yknnnctknn 4260
nnngtnhgsn nnnts 4275

```

<210> 2

<211> 516

<212> PRT

<213> Homo sapiens

<400> 2

```

Met Glu Pro Ala Val Ser Leu Ala Val Cys Ala Leu Leu Phe Leu Leu
 1           5           10          15
Trp Val Arg Leu Lys Gly Leu Glu Phe Val Leu Ile His Gln Arg Trp
          20          25          30
Val Phe Val Cys Leu Phe Leu Leu Pro Leu Ser Leu Ile Phe Asp Ile

```

		35					40					45				
Tyr	Tyr	Tyr	Val	Arg	Ala	Trp	Val	Val	Phe	Lys	Leu	Ser	Ser	Ala	Pro	
	50					55					60					
Arg	Leu	His	Glu	Gln	Arg	Val	Arg	Asp	Ile	Gln	Lys	Gln	Val	Arg	Glu	
65					70					75					80	
Trp	Lys	Glu	Gln	Gly	Ser	Lys	Thr	Phe	Met	Cys	Thr	Gly	Arg	Pro	Gly	
				85					90					95		
Trp	Leu	Thr	Val	Ser	Leu	Arg	Val	Gly	Lys	Tyr	Lys	Lys	Thr	His	Lys	
			100					105					110			
Asn	Ile	Met	Ile	Asn	Leu	Met	Asp	Ile	Leu	Glu	Val	Asp	Thr	Lys	Lys	
		115					120					125				
Gln	Ile	Val	Arg	Val	Glu	Pro	Leu	Val	Thr	Met	Gly	Gln	Val	Thr	Ala	
	130					135					140					
Leu	Leu	Thr	Ser	Ile	Gly	Trp	Thr	Leu	Pro	Val	Leu	Pro	Glu	Leu	Asp	
145					150					155					160	
Asp	Leu	Thr	Val	Gly	Gly	Leu	Ile	Met	Gly	Thr	Gly	Ile	Glu	Ser	Ser	
				165					170					175		
Ser	His	Lys	Tyr	Gly	Leu	Phe	Gln	His	Ile	Cys	Thr	Ala	Tyr	Glu	Leu	
			180					185					190			
Val	Leu	Ala	Asp	Gly	Ser	Phe	Val	Arg	Cys	Thr	Pro	Ser	Glu	Asn	Ser	
		195					200					205				
Asp	Leu	Phe	Tyr	Ala	Val	Pro	Trp	Ser	Cys	Gly	Thr	Leu	Gly	Phe	Leu	
	210					215					220					
Val	Ala	Ala	Glu	Ile	Arg	Ile	Ile	Pro	Ala	Lys	Lys	Tyr	Val	Lys	Leu	
225					230					235					240	
Arg	Phe	Glu	Pro	Val	Arg	Gly	Leu	Glu	Ala	Ile	Cys	Ala	Lys	Phe	Thr	
				245					250					255		
His	Glu	Ser	Gln	Arg	Gln	Glu	Asn	His	Phe	Val	Glu	Gly	Leu	Leu	Tyr	
			260					265					270			
Ser	Leu	Asp	Glu	Ala	Val	Ile	Met	Thr	Gly	Val	Met	Thr	Asp	Glu	Ala	
		275					280					285				
Glu	Pro	Ser	Lys	Leu	Asn	Ser	Ile	Gly	Asn	Tyr	Tyr	Lys	Pro	Trp	Phe	
	290					295					300					
Phe	Lys	His	Val	Glu	Asn	Tyr	Leu	Lys	Thr	Asn	Arg	Glu	Gly	Leu	Glu	
305					310					315					320	
Tyr	Ile	Pro	Leu	Arg	His	Tyr	Tyr	His	Arg	His	Thr	Arg	Ser	Ile	Phe	
				325					330					335		
Trp	Glu	Leu	Gln	Asp	Ile	Ile	Pro	Phe	Gly	Asn	Asn	Pro	Ile	Phe	Arg	
			340					345					350			
Tyr	Leu	Phe	Gly	Trp	Met	Val	Pro	Pro	Lys	Ile	Ser	Leu	Leu	Lys	Leu	
		355					360					365				
Thr	Gln	Gly	Glu	Thr	Leu	Arg	Lys	Leu	Tyr	Glu	Gln	His	His	Val	Val	
	370					375					380					
Gln	Asp	Met	Leu	Val	Pro	Met	Lys	Cys	Leu	Gln	Gln	Ala	Leu	His	Thr	
385					390					395					400	

Ala Ala Arg His
515

<210> 3
<211> 2342
<212> DNA
<213> Homo sapiens

<400> 3
gtcgaccac gcgctccggca gggccaacag tcacagcagc cctgaccaga gcattcctgg 60
agctcaagct cctctacaaa gaggtggaca gagaagacag cagagaccat gggaccccc 120
tcagcccctc cctgcagatt gcatgtcccc tggaaggagg tcctgctcac agcctcactt 180
ctaacccttct ggaaccacc caccactgcc aagctcacta ttgaatccac gccgttcaat 240
gtcgagagg ggaaggagg tcttctactc gcccacaacc tgcccagaa tcgtattgg 300
tacagctggt acaaaggcga aagagtggat ggcaacagtc taattgtagg atatgtaata 360
ggaactcaac aagctacccc agggcccga tacagtggc gagagacaat atacccaat 420
gcctccctgc tgatccagaa cgtcaccag aatgacacag gattctatac cctacaagtc 480
ataaagtcag atcttgtgaa tgaagaagca accggacagt tccatgtata cccggagctg 540
cccaagccct ccctctccag caacaactcc aaccccgagg aggacaagga tgctgtggcc 600
ttcacctgtg aacctgaggt tcagaacaca acctacctgt ggtgggtaaa tggctcagagc 660
ctcccggtca gtcccaggct gcagctgtcc aatggcaaca tgaccctcac tctactcagc 720
gtcaaaagga acgatgcagg atcctatgaa tgtgaaatac agaaccacgc gaggccaac 780
cgagtgacc cagtcaccct gaatgtctc tatggccag atggccccc catttcccc 840
tcaaaggcca attaccgtcc aggggaaaat ctgaacctc cctgccacgc agcctctaac 900
ccacctgcac agtactcttg gtttatcaat gggacgttcc agcaatccac acaagagctc 960
tttatccca acatcactgt gaataatagc ggatcctata tgtgccaagc ccataactca 1020
gccactggcc tcaataggac cacagtcacg atgatcacag tctctggaag tgctcctgtc 1080
ctctcagctg tggccaccgt cggcatcacg attggagtgc tggccagggt ggctctgata 1140
tagcagccct ggtgtatttt cgatatttca ggaagactgg cagattggac cagaccctga 1200
attcttctag ctctccaat cccattttat cccatggaac cactaaaaac aaggctctgt 1260
ctgctcctga agccctatat gctggagatg gacaactcaa tgaaaattta aagggaaaac 1320
cctcaggcct gaggtgtgtg ccaactcagag acttcaccta actagagaca ggcaaacctgc 1380
aaaccatggt gagaaattga cgacttcaca ctatggacag cttttcccaa gatgtcaaaa 1440
caagactcct catcatgata aggtctttac ccccttttaa tttgtccttg cttatgcctg 1500
cctctttcgc ttggcaggat gatgctgtca ttagtatttc acaagaagta gcttcagagg 1560
gtaacttaac agatctcag atctatcttg tcaatcccaa cgttttacat aaaataagag 1620
atccttttagt gcacccagtg actgacatta gcagcatctt taacacagcc gtgtgttcaa 1680
atgtacagtg gtccttttca gaggttggact tctagactca cctgttctca ctccctgttt 1740
taattcaacc cagccatgca atgccaata atagaattgc tccctaccag ctgaacaggg 1800
aggagtctgt gcagtttctg acacttggtg ttgaacatgg ctaaatacaa tgggtatcgc 1860
tgagactaag ttgtagaat taacaaatgt gctgcttggt taaaatggct acactcatct 1920
gactcattct ttattctatt ttagttggtt tgtatcttgc ctaagggtgc tagtccaact 1980
cttggtatta cctcctaata agtcatacta gtagtcatac tccctggtgt agtgattct 2040
ctaaaagctt taaatgtctg catgcagcca gccatcaaat agtgaatggt ctctcttttg 2100
ctggaattac aaaactcaga gaaatgtgtc atcaggagaa catcataacc catgaaggat 2160
aaaagcccca aatggtggtg actgataata gcactaatgc tttaagattt ggtcacactc 2220
tcacctaggt gagcgcattg agccagtggg gctaaatgct acatactcca actgaaatgt 2280
taaggaagaa gatagatcca attaaaaaaa aaaaaaaaaa aaaaaaaaaa aaggcgccg 2340
gc. 2342

<210> 4
<211> 344
<212> PRT
<213> Homo sapiens

<400> 4
Met Gly Pro Pro Ser Ala Pro Pro Cys Arg Leu His Val Pro Trp Lys
1 5 10 15

Glu Val Leu Leu Thr Ala Ser Leu Leu Thr Phe Trp Asn Pro Pro Thr
 20 25 30
 Thr Ala Lys Leu Thr Ile Glu Ser Thr Pro Phe Asn Val Ala Glu Gly
 35 40 45
 Lys Glu Val Leu Leu Leu Ala His Asn Leu Pro Gln Asn Arg Ile Gly
 50 55 60
 Tyr Ser Trp Tyr Lys Gly Glu Arg Val Asp Gly Asn Ser Leu Ile Val
 65 70 75 80
 Gly Tyr Val Ile Gly Thr Gln Gln Ala Thr Pro Gly Pro Ala Tyr Ser
 85 90 95
 Gly Arg Glu Thr Ile Tyr Pro Asn Ala Ser Leu Leu Ile Gln Asn Val
 100 105 110
 Thr Gln Asn Asp Thr Gly Phe Tyr Thr Leu Gln Val Ile Lys Ser Asp
 115 120 125
 Leu Val Asn Glu Glu Ala Thr Gly Gln Phe His Val Tyr Pro Glu Leu
 130 135 140
 Pro Lys Pro Ser Ile Ser Ser Asn Asn Ser Asn Pro Val Glu Asp Lys
 145 150 155 160
 Asp Ala Val Ala Phe Thr Cys Glu Pro Glu Val Gln Asn Thr Thr Tyr
 165 170 175
 Leu Trp Trp Val Asn Gly Gln Ser Leu Pro Val Ser Pro Arg Leu Gln
 180 185 190
 Leu Ser Asn Gly Asn Met Thr Leu Thr Leu Leu Ser Val Lys Arg Asn
 195 200 205
 Asp Ala Gly Ser Tyr Glu Cys Glu Ile Gln Asn Pro Ala Ser Ala Asn
 210 215 220
 Arg Ser Asp Pro Val Thr Leu Asn Val Leu Tyr Gly Pro Asp Gly Pro
 225 230 235 240
 Thr Ile Ser Pro Ser Lys Ala Asn Tyr Arg Pro Gly Glu Asn Leu Asn
 245 250 255
 Leu Ser Cys His Ala Ala Ser Asn Pro Pro Ala Gln Tyr Ser Trp Phe
 260 265 270
 Ile Asn Gly Thr Phe Gln Gln Ser Thr Gln Glu Leu Phe Ile Pro Asn
 275 280 285
 Ile Thr Val Asn Asn Ser Gly Ser Tyr Met Cys Gln Ala His Asn Ser
 290 295 300
 Ala Thr Gly Leu Asn Arg Thr Thr Val Thr Met Ile Thr Val Ser Gly
 305 310 315 320
 Ser Ala Pro Val Leu Ser Ala Val Ala Thr Val Gly Ile Thr Ile Gly
 325 330 335
 Val Leu Ala Arg Val Ala Leu Ile
 340

<210> 5

<211> 2557

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 47, 2120, 2127, 2131, 2135, 2143, 2144, 2162, 2166, 2172,
 2186, 2192, 2200, 2219, 2246, 2265, 2375, 2376, 2377, 2411,
 2439, 2456, 2457, 2458, 2461, 2462, 2552, 2553, 2554, 2555,
 2556, 2557

<223> n = A,T,C or G

<400> 5

gggcggaaggg gcagccgcag cgcagaggcc cgccccgcc tccccnccg tcacagccca 60

```

gccttccggc ccttgggctg ctgcgggcct ttttttcccg gctgggctcg ggctcagctc 120
gactgggctc ggcgggcggc ggcgggcggc ccggcggctg gcgaggagg gagggcgagg 180
gcgggcgcg ggcggcgggc gggcggaaga gggaggagag ggcggggag ccaggcctcg 240
gggcctcgga gcaaccaccc gagcagacgg agtacacgga gcagcggccc cggccccgcc 300
aacgctgccg ccgggatgct ccagaccttg tatgattact tctgggtgga acgtctgtgg 360
ctgcctgtga acttgacctg ggccgatcta gaagaccgag atggacgtgt ctacgccaaa 420
gcctcagatc tctatatcac gctgccccctg gccttgctct tcctcatcgt tcgatacttc 480
tttgagctgt acgtggctac accactggct gccctcttga acataaagga gaaaactcgg 540
ctgcgggcac ctcccaacgc caccttggaa catttctacc tgaccagtgg caagcagccc 600
aagcaggtgg aagtagagct tttgtcccgg cagagcgggc tctctggccg ccaggtagag 660
cgttggttcc gtcgccgccc caaccaggac cggcccagtc tcctcaagaa gttccgagaa 720
gccagctgga gattcacatt ttacctgatt gccttcattg ccggcatggc cgtcattgtg 780
gataaacctt ggttctatga catgaagaaa gtttgggagg gatatcccat acagagcact 840
atcccttccc agtattggtg ctacatgatt gaactttcct tctactggtc cctgctcttc 900
agcattgcct ctgatgtcaa gcgaaaggat ttcaaggaac agatcatcca ccatgtggcc 960
accatccttc tcgatcagctt ttcttggtt gccaatata tccgagctgg gactctaact 1020
atggctctgc atgactcttc cgattacctg ctggagtcag ccaagatgtt taactacgag 1080
ggatggaaga acacctgcaa caacatcttc atcgtcttcg ccattgtttt tatcatcacc 1140
cgactggtca tcctgccctt ctggatcctg cattgcaccc tgggtgtacc actggagctc 1200
tatcctgcct tctttggcta ttacttcttc aattccatga tgggagttct acagctgctg 1260
catatcttct gggcctacct cattttgcgc atggccaca agttcataac tggaaagctg 1320
gtagaagatg aacgcagtga ccgggaagaa acagagagct cagaggggga ggaggtgca 1380
gctgggggag gagcaaagag ccggccccct gccaatggcc accccatcct caataacaac 1440
catcgtaaga atgactgaac cattattcca gctgcctccc agattaatgc ataaagccaa 1500
ggaactaccc cgctccctgc gctatagggt cactttaagc tctggggaaa aaggagaaa 1560
tgagaggaga gttctctgca tctccctcc ttgcttgta cccagttgcc tttaaacca 1620
attctaacca gcctatcccc aggtaggggg acgttggtta tattctgta gaggggagc 1680
gtcgtatttt cctccctacc cgccaagtca tcctttctac tgcttttgag gccctccctc 1740
agctctctgt gggtaggggt tacaattcac attccttatt ctgagaattt ggccccagct 1800
gtttgccttt gactccctga cctccagagc cagggttggt ccttattgtc ccatctgtgg 1860
gcctcattct gccaaagctg gaccaaggct aacctttcta agctccctaa cttgggccag 1920
aaaccaaagc tgagctttta actttctccc tctatgacac aaatgaattg aggttaggag 1980
gagggtgcac ataaccctta ccctacctct gccaaaaagt gggggctgta ctggggactg 2040
ctcgatgat ctttcttagt gctacttctt tcagctgtcc ctgtagcgac aggtctaaga 2100
tctgactgcc tcctcctctn ctctggncct nctncccc ttnnccctct tctcttcagc 2160
tnaggncctg cntgggttg agtagnaatg gncaactaan ttctaatttt tatttattna 2220
aatatttggg gttttggttt taaagnccag aattacggct agcancctag catttcagca 2280
gagggacctt tttagaccaa aatgtactgt taatgggttt ttttttaaaa ttaaaagatt 2340
aaataaaaaa tattaataaa aaaaaaaaaa taagnnncag actattagga attgagaagg 2400
gggatcaact naataaacg aagagagtct ttcttatgnm tgccttavma aaaaannncc 2460
nnacaaaaaa acgggggggg ggccttacia atttttaaaa aaaaaccccc ccccccccc 2520
cccggaaccg aaaaaaaaaa aaaagcccca annnnnnn 2557

```

<210> 6

<211> 380

<212> PRT

<213> Homo sapiens

<400> 6

```

Met Leu Gln Thr Leu Tyr Asp Tyr Phe Trp Trp Glu Arg Leu Trp Leu
 1             5             10             15
Pro Val Asn Leu Thr Trp Ala Asp Leu Glu Asp Arg Asp Gly Arg Val
          20          25          30
Tyr Ala Lys Ala Ser Asp Leu Tyr Ile Thr Leu Pro Leu Ala Leu Leu
      35          40          45
Phe Leu Ile Val Arg Tyr Phe Phe Glu Leu Tyr Val Ala Thr Pro Leu
      50          55          60
Ala Ala Leu Leu Asn Ile Lys Glu Lys Thr Arg Leu Arg Ala Pro Pro
65             70             75             80

```

Asn Ala Thr Leu Glu His Phe Tyr Leu Thr Ser Gly Lys Gln Pro Lys
 85 90 95
 Gln Val Glu Val Glu Leu Leu Ser Arg Gln Ser Gly Leu Ser Gly Arg
 100 105 110
 Gln Val Glu Arg Trp Phe Arg Arg Arg Asn Gln Asp Arg Pro Ser
 115 120 125
 Leu Leu Lys Lys Phe Arg Glu Ala Ser Trp Arg Phe Thr Phe Tyr Leu
 130 135 140
 Ile Ala Phe Ile Ala Gly Met Ala Val Ile Val Asp Lys Pro Trp Phe
 145 150 155 160
 Tyr Asp Met Lys Lys Val Trp Glu Gly Tyr Pro Ile Gln Ser Thr Ile
 165 170 175
 Pro Ser Gln Tyr Trp Tyr Tyr Met Ile Glu Leu Ser Phe Tyr Trp Ser
 180 185 190
 Leu Leu Phe Ser Ile Ala Ser Asp Val Lys Arg Lys Asp Phe Lys Glu
 195 200 205
 Gln Ile Ile His His Val Ala Thr Ile Ile Leu Ile Ser Phe Ser Trp
 210 215 220
 Phe Ala Asn Tyr Ile Arg Ala Gly Thr Leu Ile Met Ala Leu His Asp
 225 230 235 240
 Ser Ser Asp Tyr Leu Leu Glu Ser Ala Lys Met Phe Asn Tyr Ala Gly
 245 250 255
 Trp Lys Asn Thr Cys Asn Asn Ile Phe Ile Val Phe Ala Ile Val Phe
 260 265 270
 Ile Ile Thr Arg Leu Val Ile Leu Pro Phe Trp Ile Leu His Cys Thr
 275 280 285
 Leu Val Tyr Pro Leu Glu Leu Tyr Pro Ala Phe Phe Gly Tyr Tyr Phe
 290 295 300
 Phe Asn Ser Met Met Gly Val Leu Gln Leu Leu His Ile Phe Trp Ala
 305 310 315 320
 Tyr Leu Ile Leu Arg Met Ala His Lys Phe Ile Thr Gly Lys Leu Val
 325 330 335
 Glu Asp Glu Arg Ser Asp Arg Glu Glu Thr Glu Ser Ser Glu Gly Glu
 340 345 350
 Glu Ala Ala Ala Gly Gly Gly Ala Lys Ser Arg Pro Leu Ala Asn Gly
 355 360 365
 His Pro Ile Leu Asn Asn Asn His Arg Lys Asn Asp
 370 375 380

<210> 7

<211> 1861

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 1249

<223> n = A,T,C or G

<400> 7

aagcgggcvc gagccgccgc gcgcgcgccg cgcactgcag ccccaggccc cgcccccca 60
 cccacgtctg cggttctgcc ccgcctgggc cgggccccaa aggcaaggac aaagcagctg 120
 tcaggaacc tccgccggag tcgaatttac gtgcagctgc cggcaaccac aggttccaag 180
 atggtttgcg ggggcttcgc gtgtccaag aactgcctgt gcgccctcaa cctgctttac 240
 accttggtta gtctgtctgt aattggaatt gctgcgtggg gcattggctt cgggctgatt 300
 tccagtctcc gagtggctcg cggtgtcatt gcagtgggca tcttcttggt cctgattgct 360
 ttagtgggtc tgattggagc tgtaaaacat catcaggtgt tgctattttt ttatatgatt 420
 attctgttac ttgtatttat tggtcagttt tctgtatctt gcgcttggtt agccctgaac 480


```

caggagcaac agggtcagct tctggaggtt ggttggaaaca atacggcaag tgctcgaaat 540
gacatccaga gaaatctaaa ctgctgtggg ttccgaagtg ttaaccctaaa tgacacctgt 600
ctggctagct gtgttaaaaag tgaccactcg tgctcgccat gtgctccaat cataggagaa 660
tatgctggag aggttttgag atttggttgg ggcattggcc tgttcttcag ttttacagag 720
atcctgggtg tttggctgac ctacagatac aggaaccaga aagacccccg cgcgaatcct 780
agtgcattcc tttgatgaga aaacaaggaa gatttccttt cgtattatga tcttggtcac 840
tttctgtaat tttctgttaa gctccatttg ccagtttaag gaaggaaaca ctatctggaa 900
aagtacctta ttgatagtgg aattatatat ttttactcta tgtttctcta catgtttttt 960
tctttccgtt gctgaaaaat atttgaaact tgtggtctct gaagctcggt ggcacctgga 1020
atttactgta ttcattgtcg ggcactgtcc actgtggcct ttcttagcat ttttacctgc 1080
agaaaaactt tgtatggtac cactgtgttg gttatatggt gaatctgaac gtacatctca 1140
ctggtataat tatatgtagc actgtgctgt gtagatagtt cctactggaa aaagagtgga 1200
aatttattaa aatcagaaaag tatgagatcc tgttatgtta agggaaatnc caaattccca 1260
attttttttg gtcttttttag gaaagatgtg ttgtggtaaa aagtgttagt ataaaaatga 1320
taatttactt gtagtctttt atgattacac caatgtattc tagaaatagt tatgtcttag 1380
gaaattgtgg ttttaattttt gacttttaca ggtaagtgc aaggaaaagt ggtttcatga 1440
aatgttctaa tttataataa catttacctt cagcctccat ccagaatgga acggagtgtt 1500
gagtaatacca gggaagtata tctatatgat cttgatattg ttttataata atttgaagtc 1560
taaaagactg cattttttaa caagttagta ttaatgcgtt ggcccacgta gcaaaaagat 1620
atttgattat cttaaaaatt gttaaatacc gttttcatga aakttctcag tattgtaaca 1680
gcaacttgtc aaacctaagc gatatttgaa tatgatctcc cataatttga aattgaaatc 1740
gtattgtgtg gctctgtata ttctgttaaa aaattaaagg acagaaacct ttctttgtgt 1800
atgcatgttt gaattaaaag aaagtaatgg aagaattgww mrawraaaaa aaaaaaaaaa 1860
a

```

<210> 8

<211> 204

<212> PRT

<213> Homo sapiens

<400> 8

```

Met Val Cys Gly Gly Phe Ala Cys Ser Lys Asn Cys Leu Cys Ala Leu
  1          5          10          15
Asn Leu Leu Tyr Thr Leu Val Ser Leu Leu Leu Ile Gly Ile Ala Ala
  20          25          30
Trp Gly Ile Gly Phe Gly Leu Ile Ser Ser Leu Arg Val Val Gly Val
  35          40          45
Val Ile Ala Val Gly Ile Phe Leu Phe Leu Ile Ala Leu Val Gly Leu
  50          55          60
Ile Gly Ala Val Lys His His Gln Val Leu Leu Phe Phe Tyr Met Ile
  65          70          75          80
Ile Leu Leu Leu Val Phe Ile Val Gln Phe Ser Val Ser Cys Ala Cys
  85          90          95
Leu Ala Leu Asn Gln Glu Gln Gln Gly Gln Leu Leu Glu Val Gly Trp
 100          105          110
Asn Asn Thr Ala Ser Ala Arg Asn Asp Ile Gln Arg Asn Leu Asn Cys
 115          120          125
Cys Gly Phe Arg Ser Val Asn Pro Asn Asp Thr Cys Leu Ala Ser Cys
 130          135          140
Val Lys Ser Asp His Ser Cys Ser Pro Cys Ala Pro Ile Ile Gly Glu
 145          150          155          160
Tyr Ala Gly Glu Val Leu Arg Phe Val Gly Gly Ile Gly Leu Phe Phe
 165          170          175
Ser Phe Thr Glu Ile Leu Gly Val Trp Leu Thr Tyr Arg Tyr Arg Asn
 180          185          190
Gln Lys Asp Pro Arg Ala Asn Pro Ser Ala Phe Leu
 195          200

```

<210> 9
 <211> 3579
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> 3350, 3546
 <223> n = A,T,C or G

<400> 9
 ccgaaaaaat cttagtgtct gcaaaacagg tgggtttaag atttattgat attagggaaa 60
 gtgaaattaa tgagctactc aagtttctgt ctttggtcat cactgagagt ctatttccat 120
 aggaagaagt ctttgcagag gaaattgaat gctgtctgat gctacaattc atatggatcc 180
 tttcctggat tgaagcctga cttttaaaaa aggtttcaat aaattgctta tacctatgaa 240
 gagatgcaaa agaacccttca aaataaaagca aaggacttga agaaagagaa ggaagacatg 300
 aagaagagga tgtcattttag gtgaagggcc atgctggata aggagctggc tgcctctgtg 360
 aacatcctac tcaaggcatc ttcactgctg tacatccttt tgaaatccca gagatcttca 420
 gtctccctgt ggattaagga gatgtgcagt atttaaagtg gcttcaggaa ggcatggaa 480
 aggactgagt ggggaaagct tttgtgcat gctgctggct acctccagcg gctgcctcca 540
 gcctccatca gctgcactct ggggaagagg aggtgcctt ctacctccca gcatctctgg 600
 atttcatgtt cctgtcagca cagaggagct aaatggcctg tagaggctga aggtctgagg 660
 ctctaaagc tggaagaaaa ggctgggcca gtcaggccaa gcaagaacac wrwrywwsty 720
 gcctgaagtg ccttccatgg ttaaaggggg cctaaagcag gccacaaagg gccatgaagg 780
 aatggttaat atgtaacaga ctgaagggga agaaagccag tgaagatgaa gacttgccca 840
 tcttccctga agtcagtaag gcctgcctca ggtgcctagg atgtaattgc tctgctgctt 900
 ctcatgggga ggagtggccc tcatgacctt gtttacctgg aagagtgtgg gatgaatgcc 960
 tcctcctatg gggactcgca agtgctttag caaaaggata aattgctaatt tgtggcattt 1020
 cgtggatcag caggattatt tctccttgcct aaagaggatt ttgttggctc tgaattctga 1080
 ggaggtggga ctaggaatgg gctccatgag cctgtgtatg actcaggga tattaggact 1140
 ttggcacagc ctcatgggtt gggagtaagt cttggctctt ccctagcctg aatgacagac 1200
 atcagatcat tctggtgctt tgtccatgaa gatgtagatt ctgagccac ccaactaatc 1260
 ttttcaactg agcacagaaa cagccccggg aatcggacag acccgtgtct ttcaggtttg 1320
 cttcacagag ccccaggggt tgacaatagg tgccttggag actgcctgca tggggatttt 1380
 taaaaagctt tctttgttaa aggtttgtaa accactcctc tgagcctgtt ttcattttat 1440
 agattattca gggaaactgaa ctgcacagag atccagaaaag tgggtagtgc aggtgtagt 1500
 gctgataact actgtactac ttggatcttt gtgctcccaa ataccaaatg gaagaggatc 1560
 tctgagagtc ctttgcaaaag atctttagg gactttaggc tggggccttc ggaaaattcc 1620
 agaggattcc aatggagatt ttgagggaact gactcagaag aacaaagaga atgataatgg 1680
 tgatgtccct gctttttaca acagatcatg ttctgatata tatgcaaata tgtgtaaagt 1740
 aaaccctacc taaaatgtac tggggaccca agatggactg cctgtattgc ttccaggata 1800
 aagtccaatt tctagctctg gttttataaa ccttgcttca gctcaccttt tccgtcatca 1860
 tcccctccat ctctctccc acgctgggaa atggatggct gcactatact gtgtgatgtt 1920
 attgctatgt tcatgccatc ccctctgcct ggaatgccct tctgcatgaa tgcctgtgaa 1980
 atgttgttgc tcctttgtat ggctggctt ccgtggtttg caggaatctc ttctttctgt 2040
 gtattcctgt catctttgtg catcacagtc agctttgtat tcctagcttg taagctactt 2100
 gagataagg gcatgtctga atctatttaa tctcttgac ctgtttggca aattgatgtt 2160
 ttaagtattt aaataactaa agctctctct acagtacata ctacttttg atttatgaat 2220
 tggcaaaatt caactttttt ccttgaatat tcttaaagtg agatgaattc caaaggagag 2280
 tgttctgtgt gtggccttca ttgagtgtt ttctgttacc agaaagctct tgggtggcctt 2340
 cctcttcctt ggtgtcaagg ttgactgtta taggaaatgg gaggggagag ggccgtttct 2400
 gccacgcatt gtcttaggtt cttaacatta tttaatcctt ataatgcaat gttatcctca 2460
 ttttacagat gaaacctgag accaaagaac atgtaacaca taaagtacat tgcagagtta 2520
 ggatgtgaac ccaactctga ttctaaacct aatgctctca ctctttcatt cagaggttca 2580
 gtcagttctt tgtaggctgt agatccagag aagctgccgt agccaacaat aaagttgtta 2640
 gtttttaaaa catctatgtg gtaagtttgt ctggcactta aaaatgtatt gtttcccagg 2700
 cacggtggtt cacacctgta atcccagcat tttgggaggc cgaggcaggc ggatcattag 2760
 gtcaaaaagat tgagaccatc ctgaccaaca tgggtgaaacc ccgtctctac taaaagttac 2820
 aaaaattagc tgggtgtggt ggcgcatgcc tctagtccca gctacctggg aggtcgaggc 2880

```

aggagaattg cttgaaccca ggaggcagag gttgcagtga gccaagatca tgctactgca 2940
ctacagcctg gcaacaaagc gagactctgt ctaaaatata tatatatata tatatatata 3000
tatatatattgt ttactactca ccacagatct gcaggagttc actgatctct aggatctgcc 3060
ttaactccaa cttacatggt ttggtcacta ttacaaactg tcatcccaga atgatgctgc 3120
agaggctagg gctaggacac agaccagtgt ttcccatgtg ggaattccct cccagtattt 3180
cttaggaaat gtatgttttt tgaatccata atccctagaa aaatcagttg aggaaatgag 3240
aagtattgta attattctgt gaatagtaac acttaccatt atggagacat cactagtgtg 3300
aaagaatcca acttcatcaa atattaacgt accgagttga aggctacaan gaactgagac 3360
aggagcatag cagagagaaa cggtcacat ctcattagcc ctatttttgg ttgttgat 3420
gccattacat ctgtatatct ggccatatca gctgctaag gtgagttctt gcaaacaaaa 3480
tgatttgata aacaacctac catactttat acaaatctta tgggtgttcg agaaataaac 3540
tttggnaaagc aaaataaaaa aaaaaamaaa aaaaaaaag 3579

```

<210> 10

<211> 79

<212> PRT

<213> Homo sapiens

<400> 10

```

Met Asp Gly Cys Thr Ile Leu Cys Asp Val Ile Ala Met Phe Met Pro
 1          5          10          15
Ser Pro Leu Pro Gly Met Pro Phe Cys Met Asn Ala Cys Glu Met Leu
      20          25          30
Leu Leu Leu Cys Met Ala Trp Leu Pro Trp Leu Ala Gly Ile Ser Ser
      35          40          45
Phe Val Val Phe Leu Ser Ser Leu Cys Ile Thr Val Ser Phe Val Phe
      50          55          60
Leu Ala Cys Lys Leu Leu Glu Asp Arg Gly Met Ser Glu Ser Ile
65          70          75

```

<210> 11

<211> 1076

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 708, 977, 1003, 1028, 1036

<223> n = A,T,C or G

<400> 11

```

tcgaccacgc gtccggtgcc catctatcag caggctccgg gctgaagatt gcttctcttc 60
tctcctccaa ggtctagtga cggagccgc gcgcggcgcc accatgcggc agaaggcggg 120
atcgcttttc ttgtgctacc tgctgctctt cacttgacgt ggggtggagg caggtagagaa 180
tgccggtaag gatgcaggta agaaaaagtg ctcggagagc tcggacagcg gctccggggt 240
ctggaaggcc ctgaccttca tggccgtcgg aggaggactc gcagtcgccg ggctgcccgc 300
gctgggcttc accggcgccg gcatcgcgcc caactcggtg gctgcctcgc tgatgagctg 360
gtctgcgac ctgaatgggg gcggcggtgc cgccgggggg ctagtggcca cgctgcagag 420
cctcgggggt ggtggcagca gcgtcgtcat aggtaatatt ggtgccctga tgggctacgc 480
caccacaag tatctcgata gtgaggagga tgaggagtag ccagcagctc ccagaacctc 540
ttcttccttc ttggcctaac tcttcagtt aggatctaga actttgcctt tttttttttt 600
tttttttttt ttgagatggg ttctcactat attgtccagg ctagagtgcg gtggctattc 660
acagatgcga acatagtaca ctgcagcctc caactcctag cctcaggnga tcctcctgtc 720
tcaacctccc aagtaggatt acaagcatgc gccgacgatg ccagaatcc agaactttgt 780
ctatcactct ccccaacaac ctatagtgtg aaacagaata aacttcaccc agaaaacaaa 840
aaaaaaaaaa aagggcggcc gctagactag tctagagaaa aaacctcca cacctcccc 900
tgaacctgaa acataaaatg aatgcaattg ttgttgtaa cttgtttatt gcagcttata 960
atggttacaa ataaagncaa ttagcatcac aaatttcaca aanaaaggca tttttttcac 1020

```

tgcattcnta gttggnggggt ttggtccaaa actcatcaaa tggatatcttt atcatg 1076

<210> 12

<211> 138

<212> PRT

<213> Homo sapiens

<400> 12

Met	Arg	Gln	Lys	Ala	Val	Ser	Leu	Phe	Leu	Cys	Tyr	Leu	Leu	Leu	Phe
1				5				10					15		
Thr	Cys	Ser	Gly	Val	Glu	Ala	Gly	Glu	Asn	Ala	Gly	Lys	Asp	Ala	Gly
			20					25				30			
Lys	Lys	Lys	Cys	Ser	Glu	Ser	Ser	Asp	Ser	Gly	Ser	Gly	Phe	Trp	Lys
		35					40					45			
Ala	Leu	Thr	Phe	Met	Ala	Val	Gly	Gly	Gly	Leu	Ala	Val	Ala	Gly	Leu
	50					55				60					
Pro	Ala	Leu	Gly	Phe	Thr	Gly	Ala	Gly	Ile	Ala	Ala	Asn	Ser	Val	Ala
65					70				75					80	
Ala	Ser	Leu	Met	Ser	Trp	Ser	Ala	Ile	Leu	Asn	Gly	Gly	Gly	Val	Pro
			85					90						95	
Ala	Gly	Gly	Leu	Val	Ala	Thr	Leu	Gln	Ser	Leu	Gly	Ala	Gly	Gly	Ser
			100					105					110		
Ser	Val	Val	Ile	Gly	Asn	Ile	Gly	Ala	Leu	Met	Gly	Tyr	Ala	Thr	His
		115					120					125			
Lys	Tyr	Leu	Asp	Ser	Glu	Glu	Asp	Glu	Glu						
	130					135									

<210> 13

<211> 1352

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 1139, 1140, 1150, 1155, 1166, 1171, 1181, 1186, 1189, 1212, 1214, 1252, 1311

<223> n = A,T,C or G

<400> 13

tcaccacgcg	tccggaagct	ccgggtgtcg	cgggggcggg	aggaattaag	ggagggagag	60
aggcgcgcgcg	gtgaaaggcg	cattgatgca	gcctgcggcg	gcctcggagc	gcggcggagc	120
cagacgctga	ccacgttcc	ctcctcggtc	tctcgcgcct	ccagctccgc	gctgcccggc	180
agccgggagc	catgcgaccc	cagggccccc	ccgcctcccc	gcagcggctc	cgcggcctcc	240
tgctgctcct	gctgctgcag	ctgcccgcgc	cgctcgagcg	ctctgagatc	cccaagggga	300
agcaaaaggc	gcagctccgg	cagagggagg	tggtagacct	gtataatgga	atgtgcttac	360
aagggccagc	aggagtgcct	ggtcgagacg	ggagccctgg	ggccaatggc	attccgggta	420
cacctgggat	cccaggtcgg	gatggattca	aaggagaaaa	gggggaatgt	ctgagggaaa	480
gctttgagga	gtcctggaca	cccaactaca	agcagtgttc	atggagttca	ttgaattatg	540
gcataaatct	tgggaaaatt	gcggagtgtg	cattttacaa	gatgcgttca	aatagtgttc	600
taagagtttt	gttcagtggc	tcacttcggc	taaaatgcag	aaatgcagtc	tgtcagcggt	660
ggtatttcac	attcaatgga	gctgaatgtt	caggacctct	tcccattgaa	gctataattt	720
atttggaacca	aggaagccct	gaaatgaatt	caacaattaa	tattcatcgc	acttcttctg	780
tggagggact	ttgtgaagga	attggtgctg	gatttagtga	tgttgctatc	tgggttgcca	840
cttgttcaga	ttacccaaaa	ggagatgctt	ctactggatg	gaattcagtt	tctcgcatca	900
ttattgaaga	actacccaaa	taaatgcttt	aattttcatt	tgctacctct	ttttttatta	960
tgcttgga	tgggttcactt	aaatgacatt	ttaaataagt	ttatgtatac	atctgaatga	1020
aaagcaaacg	taaatatgtt	tacagaccaa	agtgtgattt	cccctgttt	ttaaatctag	1080
cattattcat	tttgcttcaa	tcaaaagtgg	tttcaatatt	tttttttagt	ggttagaann	1140

```

ctttcttcan agtcncattc tctcanccta naatttgga nattgntgng gtcttttgtt 1200
ttttctctta gnanagcatt tttaaaaaaa tataaaaagct accaatcttt gnacaatttg 1260
taaagtgttaa gaattttttt tatatctgtt aaataaaaaa tatttccacc naaaaaaaaa 1320
aaaaaaaaaa aaaaaaaaaa gggcgggccgc ta 1352

```

<210> 14
 <211> 243
 <212> PRT
 <213> Homo sapiens

<400> 14

Met	Arg	Pro	Gln	Gly	Pro	Ala	Ala	Ser	Pro	Gln	Arg	Leu	Arg	Gly	Leu
1				5				10					15		
Leu	Leu	Leu	Leu	Leu	Leu	Gln	Leu	Pro	Ala	Pro	Ser	Ser	Ala	Ser	Glu
		20					25					30			
Ile	Pro	Lys	Gly	Lys	Gln	Lys	Ala	Gln	Leu	Arg	Gln	Arg	Glu	Val	Val
	35					40					45				
Asp	Leu	Tyr	Asn	Gly	Met	Cys	Leu	Gln	Gly	Pro	Ala	Gly	Val	Pro	Gly
	50				55					60					
Arg	Asp	Gly	Ser	Pro	Gly	Ala	Asn	Gly	Ile	Pro	Gly	Thr	Pro	Gly	Ile
65				70				75					80		
Pro	Gly	Arg	Asp	Gly	Phe	Lys	Gly	Glu	Lys	Gly	Glu	Cys	Leu	Arg	Glu
			85				90					95			
Ser	Phe	Glu	Glu	Ser	Trp	Thr	Pro	Asn	Tyr	Lys	Gln	Cys	Ser	Trp	Ser
	100						105					110			
Ser	Leu	Asn	Tyr	Gly	Ile	Asn	Leu	Gly	Lys	Ile	Ala	Glu	Cys	Thr	Phe
	115					120					125				
Thr	Lys	Met	Arg	Ser	Asn	Ser	Ala	Leu	Arg	Val	Leu	Phe	Ser	Gly	Ser
	130				135					140					
Leu	Arg	Leu	Lys	Cys	Arg	Asn	Ala	Cys	Cys	Gln	Arg	Trp	Tyr	Phe	Thr
145				150				155						160	
Phe	Asn	Gly	Ala	Glu	Cys	Ser	Gly	Pro	Leu	Pro	Ile	Glu	Ala	Ile	Ile
			165				170						175		
Tyr	Leu	Asp	Gln	Gly	Ser	Pro	Glu	Met	Asn	Ser	Thr	Ile	Asn	Ile	His
	180					185					190				
Arg	Thr	Ser	Ser	Val	Glu	Gly	Leu	Cys	Glu	Gly	Ile	Gly	Ala	Gly	Leu
	195					200					205				
Val	Asp	Val	Ala	Ile	Trp	Val	Gly	Thr	Cys	Ser	Asp	Tyr	Pro	Lys	Gly
	210				215					220					
Asp	Ala	Ser	Thr	Gly	Trp	Asn	Ser	Val	Ser	Arg	Ile	Ile	Ile	Glu	Glu
225				230				235						240	
Leu	Pro	Lys													

<210> 15
 <211> 2142
 <212> DNA
 <213> Homo sapiens

<400> 15

```

ggagtcgacc cacgcgtccg ccccggggga cccgcccggc agctcccag ggtgcggcag 60
cctctggcca ctacgccggg gccgagagg agctgccggg cggggaggcg ccgcaggcac 120
ccggcgggca gggcggggca gggcaagacg gccgcctccg caagtgccac ccggcccacc 180
cgggcctctc ccttctgccc srgcgtcag cggacsgggc gctcgcgggc cggggctgta 240
tggggctccc gcgcgggtcg ttcttctggc tgctgtctct gctcacggct gcctgctcgg 300
ggctcctctt tgccctgtac ttctcgccgg tgcagcggta cccggggcca gcggccggag 360
ccagggacac cacatcattt gaagcattct ttcaatccaa ggcacgaat tcttgacag 420
gaaagggcca ggctgcgca cacctgcttc acctggccat tcagcggcac cccacttcc 480

```

```

gtggcctgtt caatctctcc attccagtgc tgctgtgggg ggacctcttc accccagcgc 540
tctgggaccg cctgagccaa cacaaagccc cgtatggctg gcgggggctc tctaccaag 600
tcatcgctc caccctgagc cttctgaacg gctcagagag tgccaagctg tttgccccgc 660
ccagggacac ccctccaaag tgtatccggg gtgccgtggg gggcaacgga ggcattctga 720
atgggtcccg ccagggtccc aacatcgatg cccatgacta tgtattcaga ctcaatggag 780
ctgtgatcaa aggcctcgag cgcgatgtgg gcaccaagac ttccttctat ggtttctactg 840
tgaacacgat gaagaactcc ctcgtctcct actggaatct gggcttcacc tccgtgccac 900
aaggacagga cctgcagtat atcttcatcc cctcagacat ccgcgactat gtgatgctga 960
gatcgcccat tctgggcgtg cctgtccctg agggcctaga taaaggggac aggccgcacg 1020
cctatttttg accagaagcc tctgccagta aattcaagct gctacatccg gacttcatca 1080
gctacctgac agaaagggttc ttgaaatcaa agttgattaa cacacatttt ggagacctat 1140
atatgcctag taccggggct ctcagtctgc tgacagcttt gcatacctgt gaccagggtca 1200
gtgcctatgg attcatcaca agcaactact ggaaattttc cgaccactat ttcgaacgaa 1260
aatgaagcc attgatattt tatgcaaacc acgatctgtc cctggaagct gccctgtgga 1320
gggacctgca caaggccggc atccttcagc tgtaccagcg ctgaccccaa tgcactgagc 1380
cctttgcttc ttcaagagtt gcggcctgat cctctcaagt ggccaaaagc ttttttaact 1440
tttcaatcct cacttccct tgccaacaga gggcactggg gtgaattcaa gattttcatc 1500
gaggtctgtt caatatagga caccocagct tgtccttggc tcatccaaga actcttctgt 1560
atctaaaaaca atacatctca atcttggcca agggaaaacg gactgctttg ctggattggc 1620
actgagcaac tttaggaaat gtcggtggag tgttcagcaa gatcagacag cagtccaggt 1680
caaaggcaaa cacacacgct ccagcccaa tctcctggg ggcacatcct accccagatg 1740
ctaaagtgat tcaaggactc caggacacct ctttaagagcc tttctaagaa catgataggc 1800
ttacttctgc tccataataa agtgggagaa aaaagccaga atataaaaact taaractaga 1860
taactgcgya satgatggac catttttttt ttttggctgg gtagagaaat catataaaac 1920
gcaggctgtt tagcatggag atgactctca gaacactggr agggctctggc acttgatggg 1980
ggttagttgc ttggcagcct gcctgaagtc ccattagaga tgtatcacc ccttgtcacc 2040
aacaggatga tgtccccagg taataaacct tcatctcat aaaaaaaaaa aaaaaaaaaa 2100
aaaaaaaaaa aaaaaaaaaa aagggcggcc gctagactag tc 2142

```

<210> 16

<211> 374

<212> PRT

<213> Homo sapiens

<400> 16

```

Met Gly Leu Pro Arg Gly Ser Phe Phe Trp Leu Leu Leu Leu Thr
 1          5          10          15
Ala Ala Cys Ser Gly Leu Leu Phe Ala Leu Tyr Phe Ser Ala Val Gln
          20          25          30
Arg Tyr Pro Gly Pro Ala Ala Gly Ala Arg Asp Thr Thr Ser Phe Glu
          35          40          45
Ala Phe Phe Gln Ser Lys Ala Ser Asn Ser Trp Thr Gly Lys Gly Gln
          50          55          60
Ala Cys Arg His Leu Leu His Leu Ala Ile Gln Arg His Pro His Phe
          65          70          75          80
Arg Gly Leu Phe Asn Leu Ser Ile Pro Val Leu Leu Trp Gly Asp Leu
          85          90          95
Phe Thr Pro Ala Leu Trp Asp Arg Leu Ser Gln His Lys Ala Pro Tyr
          100          105          110
Gly Trp Arg Gly Leu Ser His Gln Val Ile Ala Ser Thr Leu Ser Leu
          115          120          125
Leu Asn Gly Ser Glu Ser Ala Lys Leu Phe Ala Pro Pro Arg Asp Thr
          130          135          140
Pro Pro Lys Cys Ile Arg Cys Ala Val Val Gly Asn Gly Gly Ile Leu
          145          150          155          160
Asn Gly Ser Arg Gln Gly Pro Asn Ile Asp Ala His Asp Tyr Val Phe
          165          170          175
Arg Leu Asn Gly Ala Val Ile Lys Gly Phe Glu Arg Asp Val Gly Thr
          180          185          190

```

Lys Thr Ser Phe Tyr Gly Phe Thr Val Asn Thr Met Lys Asn Ser Leu
 195 200 205
 Val Ser Tyr Trp Asn Leu Gly Phe Thr Ser Val Pro Gln Gly Gln Asp
 210 215 220
 Leu Gln Tyr Ile Phe Ile Pro Ser Asp Ile Arg Asp Tyr Val Met Leu
 225 230 235 240
 Arg Ser Ala Ile Leu Gly Val Pro Val Pro Glu Gly Leu Asp Lys Gly
 245 250 255
 Asp Arg Pro His Ala Tyr Phe Gly Pro Glu Ala Ser Ala Ser Lys Phe
 260 265 270
 Lys Leu Leu His Pro Asp Phe Ile Ser Tyr Leu Thr Glu Arg Phe Leu
 275 280 285
 Lys Ser Lys Leu Ile Asn Thr His Phe Gly Asp Leu Tyr Met Pro Ser
 290 295 300
 Thr Gly Ala Leu Met Leu Leu Thr Ala Leu His Thr Cys Asp Gln Val
 305 310 315 320
 Ser Ala Tyr Gly Phe Ile Thr Ser Asn Tyr Trp Lys Phe Ser Asp His
 325 330 335
 Tyr Phe Glu Arg Lys Met Lys Pro Leu Ile Phe Tyr Ala Asn His Asp
 340 345 350
 Leu Ser Leu Glu Ala Ala Leu Trp Arg Asp Leu His Lys Ala Gly Ile
 355 360 365
 Leu Gln Leu Tyr Gln Arg
 370

<210> 17

<211> 1707

<212> DNA

<213> Homo sapiens

<400> 17

tacttaggga gtcgaccacg cgtccgacta gttctagatc gcgggcaaag atggcggcgg 60
 ccagggtgttg gaggcctttg ctacgcggtc cgaggctttc attgcacacc gcggtctaatg 120
 ccgcccgcac ggctacagaa acgacctgcc aagacgtcgc ggcgaccccc gtcgcgcgggt 180
 acccgccgat tgtggcctcc atgacagccg acagcaaagc tgcacggctg cggcggatcg 240
 agcgctggga ggcgacgggt cagctgcggt agtcggtaga cgagaagctg cgaatcctca 300
 ccaagatgca gtttatgaag tacatggttt acccgagac cttcgcgctg aatgccgacc 360
 gctggtacca gtacttcacc aagaccgtgt tcctgtcggg tctgccgccc cccccagcgg 420
 agcccagacc cgagcccga cccgaacctg aacctgcgct ggacctcgcg gcgctgcgtg 480
 cggtcgcctg cgactgcctg ctgcaggagc acttctacct gcggcgcagg cggcgcgtgc 540
 accggttacga ggagagcgag gtcatatctt tgcccttcct ggatcagctg gtgtcaaccc 600
 tcgtgggcct cctcagccca cacaaccgg ccttgccgc tgccgcctc gattatagat 660
 gccagttca tttttactgg gtgcgtggtg aagaaattat tcctcgtggt catcgaagag 720
 gtcgaattga tgacttgcca taccagatag atgataaacc aaacaaccag attcgaatat 780
 ccaagcaact cgcagagttt gtgccattgg attattctgt tcctatagaa atccccacta 840
 taaaatgtaa accagacaaa cttccattat tcaaacggca gtatgaaaac cacatatttg 900
 ttggctcaaa aactgcagat ccttgctgtt accgtcacac ccagtttcat ctgttacctg 960
 acaaattaag aagggaaggg cttttgagac aaaactgtgc tgatcagata gaagttgttt 1020
 ttagagctaa tgctattgca agcctttttg cttggactgg agcacaagct atgtatcaag 1080
 gattctggag tgaagcagat gttactcgac cttttgtctc ccaggctgtg atcacagatg 1140
 gaaaatactt ttcttttttc tgctaccagc taaatacttt ggcactgact acacaagctg 1200
 atcaaaataa ccctcgtaaa aatatatgtt ggggtacaca aagtaagcct ctttatgaaa 1260
 caattgagga taatgatgtg aaaggtttta atgatgatgt tctacttcag atagtctact 1320
 ttctactgaa tagacaaaaa gaagaaaaat cacagctgtt ggaaaaactga aaaagcatat 1380
 ttgattgaga actgtgggaa tatttaaat ttactgaagg aacaataatg atgagatttg 1440
 taactgtcaa ctattaaata cattgatatt tgagacaaat aaaaaaatg tcaacctgtt 1500
 attagatctc ttactctgct caaatcatt actgaaagat ttaattttag ttaccttttg 1560
 ttgatttaaa aataattgca tttgtatatt gctaactgat aagacaaatt gagttattga 1620

gctattaaat gcacatttta atataaatgc agaaatccca aataaaatgc taacatactg 1680
aattcagtaa ttaaaagaac ccactgc 1707

<210> 18

<211> 439

<212> PRT

<213> Homo sapiens

<400> 18

Met	Ala	Ala	Ala	Arg	Cys	Trp	Arg	Pro	Leu	Leu	Arg	Gly	Pro	Arg	Leu	1	5	10	15
Ser	Leu	His	Thr	Ala	Ala	Asn	Ala	Ala	Ala	Thr	Ala	Thr	Glu	Thr	Thr	20	25	30	
Cys	Gln	Asp	Val	Ala	Ala	Thr	Pro	Val	Ala	Arg	Tyr	Pro	Pro	Ile	Val	35	40	45	
Ala	Ser	Met	Thr	Ala	Asp	Ser	Lys	Ala	Ala	Arg	Leu	Arg	Arg	Ile	Glu	50	55	60	
Arg	Trp	Gln	Ala	Thr	Val	His	Ala	Ala	Glu	Ser	Val	Asp	Glu	Lys	Leu	65	70	75	80
Arg	Ile	Leu	Thr	Lys	Met	Gln	Phe	Met	Lys	Tyr	Met	Val	Tyr	Pro	Gln	85	90	95	
Thr	Phe	Ala	Leu	Asn	Ala	Asp	Arg	Trp	Tyr	Gln	Tyr	Phe	Thr	Lys	Thr	100	105	110	
Val	Phe	Leu	Ser	Gly	Leu	Pro	Pro	Pro	Pro	Ala	Glu	Pro	Glu	Pro	Glu	115	120	125	
Pro	Glu	Pro	Glu	Pro	Glu	Pro	Ala	Leu	Asp	Leu	Ala	Ala	Leu	Arg	Ala	130	135	140	
Val	Ala	Cys	Asp	Cys	Leu	Gln	Glu	His	Phe	Tyr	Leu	Arg	Arg	Arg	Arg	145	150	155	160
Arg	Arg	Val	His	Arg	Tyr	Glu	Glu	Ser	Glu	Val	Ile	Ser	Leu	Pro	Phe	165	170	175	
Leu	Asp	Gln	Leu	Val	Ser	Thr	Leu	Val	Gly	Leu	Leu	Ser	Pro	His	Asn	180	185	190	
Pro	Ala	Leu	Ala	Ala	Ala	Ala	Leu	Asp	Tyr	Arg	Cys	Pro	Val	His	Phe	195	200	205	
Tyr	Trp	Val	Arg	Gly	Glu	Glu	Ile	Ile	Pro	Arg	Gly	His	Arg	Arg	Gly	210	215	220	
Arg	Ile	Asp	Asp	Leu	Arg	Tyr	Gln	Ile	Asp	Asp	Lys	Pro	Asn	Asn	Gln	225	230	235	240
Ile	Arg	Ile	Ser	Lys	Gln	Leu	Ala	Glu	Phe	Val	Pro	Leu	Asp	Tyr	Ser	245	250	255	
Val	Pro	Ile	Glu	Ile	Pro	Thr	Ile	Lys	Cys	Lys	Pro	Asp	Lys	Leu	Pro	260	265	270	
Leu	Phe	Lys	Arg	Gln	Tyr	Glu	Asn	His	Ile	Phe	Val	Gly	Ser	Lys	Thr	275	280	285	
Ala	Asp	Pro	Cys	Cys	Tyr	Gly	His	Thr	Gln	Phe	His	Leu	Leu	Pro	Asp	290	295	300	
Lys	Leu	Arg	Arg	Glu	Arg	Leu	Leu	Arg	Gln	Asn	Cys	Ala	Asp	Gln	Ile	305	310	315	320
Glu	Val	Val	Phe	Arg	Ala	Asn	Ala	Ile	Ala	Ser	Leu	Phe	Ala	Trp	Thr	325	330	335	
Gly	Ala	Gln	Ala	Met	Tyr	Gln	Gly	Phe	Trp	Ser	Glu	Ala	Asp	Val	Thr	340	345	350	
Arg	Pro	Phe	Val	Ser	Gln	Ala	Val	Ile	Thr	Asp	Gly	Lys	Tyr	Phe	Ser	355	360	365	
Phe	Phe	Cys	Tyr	Gln	Leu	Asn	Thr	Leu	Ala	Leu	Thr	Thr	Gln	Ala	Asp	370	375	380	
Gln	Asn	Asn	Pro	Arg	Lys	Asn	Ile	Cys	Trp	Gly	Thr	Gln	Ser	Lys	Pro	385	390	395	400


```
<210> 19
<211> 2844
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> 767, 2839, 2842
<223> n = A,T,C or G
```

<400> 19						
cgacccacgc	cgctcggggcg	gcggcgctccg	caggagcccg	ggaggcggag	gcgggagggcg	60
gcggcgggcg	gcggagacgc	agcagcggca	gcggcagcat	gtcggccggc	ggagcgtcag	120
tcccgccgcc	ccgaacccc	gccgtgtcct	tccgcgcgcc	ccgggtcacc	ctgcccgcgc	180
gccccgacat	cctgcggacc	tactcggggcg	ccttcgtctg	cctggagatt	ctgttcgggg	240
gtcttgtctg	gatttttggt	gcctcctcca	atgttcctct	accttacta	caaggatggg	300
tcatgtttgt	gtccgtgaca	gcgtttttct	tttcgctcct	ctttctgggc	atgttcctct	360
ctggcatggg	ggctcaaat	gatgctaact	ggaacttcct	ggattttggc	taccatttta	420
cagtatattg	ctctctat	ggagcctttt	tattgggaagc	agcagccaca	tccctgcgatg	480
at ttgcattg	caatacaacc	ataaccgggc	agccactcct	gagtataaac	cagtataaca	540
taaacgtagc	agcctcaatt	tttgccttta	tgacgacagc	ttgttatggg	tgcagtttgg	600
gtctggcttt	acgaagatgg	cgaccgtaac	actccttaga	aactggcagt	cgatatgttag	660
tttcaattgt	ctactttata	tgtctgatca	at ttggatac	cattttgtcc	agatgcaaaa	720
acattccaaa	agtaatgtgt	ttagttagaga	gagactctaa	gctcaangtt	ctgggtttatt	780
tcatggatgg	aatgttaatt	ttattatgat	attaaagaaa	tggcctttta	ttttacatct	840
ctcccccttt	tccctttccc	cctttat	cctccttttc	tttctgaaag	tttcctttta	900
tgtccataaa	atacaaatat	attgttcata	aaaaattagt	atcccttttg	tttggttgct	960
gagtcacctg	aaccttaatt	ttaattggta	attacagccc	ctaaaaaaa	cacattttcaa	1020
ataggcttcc	cactaaactc	tatattttag	tgtaaacccg	gaattggcac	acttttttta	1080
gaatgggcca	gatggtaaat	at ttatgctt	cacggctccat	acagctctctg	tcacaactat	1140
tcagttctgc	tagtatagcg	tgaagcagc	tatacacaat	acagaaatga	atgagtgtag	1200
ttatgttcta	ataaaactta	tttataaaaa	caaggggagg	ctgggttttag	cctgtggggc	1260
atagtttgtc	aaccactggg	gtaaaacctt	agttatatat	gatctgcatt	ttcttgaact	1320
gatcattgaa	aacttataaa	cctaacagaa	aagccacata	atatttagtg	tcattatgca	1380
ataatcacat	tgccctttgtg	ttaatagtca	aatacttacc	tttgagagaat	acttaccttt	1440
ggaggaatgt	ataaaatttc	tcaggcagag	tcctggatat	aggaaaaagt	aatttatgaa	1500
gtaaacttca	gttgcttaat	caaactaatg	atagtctaac	aactgagcaa	gatacctcatc	1560
tgagagtgtc	taaaattggga	tcccagaga	ccattaaacca	atactggaa	tggtatctag	1620
ctactgatgt	cttactttga	gtttatttat	gcttcagaat	acagttggtt	ggcctgtgca	1680
taataataccc	atattttgtgt	gtggatatgt	gaagcttttc	caaatgagagc	tctcagaaga	1740
attaagtttt	tacttcta	tattttgc	tactttgagt	taaat ttgaa	tagagtatta	1800
aatataaaagt	tgtagattct	tatgtgtttt	tgtattagcc	cagacatctg	taatgttttt	1860
gcactgggtga	cagacaaaat	ctgtttttaa	atcatatcca	gcacaaaaac	tatttctggc	1920
tgaatagcac	agaaaagtat	tttaacctac	ctgtagagat	cctcgtcatg	gaaaggtgcc	1980
aaactgtttt	gaatggaagg	acaagtaaga	gtgaggccac	agttccacc	acacgagggc	2040
ttttgtattg	ttctactttt	tcagcccttt	actttctggc	tgaagcatcc	ccttgaggatg	2100
ccatgtataa	gttgggctat	tagagttcat	ggaacataga	acaacatga	atgagtggca	2160
tgatccgtgc	ttaatgatca	agtgttactt	atctaataat	cctctagaaa	gaaccctgtt	2220
agatcttggg	ttgtgataaa	aatataaaga	cagaagacat	gaggaaaaaa	aaaaggtttg	2280
aggaaatcag	gcataatgact	ttatacttaa	catcagatct	tttctataat	atcctactac	2340
tttggttttc	ctagctccat	accacacacc	taaacctgta	ttatgaatta	catattacaa	2400

```

agtcataaat gtgccatatg gatatacagt acattctagt tggaaatcggt tactctgcta 2460
gaatttaggt gtgagatttt ttgtttccca ggtatagcag gcttatgttt ggtggcatta 2520
aattggtttc tttaaaatgc tttgggtggca cttttgtaaa cagattgctt ctagattgtt 2580
acaaaccaag cctaagacac atctgtgaat acttagattt gtagcttaat cacattctag 2640
acttgtgagt tgaatgacaa agcagttgaa caaaaattat ggcatttaag aatttaacat 2700
gtcttagctg taaaaatgag aaagtgttgg ttggttttaa aatctggtaa ctccatgatg 2760
aaaagaaatt tattttatac gtgttatgtc tctaataaag tattcatttg ataaaaaaaa 2820
aaaaaaaaaa aaaaaaaang tnhg                                     2844

```

<210> 20

<211> 176

<212> PRT

<213> Homo sapiens

<400> 20

```

Met Ser Ala Gly Gly Ala Ser Val Pro Pro Pro Pro Asn Pro Ala Val
 1              5              10              15
Ser Phe Pro Pro Pro Arg Val Thr Leu Pro Ala Gly Pro Asp Ile Leu
              20              25              30
Arg Thr Tyr Ser Gly Ala Phe Val Cys Leu Glu Ile Leu Phe Gly Gly
      35              40              45
Leu Val Trp Ile Leu Val Ala Ser Ser Asn Val Pro Leu Pro Leu Leu
      50              55              60
Gln Gly Trp Val Met Phe Val Ser Val Thr Ala Phe Phe Phe Ser Leu
      65              70              75              80
Leu Phe Leu Gly Met Phe Leu Ser Gly Met Val Ala Gln Ile Asp Ala
              85              90              95
Asn Trp Asn Phe Leu Asp Phe Ala Tyr His Phe Thr Val Phe Val Phe
      100              105              110
Tyr Phe Gly Ala Phe Leu Leu Glu Ala Ala Ala Thr Ser Leu His Asp
      115              120              125
Leu His Cys Asn Thr Thr Ile Thr Gly Gln Pro Leu Leu Ser Asp Asn
      130              135              140
Gln Tyr Asn Ile Asn Val Ala Ala Ser Ile Phe Ala Phe Met Thr Thr
      145              150              155              160
Ala Cys Tyr Gly Cys Ser Leu Gly Leu Ala Leu Arg Arg Trp Arg Pro
              165              170              175

```

<210> 21

<211> 12642

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

```

<222> 7145, 7158, 7460, 7461, 7462, 7463, 7467, 7717, 7756, 7795,
7799, 7803, 7818, 7822, 7833, 7842, 7843, 7852, 7860, 7864,
7871, 7876, 8141, 11251, 11283, 11294, 11301, 11309, 11336,
11341, 11345, 11352, 11357, 11363, 11373, 11380, 11391

```

<223> n = A,T,C or G

<221> misc_feature

```

<222> 11399, 11402, 11412, 11424, 11427, 11428, 11435, 11445, 11461,
11472, 11478, 11488, 11490, 11497, 11519, 11527, 11548,
11551, 12281, 12298, 12394, 12615, 12617, 12618, 12620,
12621, 12624, 12627, 12628, 12629, 12633, 12634, 12635

```

<223> n = A,T,C or G

<221> misc_feature
 <222> 12636, 12637, 12640
 <223> n = A,T,C or G

<400> 21

```

atggcgagcc tcgccgcgct cgccctcagc ctgctcctga ggctgcagct gccgccactg 60
cccggcgccc gggctcagag cgccccaggt ggctgttcct ttgatgagca ctacagcaac 120
tgtgttata gtgtggctct agggaccaat gggttcacct gggagcagat taacacaacg 180
gagaaaccaa tgctggacca ggcagtcccc acaggatctt tcatgatggt gaacagctct 240
gggagagcct ctggccagaa ggcccacctt ctctgccaac ccctgaagga gaatgacacc 300
cactgcacgc acttccatta ctacttctcc agccgtgaca ggtccagccc aggggccttg 360
aacgtctacg tgaaggtgaa tgggtgcccc caagggaacc ctgtgtggaa tgtgtccggg 420
gtcgtcactg agggctgggt gaaggcagag ctcgccatca gcactttctg gccacatttc 480
tatcaggtga tatttgaatc cgtctcattg aagggtcatc ctggctacat cgccgtggac 540
gaggtccggg tccttgctca tccatgcaga aaagcacctc attttctgcg actccaaaac 600
gtggaggtga atgtggggca gaatgccaca tttcagtga ttgctggtgg gaagtggctc 660
cagcatgaca agctttggct ccagcaatgg aatggcaggg acacggccct gatggtcacc 720
cgtgtgggtca accacaggcg cttctcagcc acagtcagtg tggcagacac tgcccagcgg 780
agcgtcagca agtaccgctg tgtgatccgc tctgatggtg ggtctggtgt gtccaaactac 840
gcggagctga tcgtgaaaga gcctcccacg cccattgctc ccccagagct gctggctgtg 900
ggggccacat acctgtggat caagccaaat gccaaactca tcatcgggga tggccccatc 960
atcctgaagg aagtggaata tcgcaccacc acaggcacgt gggcagagac ccacatagtc 1020
gactctccca actataagct gtggcatctg gaccccgatg ttgagtatga gatccgagtg 1080
ctcctcacac gaccaggtga ggggggtacg ggaccgccag gggctcccct caccaccagg 1140
accaagtgtg cagatccggg acatggccca cagaacgtgg aaatcgtaga catcagagcc 1200
cggcagctga ccctgcagtg ggagcccttc ggctacgcgg tgaccgcgtg ccatagctac 1260
aacctcaccg tgcagtacca gtatgtgttc aaccagcagc agtacgaggc cgaggaggtc 1320
atccagacct cctcccacta caccctgcga ggccctgcgc cttcatgac catccggctg 1380
cgactcttgc tgtctaaccg cgagggccga atggagagcg aggagctggt ggtgcagact 1440
gaggaagacg ttccaggagc tgttctctca gaatccatcc aagggggggc ctttgaggag 1500
aagatctaca tccagtggaa acctcccaat gagaccaatg gggcatcac gctctacgag 1560
atcaactaca aggtgtcgg ctgctgggac ccaagtgtg acctctcgag ccagaggggg 1620
aaagtgttca agctccggaa tgaaccacac cacctctttg tgggtctgta cccagggacc 1680
acctattcct tcaccatcaa ggccagcaca gcaaagggtt ttgggcccc tgtcaccact 1740
cggattgcca ccaaaatttc agctccatcc atgcctgagt acgacacaga caccctattg 1800
aatgagacag acacgacctc cacagtgatg ctgaaaccgg ctgagtcctg gggagctcct 1860
gtcagtggtt atcagctggt tgtcaaggag gagcgacttc agaagtcacg gagggcagct 1920
gacattattg agtgttttcc ggtgcccgtg agctatcgga atgcctccag cctcgattct 1980
ctacactact ttgctgctga gttgaagcct gccaacctgc ctgtcaccca gccatttaca 2040
gtgggtgaca ataagacata caatggctac tggaaacctc ctctctctcc cctgaaaagc 2100
tacagcatct acttccaggc actcagcaaa gccaatggag agacaaaat caactgtgtt 2160
cgtctggcta caaaagcacc aatgggcagc gcccaggtga ccccggggac tccactctgc 2220
ctcctacca caggtgcctc caccagaat tctaactg tggagccaga gaagcaggtg 2280
gacaacaccg tgaagatggc tggcgtgatc gctggcctcc tcatgttcat catcattctc 2340
ctgggcgtga tgctcaccat caaaaggaga agaaatgctt attcctactc ctattacttg 2400
tccaaagga agctggccaa gaagcagaag gagaccaga gtggagccca gagggagatg 2460
gggcctgtgg cctctgccga caaaccacc accaagctca gcgcagccg caatgatgaa 2520
ggcttctctt ctagtcttca ggacgtcaac ggattcacag atggcagccg cggggagctt 2580
tcccagccca cctcacgat ccagactcat ccctaccgca cctgtgacct tgtggagatg 2640
agctaccccc gggaccagtt ccaactcgcc atccgggtgg ctgacttgct gcagcacatc 2700
acgcagatga agagaggcca gggctacggg ttcaaggagg aatacgaggc cttaccagag 2760
gggcagacag cttcgtggga cacagccaag gaggatgaaa accgcaataa gaatcgatat 2820
gggaacatca tctctacga ccattcccgg gtgaggctgc tgggtgctgga tggagacccg 2880
cactctgact acatcaatgc caactacatt gacggatacc atcgacctcg gcactacatt 2940
gcgactcaag gtccgatgca ggagactgta aaggactttt ggagaatgat ctggcaggag 3000
aactccgcca gcatcgatcat ggtcacaac ctggtggaag tgggcagggt gaaatgtgtg 3060
cgatactggc cagatgacac ggaggtctac ggagacatta aagtcaccct gattgaaaca 3120
gagcccctgg cagaatacgt catacgacc ttcacagtc agaagaaagg ctaccatgag 3180
atccgggagc tccgcctctt ccacttcacc agctggcctg accacggcgt tccctgctat 3240

```

```

gccactggcc ttctgggctt cgtccgccag gtcaagttcc tcaaccccc ggaagctggg 3300
cccatagtgg tccactgcag tgctggggct gggcggactg gctgcttcat tgccattgac 3360
accatgcttg acatggccga gaatgaaggg gtggtggaca tcttcaactg cgtgcgtgag 3420
ctccgggccc aaagggtcaa cctggtacag acagaggagc aatatgtgtt tgtgcacgat 3480
gccatcctgg aagcgtgcct ctgtggcaac actgccatcc ctgtgtgtga gttccgttct 3540
ctctactaca atatcagcag gctggacccc cagacaaaact ccagccaaat caaagatgaa 3600
tttcagaccc tcaacattgt gacaccccgt gtgcggcccg aggactgcag cattgggctc 3660
ctgccccgga accatgataa gaatcgaagt atggacgtgc tgcctctgga ccgctgcctg 3720
cccttcctta tctcagtggg cggagaatcc agcaattaca tcaacgcagc actgatggat 3780
agccacaagc agcctgcgcg cttcgtggtc acccagcacc ctctacccaa caccgtggca 3840
gacttctgga ggctgggtgt cgattacaac tgctcctctg tggatgatgt gaatgagatg 3900
gacactgccc agttctgtat gcagtattgg cctgagaaga cctccgggtg ctatgggccc 3960
atccaggtgg agttcgtctc cgcagacatc gacgaggaca tcatccacag aatattccgc 4020
atctgtaaca tggcccggcc acaggatggt tatcgtatag tccagcacct ccagtacatt 4080
ggctggcctg cctaccggga cagccccccc tccaagcgct ctctgctcaa agtgggtccga 4140
cgactggaga agtggcagga gcagtatgac gggaggaggg gacgtactgt ggtccactgc 4200
ctaaatgggg gaggcgctag tggaaacctt tgtgccatct gcagtgtgtg tgagatgatc 4260
cagcagcaaa acatcattga cgtgttccac actgcgtaa caacaaatcc 4320
aacatggtgg agaccctgga acagtataaa tttgtatacg aggtggcact ggaatattta 4380
agctcctttt agtcaatgg gatggggaac ctgccggagt ccagaggctg ctgtgaccaa 4440
gccccctttt gtgtgaatgg cagtaactgg gctcaggagc tctgagggtg caccctgcct 4500
gactccaagg agaagactgg tggccctgtg ttccacgggg ggctctgcac cttctgaggg 4560
gtctcctgtt gccgtgggag atgctgctcc aaaaggccca ggcttccctt tcaacctaac 4620
cagccacagc caagggccca agcagaagta caccacaaag caaggccttg gatttctggc 4680
tcccagacca cctgcttttg ttctgagttt gtggatctct tggcaagcca actgtgcagg 4740
tgctggggag tgggaggctc ccctgcctc cttctcctta ggagtggagg agatgtgtgt 4800
ctgtctctc tacgtcatgg aaaagattga ggctcttggg ggtcactgct ctgctgcccc 4860
ctgcaacctc cttcaggggc ccttggcacc agacatttgc agtctggacc agtgtgacct 4920
tacgatgttc cctagggcac aagagaggcc ccccatcctc acacctaac tgcatggggc 4980
ttcggccaca accattctgt accccttccc cagcctgggc cttgaccgtc cagcattcac 5040
tggccggcca gctgtgtcca cagcagtttt tgataaaggt gttctttgct tttttgtgtg 5100
gtcagtggga ggggggtggaa ctgcagggaa cttctctgct cctccttgtc tttgtaaaaa 5160
gggaccacct ccctggggca gggcttgggc tgacctgtag gatgtaacct ctgtgtttct 5220
ttggtggtag ctttcttttg aagagacaaa caagataaga tttgattatt ttccaaagtg 5280
tatgtgaaaa gaaactttct tttggagggt gtaaaatctt agtctcttat gtcaaaaaga 5340
agggggcggg ggagtttgag tatgtacctc taagacaaat ctctcgggcc ttttattttt 5400
tcttggaat gtccttaaaa gctcccaccc tgggacagca tgccactgag caaggagaga 5460
tgggtgagcc tgaagatggt ccctttgggt tctggggcaa atagagcacc agctttgtgc 5520
ataatttgga tgtccaaatt tgaactcctt cctaagaaaa cccagcagcc accttgaaaa 5580
aggccattgt ggagccatt atactttgat ttaaaatagg ccaagagaat caggcctgga 5640
gatctagggt cttgtccaaa gtgtgagtga gtcaatgaga gggaaaccaac atttgctaag 5700
tctctactgt atgccaggga tcatgcttgg cactttccat aggacatttc acacagtcct 5760
tagaaccccc aggagagagc tactgacttg ttatcatctc catttgatca tctcctccaa 5820
tgaggaaaacc cagcacctt ccttagtaat gaaatcctgg gttccaaagg ggcaggtaat 5880
ggcaatgaga cttctccgtg ctgttttctt catcttctct aagccaagca attattttat 5940
ggagggaaaa taaggccaga aacttctgag cagataactc caciaatgga aatttagtac 6000
tttcttctg atgccagttc ttctgggaag cgcagaattt cagatatatt ttagtaaac 6060
attccagct ccccaggaaa gccagtctca tctaatttct tagtcagtaa aaacaattcc 6120
ctgttctctc aggtatgaa tggaccagcc agggaaactc tcgacctga tctctagcca 6180
gtgcttaggc ccaatatctg acagcctcag gtgggctggg acctaggaag ctccatcttg 6240
aaggctggtc tagccccaga cagggcatga ggggcagaga attcaagaag gtacagcttt 6300
ggcctcaag agccactgt atgctgggga aatggaacca tgggtcagta gtgtggagt 6360
gatgagtgtt ccatgagcct aggagcaaga aagtctcttc ggctcgggc ttctggaga 6420
aggggacgtc cattcctgct gggcttaaac aagcataaaa aggaaaaaaa ggaaactcag 6480
gcaaagggat ccatatgtgc aatggcaaag aaatgtgaaa aggcattggg agaagcagtc 6540
tgggggaggc cagcccagtg cgggcacagc acaacacggg gagcagcaag agatgagcca 6600
gggtccagga gacagatgcc catcgcgagt acagactttg tcctattggc aacaaggagt 6660
ccatggagct ttagagagat gcactcagct tctgttggc caagactcct tctgggcca 6720
tggggctgcc tcttttctt tcatcagaca ctgtgaaaac attcccttaa gcgtgcactt 6780

```

tttaatatca	catctatattg	tctgtctgtct	cattgtttttg	ttgctggaac	taaatatgca	6840
atggatcatg	agactcagat	tctatgagaa	accaggggtc	tctgctttac	cacggagcag	6900
ggtcaccaac	ccagatctcc	aggcccatga	ggatggaaca	tgaaggagc	cgacaaaagt	6960
tgcttccatt	ggcatgggct	ctggagctgt	ccagaagtcc	aggacacca	gacttgatca	7020
aggaagggtc	gtcacttttag	aggttcaaaa	ggaagtgcct	caaagcaaag	gcaagcaaag	7080
gaaccccacg	atgaacttgc	tcttttcctt	tgatgagcct	ctccccaggt	gtatttcagc	7140
agacncccg	ggacccancc	cccactgggc	ctgctggcct	ccctcggctc	cagcccaatg	7200
ccccagctgg	ccttccccag	cctgcaagga	gcctgtagca	tggcaaatct	gcctgctgta	7260
tgctattttc	ttagatcttg	gtacatccag	acaggatgag	ggtggaggga	gagctattta	7320
acacaaatcc	taagattttt	ttctgctcag	gaaggggtga	aatagctggc	agatacaaaa	7380
gacagtggct	tttatcattt	taaatggtag	gaatttaagg	tgtgacttca	gggagaaaca	7440
aacttgcaaa	aaaaaaaaan	nmntctncag	gccatgttgg	ggtaaccag	caagggccag	7500
tgatgatttc	ccccagctca	tccccttatt	ttcccacaac	ccaaccattc	tctaaagcag	7560
gacagtgaat	aggtccttag	ccagtgcaca	caggaagaaa	ttgaggctta	tggatgggga	7620
tgacttccct	aagatcccat	gggacaagga	tgtggcaagg	cttgatgag	atggggcacc	7680
agtgccaggg	aatttgaaca	ttttccttta	cccaggnaaa	tctccggagc	caacaccacc	7740
accccagggg	ggtctncccc	accccacccc	atttaccagg	tgagctcagc	ctgtncatng	7800
agnccagga	aaatattnat	tnaatgctct	ctnagctctt	tnnacaacag	gnagctcttn	7860
acnctcatag	natgtngggc	tctgtttggg	gaagatgcaa	ggaagtaatg	agaagccag	7920
gaaattttctc	cacctgtgtt	tatggcctaa	atagcttcag	gatgtatctt	agctgcactc	7980
caacattgca	tcctttcttg	ggtgaagaat	ctgggccaac	caggggtcct	tgggcctcta	8040
gaaggccaca	gtaggcctct	ctttgtggga	atggaaaggg	gacagtttgc	tttttagtgc	8100
tggccctctc	tgtgggtgtg	gcctgccaaa	ggaaccaaca	ngaccctatg	cctggggact	8160
cctaacatgt	gagcctccat	taaattcctt	cccagcattc	ctaaaggagg	gtttgtgatt	8220
gtcaccattt	actgatgagg	aaactaaggc	tcctagggga	gaaatcactt	gcccacagtt	8280
cccacagcta	gtgagtgaat	gaaccaggat	ttaaaccggt	tttttctcac	tacagagaca	8340
atatttttcc	accattgtat	ctcacatttt	tcccaggagg	ttacccataa	cagaagagac	8400
tagagtggaa	cgatagctc	agtggataaa	gtcacaagca	aacaacagta	agcttaaaa	8460
tccttcatag	tctcatgttt	tacgttcaca	atlcattgcaa	aatttgcat	ccactttctg	8520
atttagcctt	gttggtttta	atatgactct	atgaatat	caaaaaaaaa	tgtgctctgt	8580
tcctcatgtt	gttctgttct	gttcaccccg	ctatgacgga	ccctaggtca	gctgggtctt	8640
agcttgaccc	tagaattgac	tctaggagca	gtgacctgc	tgctcccg	agccagttat	8700
aggctcaaga	tcaagaccaa	ctgaccttct	cctaggcagc	tcctttggtg	tgtgggtgct	8760
ctgacctcac	tggtcatgag	gggacctcaa	ctaaggcatc	ttccagttgg	gtgctggaag	8820
gaacccatta	actcacacta	gaatgatgag	gatttgctca	tctggcgtgg	agaaggatga	8880
gccacaaaa	ccctaaaggg	aaaagagaag	ctggacacag	ctgtactcag	cagattcctg	8940
aatgttaggc	tggaaagtgg	tgctgtgtgt	ccaagtggag	tcacatggtt	gctaattgtg	9000
gcaagtctga	ggacacactt	catgagcagc	tggggtctgg	aaggctcctc	actttacctt	9060
agccacacat	aattactggg	tgcttacagc	acctagcacc	ttggaagggg	cactattagg	9120
aaatcgagat	tactatggca	caattaattc	ctgggtaagg	catggggttg	tgggtggacag	9180
agctcagtct	ttagtttgaa	cgaaaacata	catacatgaa	aaacatacat	gaaaaaagga	9240
ccctcatcaa	cattagaagg	ggtagatttg	gagcacttta	ggcaggaaaa	caggaaacgca	9300
aggccaggaa	actggaaccc	agtgaatact	cagaaccgag	gatgcagatg	acttatttag	9360
caaaatgggtc	acttctgtga	catagctgga	gaaaggatgg	gtaacagctt	gccagagcca	9420
cttggaacaa	gggcaaattc	cagtgtctgg	ggcaaaagat	gatgcatttc	cctctgaccc	9480
atcatgttta	ttcatcctcc	actccccatt	gccacactag	ctcttgctgt	aagtcctcac	9540
caggatctac	atcttctcgt	cgctggtggg	aacccttag	agtacataga	ggtatcagtc	9600
cagttaagact	gctctacaca	acagaagtga	ggcccaggga	gtagcagcca	ggcccttate	9660
ctgttacctc	tgcaggagtg	actgccccac	ccagatccag	agacattgaa	ggaaatgata	9720
attccttggg	acctcactgc	cttgggacaa	aatgaagaaa	gccacccttc	cttaggctgc	9780
agcttgccac	tcctgggctg	ggtaaacagg	tcatacagc	caggctcaac	caggagtaac	9840
attctggaag	acatgggtga	gccccagagg	aagcatgaac	aggacgctgt	tcctaagtca	9900
tgtcaacagg	ttgtgctggg	ccaggatccc	cagggaaaaa	aatggtcaac	ccaactggag	9960
ggtagggttag	aagaaaaaaa	acataaacgt	ggatagtcac	gtcatctcaa	atccctgact	10020
tggttcccc	attacttgac	agtctgagct	ccttcttagc	ctgtgaccag	cttcaaatca	10080
cagccaagta	aaacaaggaa	ataggaaaag	taaatccaac	tagaagagac	aagctgagat	10140
tcagatttgt	ttactcctcc	catgcaaagt	ttccctgttg	gaggttttcc	atgtatacat	10200
gtctagaagt	gatagaatgc	aaggccttgg	ctttgtcttg	cagggatctg	cctttgaggt	10260
catagactga	acagcaggga	gagagggttag	tggtggagtg	tggggggagc	tgttctagct	10320

```

ccagtttctt ctgacacatt ttccaggatc atggatctga tcctccgaag cacagcagag 10380
atatctaagc catatttgtg cacatgagca gactcttcta gtttttttagt aaccagggat 10440
gggcttttgc atggcactga ctatagagat gtcttgtaga gatcaagcca gtcttttgc 10500
tcccacctgc ccacctccag aagagatggg aaaaggatcat caaagggcat tcaccaactg 10560
aaatccactc atgaatgtta ggtctctaaa aggaggcatc aacactcaca atggtagcct 10620
ccaaacctag catcccacct atctaagagc tcagggtgtg tccactgggg cagatacaag 10680
ggaagtgc  gggctcagga tgaaagaaaa tctattggga agagttttag gggcttgatc 10740
attatggggc ttcttctat atctgagaac tgctctgggt ggtgagatgt ggactctgat 10800
ccttaattgg aatgttcgga gaatgagtgt ctggtggcct tgaagtgttg gacagaaaag 10860
tatcagtata aaagcctgga gctcagggtg attaatgtag ttcattggttc cttagttagc 10920
aggactcttg gatgtggagg agaaagggtc ataggaagta aaccaccaa attacaaaat 10980
tgagtctctg tacaattact tcagtgcctt tgggcttatg aatacaaata agtgggcctt 11040
ctctatgatg gtccaacaaa ctctcagtgt ccacctgtc cctgtatctc ccatggaaga 11100
tgaataatgt cagggtgttct ttgggtcaaa ggccccaggg cagtctggag gcttagaggg 11160
cagagtgggtg tcattccatg taaagttagg cttctgaggg gtcaggcaga atatggtgtc 11220
catatcttcc atagctctgc agattcttgg natgaagtca agcacagttt gctagacca 11280
ggntcacttc tctngagtat naactaggna cccatgagtg aaacttaata gctgnaagg 11340
naagnaacct gntctgntct ccnagagagg atnaagctgn cccatctcag ncagctgtnc 11400
tnaaaagaag gncagggtgtc tctnttnnaa agggnaagag gaagncattg gtggaatgg 11460
nattttcagg tncacttncc attcccangn atgggtngag atcttgtgga gctgggatnc 11520
atgtttngaa ctcatccta cctgtagnag ncacgaattc caagtagatt gtgtttggtc 11580
tgtacagggt gaagccccct gctctccac ccaagtgtcc cactgagca ggccaacatg 11640
ctgttgtggc cacatatact gggctgatcc aggctggtta tcaccaaaca gcaaaccata 11700
gggaacagct gctttgccat agaccaata cccatgtaga tctctcatga gagcagccat 11760
aactcagacc cactgaccaa cagggccatg agtgacagcc agaaccagtg aaggccaag 11820
taggacacag agcagggtt ttcttaccat acacattatc tccagaggtt atttctaccc 11880
cactccctat tcaaggcctg ttggagcaca ctgcaaaagc aaaagcacag taactcaatt 11940
tacacatgat tataatcatt tccagtgcac acatttcac accaggtgga tcctgagcta 12000
gcccattgaa atccgggtta acccatattg gtaatcatac tcaaaagcac ttttcacct 12060
acattctact agccaatcaa agacaaagag ttgtggcctc taccattgcc ttggcttctg 12120
gacacctca caagctatcc caaggttccc ggctcaacc ccagggrggc cggacatcct 12180
tcacatcca ckgggccata aaaatattgc catgagacc aaagtcctcc cacactctt 12240
gcagccctcc tcccatgaat cccaatggc ctgcacttgt nacagtttg gtgtttgnat 12300
agataaagca cgtatgagaa gagaaaacaa aataaatcaa ctttttaaaa aagccagcac 12360
tgtgctgtca atgtttttt ttcttttca attnctagct cagaaaagca gaaggtaaat 12420
aatgtcaggt caatgaatat cagatatatt ttttgactgt acattacagt gaagtgtaat 12480
ctttttacac ctgcaagtcc atcttattha ttcttgtaaa tgttccctga caatgtttgt 12540
aatatggctg tggttaaaaa tctatacaaa aaagctgtga ccctgagaww matgttttcc 12600
taagataaaa aaaangnnan nstnyknnnc tknnnnngtn hg 12642

```

<210> 22

<211> 1463

<212> PRT

<213> Homo sapiens

<400> 22

```

Met Ala Ser Leu Ala Ala Leu Ala Leu Ser Leu Leu Leu Arg Leu Gln
 1          5          10          15
Leu Pro Pro Leu Pro Gly Ala Arg Ala Gln Ser Ala Pro Gly Gly Cys
          20          25          30
Ser Phe Asp Glu His Tyr Ser Asn Cys Gly Tyr Ser Val Ala Leu Gly
          35          40          45
Thr Asn Gly Phe Thr Trp Glu Gln Ile Asn Thr Thr Glu Lys Pro Met
          50          55          60
Leu Asp Gln Ala Val Pro Thr Gly Ser Phe Met Met Val Asn Ser Ser
65          70          75          80
Gly Arg Ala Ser Gly Gln Lys Ala His Leu Leu Leu Pro Thr Leu Lys
          85          90          95
Glu Asn Asp Thr His Cys Ile Asp Phe His Tyr Tyr Phe Ser Ser Arg

```

			100					105					110		
Asp	Arg	Ser	Ser	Pro	Gly	Ala	Leu	Asn	Val	Tyr	Val	Lys	Val	Asn	Gly
		115					120					125			
Gly	Pro	Gln	Gly	Asn	Pro	Val	Trp	Asn	Val	Ser	Gly	Val	Val	Thr	Glu
		130				135					140				
Gly	Trp	Val	Lys	Ala	Glu	Leu	Ala	Ile	Ser	Thr	Phe	Trp	Pro	His	Phe
145					150				155						160
Tyr	Gln	Val	Ile	Phe	Glu	Ser	Val	Ser	Leu	Lys	Gly	His	Pro	Gly	Tyr
				165				170						175	
Ile	Ala	Val	Asp	Glu	Val	Arg	Val	Leu	Ala	His	Pro	Cys	Arg	Lys	Ala
			180					185					190		
Pro	His	Phe	Leu	Arg	Leu	Gln	Asn	Val	Glu	Val	Asn	Val	Gly	Gln	Asn
		195					200					205			
Ala	Thr	Phe	Gln	Cys	Ile	Ala	Gly	Gly	Lys	Trp	Ser	Gln	His	Asp	Lys
		210				215					220				
Leu	Trp	Leu	Gln	Gln	Trp	Asn	Gly	Arg	Asp	Thr	Ala	Leu	Met	Val	Thr
225					230				235						240
Arg	Val	Val	Asn	His	Arg	Arg	Phe	Ser	Ala	Thr	Val	Ser	Val	Ala	Asp
				245				250						255	
Thr	Ala	Gln	Arg	Ser	Val	Ser	Lys	Tyr	Arg	Cys	Val	Ile	Arg	Ser	Asp
			260				265						270		
Gly	Gly	Ser	Gly	Val	Ser	Asn	Tyr	Ala	Glu	Leu	Ile	Val	Lys	Glu	Pro
		275					280					285			
Pro	Thr	Pro	Ile	Ala	Pro	Pro	Glu	Leu	Leu	Ala	Val	Gly	Ala	Thr	Tyr
		290				295					300				
Leu	Trp	Ile	Lys	Pro	Asn	Ala	Asn	Ser	Ile	Ile	Gly	Asp	Gly	Pro	Ile
305					310				315						320
Ile	Leu	Lys	Glu	Val	Glu	Tyr	Arg	Thr	Thr	Thr	Gly	Thr	Trp	Ala	Glu
				325				330						335	
Thr	His	Ile	Val	Asp	Ser	Pro	Asn	Tyr	Lys	Leu	Trp	His	Leu	Asp	Pro
			340					345					350		
Asp	Val	Glu	Tyr	Glu	Ile	Arg	Val	Leu	Leu	Thr	Arg	Pro	Gly	Glu	Gly
		355					360					365			
Gly	Thr	Gly	Pro	Pro	Gly	Ala	Pro	Leu	Thr	Thr	Arg	Thr	Lys	Cys	Ala
		370				375					380				
Asp	Pro	Val	His	Gly	Pro	Gln	Asn	Val	Glu	Ile	Val	Asp	Ile	Arg	Ala
385					390				395						400
Arg	Gln	Leu	Thr	Leu	Gln	Trp	Glu	Pro	Phe	Gly	Tyr	Ala	Val	Thr	Arg
				405				410						415	
Cys	His	Ser	Tyr	Asn	Leu	Thr	Val	Gln	Tyr	Gln	Tyr	Val	Phe	Asn	Gln
			420					425					430		
Gln	Gln	Tyr	Glu	Ala	Glu	Glu	Val	Ile	Gln	Thr	Ser	Ser	His	Tyr	Thr
		435					440								

Pro Val Thr Thr Arg Ile Ala Thr Lys Ile Ser Ala Pro Ser Met Pro
 580 585 590
 Glu Tyr Asp Thr Asp Thr Pro Leu Asn Glu Thr Asp Thr Thr Ile Thr
 595 600 605
 Val Met Leu Lys Pro Ala Gln Ser Arg Gly Ala Pro Val Ser Val Tyr
 610 615 620
 Gln Leu Val Val Lys Glu Glu Arg Leu Gln Lys Ser Arg Arg Ala Ala
 625 630 635 640
 Asp Ile Ile Glu Cys Phe Ser Val Pro Val Ser Tyr Arg Asn Ala Ser
 645 650 655
 Ser Leu Asp Ser Leu His Tyr Phe Ala Ala Glu Leu Lys Pro Ala Asn
 660 665 670
 Leu Pro Val Thr Gln Pro Phe Thr Val Gly Asp Asn Lys Thr Tyr Asn
 675 680 685
 Gly Tyr Trp Asn Pro Pro Leu Ser Pro Leu Lys Ser Tyr Ser Ile Tyr
 690 695 700
 Phe Gln Ala Leu Ser Lys Ala Asn Gly Glu Thr Lys Ile Asn Cys Val
 705 710 715 720
 Arg Leu Ala Thr Lys Ala Pro Met Gly Ser Ala Gln Val Thr Pro Gly
 725 730 735
 Thr Pro Leu Cys Leu Leu Thr Thr Gly Ala Ser Thr Gln Asn Ser Asn
 740 745 750
 Thr Val Glu Pro Glu Lys Gln Val Asp Asn Thr Val Lys Met Ala Gly
 755 760 765
 Val Ile Ala Gly Leu Leu Met Phe Ile Ile Ile Leu Leu Gly Val Met
 770 775 780
 Leu Thr Ile Lys Arg Arg Arg Asn Ala Tyr Ser Tyr Ser Tyr Tyr Leu
 785 790 795 800
 Ser Gln Arg Lys Leu Ala Lys Lys Gln Lys Glu Thr Gln Ser Gly Ala
 805 810 815
 Gln Arg Glu Met Gly Pro Val Ala Ser Ala Asp Lys Pro Thr Thr Lys
 820 825 830
 Leu Ser Ala Ser Arg Asn Asp Glu Gly Phe Ser Ser Ser Ser Gln Asp
 835 840 845
 Val Asn Gly Phe Thr Asp Gly Ser Arg Gly Glu Leu Ser Gln Pro Thr
 850 855 860
 Leu Thr Ile Gln Thr His Pro Tyr Arg Thr Cys Asp Pro Val Glu Met
 865 870 875 880
 Ser Tyr Pro Arg Asp Gln Phe Gln Leu Ala Ile Arg Val Ala Asp Leu
 885 890 895
 Leu Gln His Ile Thr Gln Met Lys Arg Gly Gln Gly Tyr Gly Phe Lys
 900 905 910
 Glu Glu Tyr Glu Ala Leu Pro Glu Gly Gln Thr Ala Ser Trp Asp Thr
 915 920 925
 Ala Lys Glu Asp Glu Asn Arg Asn Lys Asn Arg Tyr Gly Asn Ile Ile
 930 935 940
 Ser Tyr Asp His Ser Arg Val Arg Leu Leu Val Leu Asp Gly Asp Pro
 945 950 955 960
 His Ser Asp Tyr Ile Asn Ala Asn Tyr Ile Asp Gly Tyr His Arg Pro
 965 970 975
 Arg His Tyr Ile Ala Thr Gln Gly Pro Met Gln Glu Thr Val Lys Asp
 980 985 990
 Phe Trp Arg Met Ile Trp Gln Glu Asn Ser Ala Ser Ile Val Met Val
 995 1000 1005
 Thr Asn Leu Val Glu Val Gly Arg Val Lys Cys Val Arg Tyr Trp Pro
 1010 1015 1020
 Asp Asp Thr Glu Val Tyr Gly Asp Ile Lys Val Thr Leu Ile Glu Thr
 1025 1030 1035 1040
 Glu Pro Leu Ala Glu Tyr Val Ile Arg Thr Phe Thr Val Gln Lys Lys

1045 1050 1055
 Gly Tyr His Glu Ile Arg Glu Leu Arg Leu Phe His Phe Thr Ser Trp
 1060 1065 1070
 Pro Asp His Gly Val Pro Cys Tyr Ala Thr Gly Leu Leu Gly Phe Val
 1075 1080 1085
 Arg Gln Val Lys Phe Leu Asn Pro Pro Glu Ala Gly Pro Ile Val Val
 1090 1095 1100
 His Cys Ser Ala Gly Ala Gly Arg Thr Gly Cys Phe Ile Ala Ile Asp
 1105 1110 1115 1120
 Thr Met Leu Asp Met Ala Glu Asn Glu Gly Val Val Asp Ile Phe Asn
 1125 1130 1135
 Cys Val Arg Glu Leu Arg Ala Gln Arg Val Asn Leu Val Gln Thr Glu
 1140 1145 1150
 Glu Gln Tyr Val Phe Val His Asp Ala Ile Leu Glu Ala Cys Leu Cys
 1155 1160 1165
 Gly Asn Thr Ala Ile Pro Val Cys Glu Phe Arg Ser Leu Tyr Tyr Asn
 1170 1175 1180
 Ile Ser Arg Leu Asp Pro Gln Thr Asn Ser Ser Gln Ile Lys Asp Glu
 1185 1190 1195 1200
 Phe Gln Thr Leu Asn Ile Val Thr Pro Arg Val Arg Pro Glu Asp Cys
 1205 1210 1215
 Ser Ile Gly Leu Leu Pro Arg Asn His Asp Lys Asn Arg Ser Met Asp
 1220 1225 1230
 Val Leu Pro Leu Asp Arg Cys Leu Pro Phe Leu Ile Ser Val Asp Gly
 1235 1240 1245
 Glu Ser Ser Asn Tyr Ile Asn Ala Ala Leu Met Asp Ser His Lys Gln
 1250 1255 1260
 Pro Ala Ala Phe Val Val Thr Gln His Pro Leu Pro Asn Thr Val Ala
 1265 1270 1275 1280
 Asp Phe Trp Arg Leu Val Phe Asp Tyr Asn Cys Ser Ser Val Val Met
 1285 1290 1295
 Leu Asn Glu Met Asp Thr Ala Gln Phe Cys Met Gln Tyr Trp Pro Glu
 1300 1305 1310
 Lys Thr Ser Gly Cys Tyr Gly Pro Ile Gln Val Glu Phe Val Ser Ala
 1315 1320 1325
 Asp Ile Asp Glu Asp Ile Ile His Arg Ile Phe Arg Ile Cys Asn Met
 1330 1335 1340
 Ala Arg Pro Gln Asp Gly Tyr Arg Ile Val Gln His Leu Gln Tyr Ile
 1345 1350 1355 1360
 Gly Trp Pro Ala Tyr Arg Asp Thr Pro Pro Ser Lys Arg Ser Leu Leu
 1365 1370 1375
 Lys Val Val Arg Arg Leu Glu Lys Trp Gln Glu Gln Tyr Asp Gly Arg
 1380 1385 1390
 Glu Gly Arg Thr Val Val His Cys Leu Asn Gly Gly Gly Arg Ser Gly
 1395 1400 1405
 Thr Phe Cys Ala Ile Cys Ser Val Cys Glu Met Ile Gln Gln Gln Asn
 1410 1415 1420
 Ile Ile Asp Val Phe His Ile Val Lys Thr Leu Arg Asn Asn Lys Ser
 1425 1430 1435 1440
 Asn Met Val Glu Thr Leu Glu Gln Tyr Lys Phe Val Tyr Glu Val Ala
 1445 1450 1455
 Leu Glu Tyr Leu Ser Ser Phe
 1460

<210> 23

<211> 1297

<212> DNA

<213> Homo sapiens

<400> 23

```

gtcgacccac ggcgtccgtgc tcagcctggt gaaccacaca ggcccagatt tcacccagtc 60
cccactccac ggtgcagctg cggttatct ctcagcccag cgagatgcc a gccttctgt 120
cccgggccag cgctctgaca tgcagaaggt gaccctgggc ctgcttgtgt tcctggcagg 180
ctttcctgtc ctggacgcc a atgacctaga agataaaaac agtcctttct actatgactg 240
gcacagcctc caggttggcg ggctcatctg cgctggggtt ctgtgcgcca tgggcatcat 300
catcgcatg agtgcaaaat gcaaatgcaa gtttgccag aagtcgggtc accatccagg 360
ggagactcca cctctcatca ccccaggctc agcccaaagc tgatgaggac agaccagctg 420
aaattgggtg gaggaccgtt ctctgtcccc aggtcctgtc tctgcacaga aacttgaact 480
ccaggatgga attcttctc ctctgtctggg actcctttgc atggcagggc ctcatctcac 540
ctctcgcaag aggggtctctt tgttcaattt tttttaatct aaaatgattg tgcctctgcc 600
caagcagcct ggagacttcc tatgtgtgca ttgggggtgg gcttggggca ccatgagaag 660
gttggcgtgc cctggaggct gacacagagg ctggcactga gcctgcttgt tgggaaaagc 720
ccacaggcct gttcccttgt ggcttgggac atggcacagg cccgccctct gcctcctcag 780
ccatgggaac ctcatatgca atttgggatt tactagtagc caaaaggaat gaaagagagc 840
tctaaccaga tggaaactg gaacattcca gtggaccctg gaccattcca ggaaaactgg 900
gacataggat cgtcccgtc tgatggaagt gtccagacag tttataatag taagcccctg 960
tgaccctctc acttaccctg agacctact ttattacaag atctttccaa ataccctaat 1020
gtccctgcaa gcccggttaa taattcccta tgctaccctt aataacatac aatgaccaca 1080
tagtgtgaga acttccaaca agcctcaaag tcccttgaga ctccccaata cctaataagg 1140
catgcgaaat gttctcatga actacccac aacacgccta aaactcaaaa caccacaaaa 1200
tatctctcc aatgtcctga aacatgaacc caaaaagaga cccacaataa actcgtgact 1260
tgtccctca aaaaaaaaaa aaaaaaggcg cggccgc 1297

```

<210> 24

<211> 87

<212> PRT

<213> Homo sapiens

<400> 24

```

Met Gln Lys Val Thr Leu Gly Leu Leu Val Phe Leu Ala Gly Phe Pro
 1             5             10             15
Val Leu Asp Ala Asn Asp Leu Glu Asp Lys Asn Ser Pro Phe Tyr Tyr
      20             25             30
Asp Trp His Ser Leu Gln Val Gly Leu Ile Cys Ala Gly Val Leu
      35             40             45
Cys Ala Met Gly Ile Ile Ile Val Met Ser Ala Lys Cys Lys Cys Lys
      50             55             60
Phe Gly Gln Lys Ser Gly His His Pro Gly Glu Thr Pro Pro Leu Ile
      65             70             75             80
Thr Pro Gly Ser Ala Gln Ser
              85

```

<210> 25

<211> 1888

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 1814, 1834, 1850

<223> n = A,T,C or G

<400> 25

```

aggtacgcgg gggaataatg tgtggcttct gttggattgc ttttctttcc aaaattccta 60
ggcaatgctt ccccgagggtg tgcacctttg tgagggtgtt gtgggggttg gggagcttca 120
ggcgctactc gggggacgcc gtcacgtgat cggggacgag gtggagttcg gctttaagga 180

```

```

ggcgtctctt cctagcttca tcaatcttta ggatctgagc aggagaaata ccagcggatc 240
ttccccactc tgctcccttc cattcccacc ctcccttctt taataagcag gagcgaaaaa 300
gacaaattcc aaagaggatt gttcagttca agggaaatgaa gaattcagaa taatttttgt 360
aaatggattc caatatgggg aataagaata agctgaacag ttgacctgct ttgaagaaac 420
atactgtcca tttgtctaaa ataactata acaaccaaac caatcaaaat gaattcaaca 480
ttattttccc aggttgaaaa tcattcagtc cactctaatt tctcagagaa gaatgcccag 540
cttctggctt ttgaaaatga tgattgtcat ctgcccttgg coatgatatt taccttagct 600
cttgcttatg gagctgtgat cattcttggt gtctctggaa acctggcctt gatcataatc 660
atcttgaaac aaaaggagat gagaaatgtt accaacatcc tgattgtgaa cctttccttc 720
tcagacttgc ttgttgccat catgtgtctc ccctttacat ttgtctacac attaatggac 780
cactgggtct ttggtgaggc gatgtgtaag ttgaatcctt ttgtgcaatg tgtttcaatc 840
actgtgtcca ttttctctct ggttctcatt gctgtggaac gacatcagct gataatcaac 900
cctcgagggt ggagaccaa taatagacat gcttatgtag gtattgctgt gatttgggtc 960
cttgctgtgg ctcttctctt gcctttcctg atctaccaag taatgactga tgagccgttc 1020
caaaatgtaa cacttgatgc gtacaaagac aaatacgtgt gctttgatca atttccatcg 1080
gactctcata ggttgctcta taccactctc ctcttggtgc tgcagtattt tgggccactt 1140
tgttttatat ttatttgcta cttcaagata tatatacgcc taaaaaggag aaacaacatg 1200
atggacaaga tgagtagcaa taagtacagg tccagtgaac ccaaaagaat caatatcatg 1260
ctgctctcca ttgtggtagc atttgcagtc tgctggctcc ctcttaccat ctttaacact 1320
gtgtttgatt ggaatcatca gatcattgct acctgcaacc acaatctgtt attcctgctc 1380
tgccacctca cagcaatgat atccacttgt gtcaacccca tattttatgg gttcctgaac 1440
aaaaacttcc agagagactt gcagttcttc ttcaactttt gtgatttccg gtctcgggat 1500
gatgattatg aaacaatagc catgtccacg atgcacacag atgtttccaa aacttctttg 1560
aagcaagcaa gccagtcgc atttaaaaaa atcaacaaca atgatgataa tgaaaaaatc 1620
tgaaactact tatagcctat ggtcccggat gacatctgtt taaaaacaag cacaacctgc 1680
aacatacttt gattacctgt tctcccaagg amtggggtg aaatcatttg aaaatgacta 1740
agattttctt gtcttgctt tttactgctt ttgtttagt tgtcataatt tacatttggg 1800
aacaaaaggg tgtnnggctt tkgggatctt tctnggrrat tagkkgttgn accmgacatc 1860
tttgaagtgc tttttgtgaa tttaccag 1888

```

<210> 26

<211> 384

<212> PRT

<213> Homo sapiens

<400> 26

```

Met Asn Ser Thr Leu Phe Ser Gln Val Glu Asn His Ser Val His Ser
1          5          10          15
Asn Phe Ser Glu Lys Asn Ala Gln Leu Leu Ala Phe Glu Asn Asp Asp
20          25          30
Cys His Leu Pro Leu Ala Met Ile Phe Thr Leu Ala Leu Ala Tyr Gly
35          40          45
Ala Val Ile Ile Leu Gly Val Ser Gly Asn Leu Ala Leu Ile Ile Ile
50          55          60
Ile Leu Lys Gln Lys Glu Met Arg Asn Val Thr Asn Ile Leu Ile Val
65          70          75          80
Asn Leu Ser Phe Ser Asp Leu Leu Val Ala Ile Met Cys Leu Pro Phe
85          90          95
Thr Phe Val Tyr Thr Leu Met Asp His Trp Val Phe Gly Glu Ala Met
100          105          110
Cys Lys Leu Asn Pro Phe Val Gln Cys Val Ser Ile Thr Val Ser Ile
115          120          125
Phe Ser Leu Val Leu Ile Ala Val Glu Arg His Gln Leu Ile Ile Asn
130          135          140
Pro Arg Gly Trp Arg Pro Asn Asn Arg His Ala Tyr Val Gly Ile Ala
145          150          155          160
Val Ile Trp Val Leu Ala Val Ala Ser Ser Leu Pro Phe Leu Ile Tyr
165          170          175
Gln Val Met Thr Asp Glu Pro Phe Gln Asn Val Thr Leu Asp Ala Tyr

```

```
<210> 27
<211> 852
<212> DNA
<213> Homo sapiens
```

<400> 27						
ctagtctctga	cttcactttct	gatgaggaag	cctctctctct	tagccttcag	cctttctctcc	60
caccctgccca	taagtaattt	gatoctcaag	aagttaaacc	acacctcatt	ggccctggc	120
taattcacca	atttacaac	agcaggaaat	agaaacttaa	gagaaataca	cacttctgag	180
aaactgaaac	gacaggggaa	aggaggtctc	actgagcacc	gtcccagcat	ccggacacca	240
cagcggccct	tcgtccacg	cagaaaaacca	cacttctcaa	accttctactc	aaactttctt	300
tccccaaagc	cagaaggatg	acaaggagga	acatgaggtg	gctgtgctgg	gggcaccccc	360
cagcaccatc	cttccaaggt	ccaccgtgat	caacatccac	agcgagacct	ccgtgcccg	420
ccatgtcgtc	tggtcctgt	tcaacacctt	cttcttgaac	tgggtgctgtc	tgggcttcat	480
agcattcgcc	tactccgtga	agtctagggg	caggaagatg	gttggcgacg	tgaccggggc	540
ccaggcctat	gcctccaccg	ccaagtgcct	gaacatctgg	gccctgattc	tgggcatcct	600
catgaccatt	ggattcatcc	tgttactggt	attcggctct	gtgacagtct	accatattat	660
gttacagata	atacaggaaa	aacggggtta	ctagtagccg	cccatagcct	gcaacctttg	720
cactccactg	tgcaatgctg	gccttgacc	tggggctgtt	gccctgccc	ccttggtcct	780
gcccctagat	acagcagttt	atacccacac	acctgtctac	agtgtcattc	aataaagtgc	840
acdtqcttqt	ga					852

```
<210> 28
<211> 125
<212> PRT
<213> Homo sapiens
```

```

<400> 28
Met His Lys Glu Glu His Glu Val Ala Val Leu Gly Ala Pro Pro Ser
 1          5          10          15
Thr Ile Leu Pro Arg Ser Thr Val Ile Asn Ile His Ser Glu Thr Ser
          20          25          30

```

```

Val Pro Asp His Val Val Trp Ser Leu Phe Asn Thr Leu Phe Leu Asn
      35              40              45
Trp Cys Cys Leu Gly Phe Ile Ala Phe Ala Tyr Ser Val Lys Ser Arg
      50              55              60
Asp Arg Lys Met Val Gly Asp Val Thr Gly Ala Gln Ala Tyr Ala Ser
      65              70              75              80
Thr Ala Lys Cys Leu Asn Ile Trp Ala Leu Ile Leu Gly Ile Leu Met
      85              90              95
Thr Ile Gly Phe Ile Leu Leu Leu Val Phe Gly Ser Val Thr Val Tyr
      100             105             110
His Ile Met Leu Gln Ile Ile Gln Glu Lys Arg Gly Tyr
      115             120             125

```

<210> 29

<211> 1106

<212> DNA

<213> Homo sapiens

<400> 29

```

cagagctgct gtcattggcgg ccgctctgtg gggcttcttt cccgtctctgc tgctgctgct 60
gctatcgggg gatgtccaga gctcggaggt gcccggggct gctgctgagg gatcgggagg 120
gagtgggggc ggcattaggag atcgcttcaa gattgagggg cgtgcagttg ttccaggggt 180
gaagcctcag gactggatct cggcggcccg agtgctggta gacggagaag agcacgctcg 240
tttctttaag acagatggga gttttgtggt tcatgatata ccttctggat cttatgtagt 300
ggaagtgtga tctccagctt acagatttga tcccgttcga gtggatatca cttcgaaagg 360
aaaaatgaga gcaagatatg tgaattacat caaaacatca gaggttgtca gactgcccta 420
tcctctccaa atgaaatctt caggtccacc ttcttacttt attaaaaggg aatcgtgggg 480
ctggacagac tttctaataa acccaatggt tatgatgatg gttcttcctt tattgatatt 540
tgtgcttctg cctaaagtgg tcaacacaag tgatcctgac atgagacggg aaatggagca 600
gtcaatgaat atgctgaatt ccaaccatga gttgcctgat gtttctgagt tcatgacaag 660
actcttctct tcaaaatcat ctggcaaatc tagcagcggc agcagtaaaa caggcaaaaag 720
tggggctggc aaaaggaggt agtcaggccg tccagagctg gcatttgcac aaacacggca 780
acactgggtg gcatccaagt cttggaatac cgtgtgaagc aactactata aacttgagtc 840
atcccgcagt tgatctctta caactgtgta tgtaacttt ttagcacatg ttttgtactt 900
ggtacacgag aaaacccagc tttcatcttt tgtctgtatg aggtcaatat tgatgtcact 960
gaattaatta cagtgtccta tagaaaatgc cattaataaa ttatatgaac tactatacat 1020
tatgtatatt aattaaaaca tcttaatcca gaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1080
armaaamgcg ggcgcggggg cgasky 1106

```

<210> 30

<211> 242

<212> PRT

<213> Homo sapiens

<400> 30

```

Met Ala Ala Ala Leu Trp Gly Phe Phe Pro Val Leu Leu Leu Leu
  1              5              10              15
Leu Ser Gly Asp Val Gln Ser Ser Glu Val Pro Gly Ala Ala Ala Glu
      20              25              30
Gly Ser Gly Gly Ser Gly Val Gly Ile Gly Asp Arg Phe Lys Ile Glu
      35              40              45
Gly Arg Ala Val Val Pro Gly Val Lys Pro Gln Asp Trp Ile Ser Ala
      50              55              60
Ala Arg Val Leu Val Asp Gly Glu Glu His Val Gly Phe Leu Lys Thr
      65              70              75              80
Asp Gly Ser Phe Val Val His Asp Ile Pro Ser Gly Ser Tyr Val Val
      85              90              95
Glu Val Val Ser Pro Ala Tyr Arg Phe Asp Pro Val Arg Val Asp Ile

```

```
<210> 31
<211> 2795
<212> DNA
<213> Homo sapiens
```

<400> 31

ggaagctgaat	accctcccag	gcacacacag	gtgggacaca	aataagggtt	ttggaaccac	60
tattttctca	tcacgacagc	aacttaaaat	gcctgggaag	atggtcgtga	tccttgagc	120
ctcaaatata	ctttggataa	tgtttgacg	ttctcaagct	tttaaaatcg	agaccacccc	180
agaatctaga	tatcttgctc	agattggtga	ctccgtctca	ttgacttgca	gcaccacagg	240
ctgtgagtc	ccatttttct	cttgggagaac	ccagatagat	agtccactga	atgggaaggt	300
gacgaatgag	gggaccacat	ctacgctgac	aatgaatcct	gttagttttg	ggaacgaaca	360
ctcttacctg	tgacacagaa	cttgtgaatc	taggaaattg	gaaaaaggaa	tccaggtgga	420
gatctactct	ttctctaagg	atccagagat	tcattttgag	ggccctctgg	aggctgggaa	480
gccgatcaca	gtcaagtgtt	cagttgctga	tgataccca	tttgacagcg	tggagataga	540
cttactgaaa	ggagatcatc	tcataagag	tcaggaattt	ctggaggatg	cagacaggaa	600
gtccctggaa	accaagagtt	tggaagtaac	ctttactcct	gtcattgagg	atatggaaa	660
agttcttggt	tgccgagcta	aattacacat	tgatgaaatg	gattctgtgc	ccacagtaag	720
gcaggctgta	aaagaattgc	aagtctacat	atcacccaag	aatacagtta	tttctgtgaa	780
tccatccaca	aagctgcaag	aaggtggctc	tgtgaccatg	acctgttcca	gcgagggtct	840
accagctcca	gagattttct	ggagtaagaa	attagataat	gggaatctac	agcacctttc	900
tggaaatgca	actctcacct	taattgctat	gaggatggaa	gattctggaa	tttatgtgtg	960
tgaaggagtt	aatttgattg	ggaaaaacag	aaaagaggtg	gaattaattg	ttcaagcatt	1020
ccctagagat	ccagaaatcg	agatgagtgg	tggcctcgtg	aatgggagct	ctgtcactgt	1080
agactgcaag	gttctaagcg	tgtacccctc	tgaccggctg	gagattgaat	tacttaaggg	1140
ggagactatt	ctggagaata	tagagttttt	ggaggatcac	gatatgaaat	ctctagagaa	1200
caaaagtttg	gaaatgaact	tcacccctac	cattgaagat	actggaaaag	ctctgttttg	1260
tcaggctaag	ttacatattg	atgacatgga	attcgaacct	aaacaaaggc	agagtacgca	1320
aacactttat	gtcaatgttg	ccccagaga	tacaaccgtc	ttggtcagcc	cttctcccat	1380
cctggaggaa	ggcagttctg	tgaatatgac	atgcttgagc	cagggctttc	ctgctccgaa	1440
aatcctgtgg	agcaggcagc	tccctaacgg	ggagctacag	cctctttctg	agaatgcaac	1500
tctcacctta	atttctacaa	aatggaaga	ttctgggggt	tatttatgtg	aagggaattaa	1560
ccaggctgga	agaagcagaa	aggaagtgga	attaattatc	caagttactc	caaaagacat	1620
aaaactttaca	gcttttctct	ctgagagtgt	caaagaagga	gacactgtca	tcactctctg	1680
tacatgtgga	aattgttccag	aaacatggat	aatcctgaag	aaaaaagcgg	agacaggaga	1740
cacagtacta	aaactctatg	atggcgctta	taccatccga	aaggccagat	tgaaggatgc	1800
gggagtatat	gaatgtgaat	ctaaaaacaa	agttggctca	caattaagaa	gtttaacact	1860
tgatgttcaa	ggaagagaaa	acaacaaaaga	ctatttttct	cctgaacttc	tcgtgctcta	1920

```

ttttgcatcc tccttaataa tacctgccat tggaaatgata atttactttg caagaaaagc 1980
caacatgaag ggggtcatata gtcttgtaga agcacagaaa tcaaaagtgt agctaagtgt 2040
tgatatgttc aactggagac actatttatt tgtgcaaatac cttgatactg ctcatcattc 2100
cttgagaaaa acaatgagct gagaggcaga cttccctgaa tgtattgaac ytggaagaa 2160
atgcccatct atgtcccttg ctgtgagcaa gaagtcaaag taaaacttgc tgcctgaaga 2220
acagtaactg ccatcaagat gagagaactg gaggagttcc ttgatctgta tatacaataa 2280
cataatttgt acatatgtaa aataaaatta tgccatagca agattgctta aaatagcaac 2340
actctatatatt tagawtggtta aaawaamyag tgttgcytgg actattataa tttaatgcat 2400
gttaggaaaa ttycacatta awatttgckg acagctgacc yttgtcatct ttctyctatt 2460
ttatyccctt ycacaaaatt ttatycctat atagttttatt gacaataatt tcagggtttt 2520
taaagatgcc ggggttttata tttttataga caaataataa gcaaaggagg cactgggttg 2580
actttcaggt actaaatacc tcaacctatg gtataatggt tgactgggtt tctctgtata 2640
gtactggcat ggtacggaga tgtttcacga agtttgttca tcagactcct gtgcaacttt 2700
cccaatgtgg cctaaaaatg caacttcttt ttattttctt ttgtaaagt ttaggttttt 2760
ttgtatagta aagtataat ttctggaaww aaaaa 2795

```

<210> 32

<211> 647

<212> PRT

<213> Homo sapiens

<400> 32

```

Met Pro Gly Lys Met Val Val Ile Leu Gly Ala Ser Asn Ile Leu Trp
1      5      10      15
Ile Met Phe Ala Ala Ser Gln Ala Phe Lys Ile Glu Thr Thr Pro Glu
20      25      30
Ser Arg Tyr Leu Ala Gln Ile Gly Asp Ser Val Ser Leu Thr Cys Ser
35      40      45
Thr Thr Gly Cys Glu Ser Pro Phe Phe Ser Trp Arg Thr Gln Ile Asp
50      55      60
Ser Pro Leu Asn Gly Lys Val Thr Asn Glu Gly Thr Thr Ser Thr Leu
65      70      75      80
Thr Met Asn Pro Val Ser Phe Gly Asn Glu His Ser Tyr Leu Cys Thr
85      90      95
Ala Thr Cys Glu Ser Arg Lys Leu Glu Lys Gly Ile Gln Val Glu Ile
100     105     110
Tyr Ser Phe Pro Lys Asp Pro Glu Ile His Leu Ser Gly Pro Leu Glu
115     120     125
Ala Gly Lys Pro Ile Thr Val Lys Cys Ser Val Ala Asp Val Tyr Pro
130     135     140
Phe Asp Arg Leu Glu Ile Asp Leu Leu Lys Gly Asp His Leu Met Lys
145     150     155     160
Ser Gln Glu Phe Leu Glu Asp Ala Asp Arg Lys Ser Leu Glu Thr Lys
165     170     175
Ser Leu Glu Val Thr Phe Thr Pro Val Ile Glu Asp Ile Gly Lys Val
180     185     190
Leu Val Cys Arg Ala Lys Leu His Ile Asp Glu Met Asp Ser Val Pro
195     200     205
Thr Val Arg Gln Ala Val Lys Glu Leu Gln Val Tyr Ile Ser Pro Lys
210     215     220
Asn Thr Val Ile Ser Val Asn Pro Ser Thr Lys Leu Gln Glu Gly Gly
225     230     235     240
Ser Val Thr Met Thr Cys Ser Ser Glu Gly Leu Pro Ala Pro Glu Ile
245     250     255
Phe Trp Ser Lys Lys Leu Asp Asn Gly Asn Leu Gln His Leu Ser Gly
260     265     270
Asn Ala Thr Leu Thr Leu Ile Ala Met Arg Met Glu Asp Ser Gly Ile
275     280     285
Tyr Val Cys Glu Gly Val Asn Leu Ile Gly Lys Asn Arg Lys Glu Val

```

```

      290              295              300
Glu Leu Ile Val Gln Ala Phe Pro Arg Asp Pro Glu Ile Glu Met Ser
305              310              315              320
Gly Gly Leu Val Asn Gly Ser Ser Val Thr Val Ser Cys Lys Val Pro
      325              330              335
Ser Val Tyr Pro Leu Asp Arg Leu Glu Ile Glu Leu Leu Lys Gly Glu
      340              345              350
Thr Ile Leu Glu Asn Ile Glu Phe Leu Glu Asp Thr Asp Met Lys Ser
      355              360              365
Leu Glu Asn Lys Ser Leu Glu Met Thr Phe Ile Pro Thr Ile Glu Asp
      370              375              380
Thr Gly Lys Ala Leu Val Cys Gln Ala Lys Leu His Ile Asp Asp Met
385              390              395              400
Glu Phe Glu Pro Lys Gln Arg Gln Ser Thr Gln Thr Leu Tyr Val Asn
      405              410              415
Val Ala Pro Arg Asp Thr Thr Val Leu Val Ser Pro Ser Ser Ile Leu
      420              425              430
Glu Glu Gly Ser Ser Val Asn Met Thr Cys Leu Ser Gln Gly Phe Pro
      435              440              445
Ala Pro Lys Ile Leu Trp Ser Arg Gln Leu Pro Asn Gly Glu Leu Gln
      450              455              460
Pro Leu Ser Glu Asn Ala Thr Leu Thr Leu Ile Ser Thr Lys Met Glu
465              470              475              480
Asp Ser Gly Val Tyr Leu Cys Glu Gly Ile Asn Gln Ala Gly Arg Ser
      485              490              495
Arg Lys Glu Val Glu Leu Ile Ile Gln Val Thr Pro Lys Asp Ile Lys
      500              505              510
Leu Thr Ala Phe Pro Ser Glu Ser Val Lys Glu Gly Asp Thr Val Ile
      515              520              525
Ile Ser Cys Thr Cys Gly Asn Val Pro Glu Thr Trp Ile Ile Leu Lys
      530              535              540
Lys Lys Ala Glu Thr Gly Asp Thr Val Leu Lys Ser Ile Asp Gly Ala
545              550              555              560
Tyr Thr Ile Arg Lys Ala Gln Leu Lys Asp Ala Gly Val Tyr Glu Cys
      565              570              575
Glu Ser Lys Asn Lys Val Gly Ser Gln Leu Arg Ser Leu Thr Leu Asp
      580              585              590
Val Gln Gly Arg Glu Asn Asn Lys Asp Tyr Phe Ser Pro Glu Leu Leu
      595              600              605
Val Leu Tyr Phe Ala Ser Ser Leu Ile Ile Pro Ala Ile Gly Met Ile
      610              615              620
Ile Tyr Phe Ala Arg Lys Ala Asn Met Lys Gly Ser Tyr Ser Leu Val
625              630              635              640
Glu Ala Gln Lys Ser Lys Val
      645

```

<210> 33

<211> 1375

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 1327, 1328, 1329, 1330, 1331, 1332, 1333, 1334, 1335, 1336,
 1337, 1338, 1339, 1340, 1341, 1342, 1343, 1344, 1345, 1346,
 1347, 1348, 1349, 1350, 1351, 1352, 1353, 1354, 1355, 1356,
 1357, 1358, 1359, 1360, 1361, 1362, 1363, 1364, 1365

<223> n = A,T,C or G

<221> misc_feature
 <222> 1366, 1367, 1368, 1369, 1370, 1371, 1372
 <223> n = A,T,C or G

<400> 33

```

gagtcgaccc acgcgtccgc ccacgcgtcc gagcggctctg gacagcgcgt ggccggcgccc 60
gctgtgggga cagcatgagc ggcggttgga tggcgaggt tggagcgtgg cgaacagggg 120
ctctgggcct ggcgtgctg ctgctgctcg gcctcgact aggcctggag gccgcccga 180
gccccgtttc caccgccacc tctgcccagg ccgcaggccc cagctcaggc tcgtgcccac 240
ccaccaagtt ccagtgccgc accagtggct tatgctgccc cctcacctgg cgtgcgaca 300
gggacttgga ctgcagcgt ggcagcgtg aggaggagt caggattgag ccatgtaccc 360
agaaagggca atgcccaccg cccctggcc tccctgccc ctgcaccggc gtcagtgact 420
gctctggggg aactgacaag aaactgcgca actgcagccg cctggcctgc ctacgaggcg 480
agctccgttg cacgtgagc gatgactgca ttccactcac gtggcgctgc gacggccacc 540
cagactgtcc cgactccagc gacgagctcg gctgtggaac caatgagatc ctcccggag 600
gggatgccac aaccatggg cccctgtga ccctggagag tgtcacctct ctcaggaatg 660
ccacaacct ggggccccct gtgaccctgg agagtgtccc ctctgtcggg aatgccacat 720
cctcctctgc cggagaccag tctggaagcc caactgccta tggggttatt gcagctgctg 780
cgggtgctcag tgcaagcctg gtaccgccca cctcctcct tttgtcctgg ctccgagccc 840
aggagcgct cgcgccactg gggttactgg tggccatgaa ggagtccctg ctgctgtcag 900
aacagaagac ctgctgccc tgaggacaag cacttgccac caccgtcact cagccctggg 960
cgtagccgga caggaggaga gcagtgatgc ggatgggtac ccgggcacac cagccctcag 1020
agactgagc tcttctggcc acgtggaacc tcgaaccgga gctcctgcag gaagtggccc 1080
tgagattga gggtccttg acactcccta tggagatccg gggagctagg atggggaacc 1140
tgccacagcc agaactgagg ggctggcccc aggcagctcc cagggggtag aacggccctg 1200
tgcttaagac actcctgctg ccccgctctga ggggtggcgt taaagtgtct tcacatctc 1260
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaargg gcggcccgt 1320
agactannnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nngaa 1375
  
```

<210> 34
 <211> 282
 <212> PRT
 <213> Homo sapiens

<400> 34

```

Met Ser Gly Gly Trp Met Ala Gln Val Gly Ala Trp Arg Thr Gly Ala
1          5          10          15
Leu Gly Leu Ala Leu Leu Leu Leu Gly Leu Gly Leu Gly Leu Glu
20          25          30
Ala Ala Ala Ser Pro Leu Ser Thr Pro Thr Ser Ala Gln Ala Ala Gly
35          40          45
Pro Ser Ser Gly Ser Cys Pro Pro Thr Lys Phe Gln Cys Arg Thr Ser
50          55          60
Gly Leu Cys Val Pro Leu Thr Trp Arg Cys Asp Arg Asp Leu Asp Cys
65          70          75          80
Ser Asp Gly Ser Asp Glu Glu Glu Cys Arg Ile Glu Pro Cys Thr Gln
85          90          95
Lys Gly Gln Cys Pro Pro Pro Pro Gly Leu Pro Cys Pro Cys Thr Gly
100         105         110
Val Ser Asp Cys Ser Gly Gly Thr Asp Lys Lys Leu Arg Asn Cys Ser
115         120         125
Arg Leu Ala Cys Leu Ala Gly Glu Leu Arg Cys Thr Leu Ser Asp Asp
130         135         140
Cys Ile Pro Leu Thr Trp Arg Cys Asp Gly His Pro Asp Cys Pro Asp
145         150         155         160
Ser Ser Asp Glu Leu Gly Cys Gly Thr Asn Glu Ile Leu Pro Glu Gly
165         170         175
Asp Ala Thr Thr Met Gly Pro Pro Val Thr Leu Glu Ser Val Thr Ser
  
```

	180		185		190										
Leu	Arg	Asn	Ala	Thr	Thr	Met	Gly	Pro	Pro	Val	Thr	Leu	Glu	Ser	Val
	195						200					205			
Pro	Ser	Val	Gly	Asn	Ala	Thr	Ser	Ser	Ser	Ala	Gly	Asp	Gln	Ser	Gly
	210					215					220				
Ser	Pro	Thr	Ala	Tyr	Gly	Val	Ile	Ala	Ala	Ala	Ala	Val	Leu	Ser	Ala
225					230					235					240
Ser	Leu	Val	Thr	Ala	Thr	Leu	Leu	Leu	Leu	Ser	Trp	Leu	Arg	Ala	Gln
			245						250					255	
Glu	Arg	Leu	Arg	Pro	Leu	Gly	Leu	Leu	Val	Ala	Met	Lys	Glu	Ser	Leu
		260						265					270		
Leu	Leu	Ser	Glu	Gln	Lys	Thr	Ser	Leu	Pro						
	275						280								

<210> 35

<211> 1798

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 6, 7

<223> n = A,T,C or G

<400> 35

```

ttcgannnggc cgcccgggca ggtacctcaa attttttaggg gaggggtgggt tagggactga 60
tactcagatt gtggataata attgaattgg ttttttaaagg caacatagca ttctacagca 120
gggttaatct attatcaaga acagtcaccc tgggttaataa caagttttac tgatcagttg 180
ctgggttggtt gggttggttg catgtgggtg tgtgggtgta taggtgtgtg tgggtgtgtg 240
tgtgtatttt tccccatgag tccttttttt aatcctgtgg ctttttcaact tacaactagc 300
ctaaccctgt aattttccta catccaagaa aacaatcaca aagtagtggt ttaaataactt 360
tgttgtattt ggctaatttt gctgtcttaa tgcagcctat taagagttgg gttaaaaatc 420
agtaatcagt actttattac atcactgaac taaaatatgg agacatcctc attgaaaatg 480
gagggcactc tatcagtcta taactatcaa cgtagtgcaa caggggtggtt tgataccttt 540
gttttcacct cttgacataa tgctatttaa aggcctgaat ttttcccttt atataatttt 600
cacctttact ttcaaagtgt tttgttgtag ttggctattg cagagagtgc attgtcctat 660
cattoctaaa cctggctcgc ttctacatt catggtagg aaaccatgtg attccttgta 720
cagtttatcc tgatgttgct tgtaatgcag tagaggctat ttcgccttcg cttttccttc 780
tcgacctttt tgtaaaccct ataattatga agcgattgct tgagaaaata acatataaac 840
atagaataga atagactgac caagatggtt cacagtttct ttttttaact aggttattta 900
taatgtattt ctgaaccact tggcagacaa attcacaaca cttaatgttc atattttgag 960
taaaggaagc taaaaccatg tttgctttct ggtactacat gcattagcga aagggttaagt 1020
aagttttggt ctccactgaa gtaatactta acatctcaga aaaaattttg catgttctgt 1080
agttttgtat taaatcagtc atttcatatg cactatatca agtacaaaca ggtagtttac 1140
ctgtttatag tagtgtacta acaaagtctc ccttgagct tcagactgtt atctatagga 1200
ttatcgttca aatacagcac ttgaatatcc caagtagttc ttctacgcac agctcacctt 1260
tctaaaccca gttaagcatg gaagagaggt agtaggtagg tgcagtgtgt ggaagctgca 1320
aacaagtagg ccttttatcc attgatatct tttcccaagt actggatttt aaatctgwat 1380
gtatctgttt gatttttttt tctaataattt cagttgagct gctgttttct tccatgcaat 1440
attgtatact caattgtgta tagaagaagc tggtagaggt gccctcctac ataaataagc 1500
aattgcagtg ttttgcatgc aaaatataaa aaattttaat tgtcctgatt ctattttgta 1560
aatggagaaa caatcatatc tttctaagcg gtaatggagg aagactagtg ctttgtgcat 1620
tttgatatat ttgagttcat tttttccaca atgtcatact tttgacgcag ttgggtttct 1680
catargtata ctagttcatg tacatccgaa tgctaaataa tactgtgttt taagttttgt 1740
gttgcaagaa caaatggaat aaacttgaat tgtgctacaa aaaaaaaaaa aaaaaaaaaa 1798

```

<210> 36

<211> 57

<212> PRT

<213> Homo sapiens

<400> 36

Met	Leu	Phe	Lys	Gly	Leu	Asn	Phe	Ser	Leu	Tyr	Ile	Ile	Phe	Thr	Phe
1				5					10				15		
Thr	Phe	Lys	Val	Phe	Cys	Cys	Ser	Trp	Leu	Leu	Gln	Arg	Val	His	Cys
		20						25					30		
Pro	Ile	Ile	Pro	Lys	Pro	Gly	Leu	Leu	Ser	Thr	Phe	Met	Val	Trp	Lys
		35					40					45			
Pro	Cys	Asp	Ser	Leu	Tyr	Ser	Leu	Ser							
	50						55								

<210> 37

<211> 3113

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 68, 92, 94, 106, 145

<223> n = A,T,C or G

<400> 37

gacccacgms	yccgcgctcgt	ccgcgcgctcg	ccggaagggg	aagtttcgcc	tcagaaggct	60
gcctcgcntg	gtccgaattc	ggtggcgcca	cngntccgcc	cgtctnccgc	cttctgcata	120
gcggcttcgg	cggcttcac	ctagnacacc	taacagtcgc	ggagccggcc	gcgtcgtgag	180
ggggtcggca	cggggagtcg	ggcgtcttg	tgcattcttg	ctacctgtgg	gtogaagatg	240
tcggacatcg	gagactggtt	caggagcatc	ccggcgatca	cgcgctattg	gttcgccgcc	300
accgtcgccg	tgcccttgg	cggcaaaactc	ggcctcatca	gcccggccta	cctcttcttc	360
tggccogaag	ccttcttcta	tcgctttcag	atttgagggc	caatcactgc	caccttttat	420
ttccctgtgg	gtccaggaac	tggatttctt	tatttggtca	atttatattt	cttatatcag	480
tattctacgc	gacttgaaac	aggagctttt	gatgggaggc	cagcagacta	tttattcatg	540
ctcctcttta	actggatttg	catcgtgatt	actggcttag	caatggatat	gcagttgctg	600
atgattcctc	tgatcatgtc	agtactttat	gtctgggccc	agctgaacag	agacatgatt	660
gtatcatttt	ggtttgaac	acgattttaag	gcctgctatt	taccctgggt	tatccttggg	720
ttcaactata	tcacggagg	ctcggtaac	aatgagctta	ttggaaatct	ggttggacat	780
ctttattttt	tcctaattgt	cagataccca	atggacttgg	gaggaagaaa	ttttctatcc	840
acacctcagt	ttttgtaccg	ctggctgccc	agtaggagag	gaggagtatc	aggatttgg	900
gtgccccctg	ctagcatgag	gcgagctgct	gatcagaatg	gcggaggcgg	gagacacaac	960
tggggccagg	gctttcgact	tggagaccag	tgaagggg	gcctcgggca	gccgctcttc	1020
tcaagccaca	tttctccca	gtgctgggtg	cgcttaacaa	ctgcgttctg	gctaacactg	1080
ttggacctga	cccacactga	atgtagtctt	tcagtacgag	acaaagtttc	ttaaatcccg	1140
aagaaaaata	taagtgttcc	acaagtttca	cgattctcat	tcaagtcctt	actgctgtga	1200
agaacaaata	ccaactgtgc	aaattgcaaa	actgactaca	ttttttgggt	tcttctcttc	1260
tcccctttcc	gtctgaataa	tgggttttag	cgggtcctag	tctgctggca	ttgagctggg	1320
gctgggtcac	caaacccttc	ccaaaaggac	ccttatctct	ttcttgca	catgcctctc	1380
tcccactttt	cccaaccccc	acatttgcaa	ctagaagagg	ttgccataa	aattgctctg	1440
cccttgacag	gttctgttat	ttattgactt	ttgccaaagg	ttggtcacaa	caatcatatt	1500
cacgtaattt	tcccccttg	gtggcagaac	tgtagcaata	gggggagaag	acaagcagcg	1560
gatgaagcgt	tttctcagct	tttgggaattg	cttcgacctg	acatccgttg	taaccgtttg	1620
ccacttcttc	agatattttt	ataaaaaagt	accactgagt	cagtgagggc	cacagattgg	1680
tattaatgag	atacgaggg	tgttgctggg	tgtttgtttc	ctgagctaag	tgatcaagac	1740
tgtagtggag	ttgcagctaa	catgggttag	gtttaaacca	tgggggatgc	aaccctttg	1800
cgtttcatat	gtaggcttac	tggctttgtg	tagctggagt	agttgggttg	ctttgtgtta	1860
ggaggatcca	gatcatgttg	gctacaggga	gatgctctct	ttgagaggct	cctgggcatt	1920
gattccattt	caatctcatt	ctggatatgt	gttcattgag	taaaggagga	gagaccctca	1980
tacgctattt	aaatgtcact	tttttgccta	tcccccggtt	tttggtcatg	tttcaattaa	2040

```

ttgtgaggaa ggcgagctc ctctctgcac gtagatcatt ttttaaagct aatgtaagca 2100
catctaaggg aataacatga ttttaagggtt aaatggcttt agaatcattt gggtttgagg 2160
gtgtgttatt ttgagtcag aatgtacaag ctctgtgaat cagaccagct taaataccca 2220
cacctttttt tcgtagggtg gcttttccta tcagagcttg gctcataacc aaataaagtt 2280
ttttgaaggc catggctttt cacacagtta ttttatttta tgacgttatc tgaaagcaga 2340
ctgttaggag cagtattgag tggctgtcac actttgaggc aactaaaaag gcttcaaacy 2400
ttttgatcag tttcttttca ggaaacattg tgctctaaca gtatgactat tctttccccc 2460
actcttaaac agtgtgatgt gtgttatcct aggaaatgag agttggcaaa caacttctca 2520
ttttgaatag agtttgtgtg tacctctcca tatttaattt atatgataaa ataggtgggg 2580
agagtctgaa ccttaactgt catgttttgt tgttcacttg tggccacaat aaagtttact 2640
tgtaaaattt tagaggccat tactccaatt atgttgcacg tacactcatt gtacaggcgt 2700
ggagactcat tgtatgtata agaatttct gacagtgagt gaccggagt ctctggtgta 2760
ccctcttacc agtcagctgc ctgcgagcag tcatTTTTTt ctaaagggtt acaagtattt 2820
agaactcttc agttcagggc aaaatgttca tgaagttatt cctcttaaac atgggttagga 2880
agctgatgac gttattgatt ttgtctggat tatgtttctg gaataatttt accaaaacaa 2940
gctatttgag ttttgacttg acaaggcaaa acatgacagt ggattctctt tacaaatgga 3000
aaaaaaaaat ccttattttg tataaaggac ttccctttt gttaaactaat cctttttatt 3060
ggtaaaaatt gtaaattaaa atgtgcaact tgaaaaaaa aaaaaaaaa aaa 3113

```

<210> 38

<211> 251

<212> PRT

<213> Homo sapiens

<400> 38

```

Met Ser Asp Ile Gly Asp Trp Phe Arg Ser Ile Pro Ala Ile Thr Arg
 1           5           10          15
Tyr Trp Phe Ala Ala Thr Val Ala Val Pro Leu Val Gly Lys Leu Gly
      20           25           30
Leu Ile Ser Pro Ala Tyr Leu Phe Leu Trp Pro Glu Ala Phe Leu Tyr
      35           40           45
Arg Phe Gln Ile Trp Arg Pro Ile Thr Ala Thr Phe Tyr Phe Pro Val
      50           55           60
Gly Pro Gly Thr Gly Phe Leu Tyr Leu Val Asn Leu Tyr Phe Leu Tyr
      65           70           75           80
Gln Tyr Ser Thr Arg Leu Glu Thr Gly Ala Phe Asp Gly Arg Pro Ala
      85           90           95
Asp Tyr Leu Phe Met Leu Leu Phe Asn Trp Ile Cys Ile Val Ile Thr
      100          105          110
Gly Leu Ala Met Asp Met Gln Leu Leu Met Ile Pro Leu Ile Met Ser
      115          120          125
Val Leu Tyr Val Trp Ala Gln Leu Asn Arg Asp Met Ile Val Ser Phe
      130          135          140
Trp Phe Gly Thr Arg Phe Lys Ala Cys Tyr Leu Pro Trp Val Ile Leu
      145          150          155          160
Gly Phe Asn Tyr Ile Ile Gly Gly Ser Val Ile Asn Glu Leu Ile Gly
      165          170          175
Asn Leu Val Gly His Leu Tyr Phe Phe Leu Met Phe Arg Tyr Pro Met
      180          185          190
Asp Leu Gly Gly Arg Asn Phe Leu Ser Thr Pro Gln Phe Leu Tyr Arg
      195          200          205
Trp Leu Pro Ser Arg Arg Gly Gly Val Ser Gly Phe Gly Val Pro Pro
      210          215          220
Ala Ser Met Arg Arg Ala Ala Asp Gln Asn Gly Gly Gly Gly Arg His
      225          230          235          240
Asn Trp Gly Gln Gly Phe Arg Leu Gly Asp Gln
      245          250

```

<210> 39
<211> 3599
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> 3390, 3420
<223> n = A,T,C or G

<400> 39
cagtttggga ccaaagccaa agataaccag gttcatatta attacacgga ataggcaaga 60
aagcatgagc cctgaggagg aaggaaaagg actgtccca ggtgtacttac ctcaaagatg 120
aagaaatata aaagacagga aaccctaggt tcttgccctt cagtcgctat ctcttgccc 180
attagtaaaa tgcggccgat gaatgtcctc acttctgtcc atctgggcag gaggtgggaa 240
gggtgacgtg caaatggatg ggaggaaccc ttttttcggc agcaccacc acaccagcc 300
tagtgccacg caccgcaagc gctccataaa cgcacacagc gtcgswcya csmgkmyscc 360
ggcgccgctt cgcgggattt ctctggcgt cggctttcag actcccgagg gtgggataaa 420
tcgagagggg ggcattcctt ggcttttctt ctcccaggca gctctgaacc atgtttatgc 480
aacgtttaat gggctctaataaaaacggcta ataattttga tccgcggaag caccgactcg 540
ctcgttaagc caggtctgcg aggggtgaagc tgcaactcca acgcccggaaa gcgcggctac 600
cgaaaagcgc atgcgccacg ggggtggcagc aagctagagt aagctgagga ggtgggcgga 660
aaccatggca accatgggtg atgacgacat ggggagcgtc tctagcgtg gattatgacg 720
ctggattatg acgcatgcag tgggcgcccg ctctgcggtt cgcttgactg acggcgcagc 780
ctccgggctt agccacagca gcaacggcag aggccagcgg gcgaggtcaa gatggtggct 840
ccgcgggcgg gggaggcagt ggaggagga ggagtcagac cttagccagc cggaaacacc 900
gaaaccacga gacctcctgg ggagccgtcg ccgcgcgcgc cctctcgccc atcgctgcct 960
ccgcgcgcct cccacctcg agggacgcga gcgggcggcg gggctggccg tgagagagac 1020
aggagaggaa ggagggcagg ggcggaagtt cccgccttag ccccgcccc cggccgcggc 1080
cccgggccct gccccgcgcg gccctgcccc gccaccgag ccctggtgtg gcagcggctc 1140
atggcgcccg tggggccccc gcagcagcag gtgcggatgg cccatcagca ggtctgggcg 1200
gcgctcgaag tggcgctccg ggtgccctgc ctttacatca tcgacgccat cttcaactcc 1260
taccgggatt ccagccaaag ccggttctgc atcgctgctc agatcttctt ccggctcttt 1320
ggtgtatttg catccagtat tgttctgata ttgtcacaac gatcactttt caagttttac 1380
acgtacagct cagcctttct gttagctgca acttcagtg tggatgaatta ttatgcttct 1440
ttgcacattg acttctatgg tgcctacaac acgtcagctt ttggaattga gctgcttctt 1500
cgaaaaggct cctcgctgtg gatggcactt atcggtctac agctaacatt tgggaattgga 1560
tacgtttacac tactccagat tcattccatc tattcacaat taattatttt ggatctcttg 1620
gttcctgtaa taggcttaata cacagagcta ccattacaca tcagagagac tttactggtt 1680
acttcttctt tgattctcac attaaataca gtgtttgtcc tggcagtgaa actgaagtgg 1740
ttttattatt ccacacgata tgtttatctt ttggtgagga acatgtatcg aatttatgga 1800
ttacagttat tgatggagga cacatggaag aggattcgtt tcccagacat actacgagtc 1860
ttttggctaa caagagttac agctcaggct acagtgttaa tgtacatctt aaggatggca 1920
aatgaaactg attccttctt tatttcttgg gatgattttt gggacctcat ttgcaatctt 1980
ataattagtg ggtgcgattc tacactaact gtactgggca tgagtgtgtt aatttcctca 2040
gtagcccatt atttggggct tggaaatatt gcctttattg gatcaactga ggaagatgac 2100
aggcgtcttg gctttgttgc acctgtttta ttttttattt tggctcttca gactgggtta 2160
agtgggctaa gaccagaaga gagacttatt cgtttaagta gaaacatgtg ccttttatta 2220
actgcagctc tgcattttat ccatggaatg acagaccctg tattaatgtc tctcagtgcc 2280
tctcatgtgt catcttttcg tagacatttt cctgtgctgt ttgtctctgc ttgcctgttt 2340
attcttcttg tcttactcag ttatgttctt tggcatcact atgcactaaa tacatggttg 2400
tttgacgtta cagcattttg tgtggaactg tgcttaaaag taattgtttc tctcactgtt 2460
tatacgttat tcatgattga tggctactat aatgtcctct gggaaaagct tgacgattat 2520
gtctactacg ttcgttcaac aggcagtatt attgaattta tatttgaggt tgtaatgttt 2580
ggaaatgggg cttacactat gatgtttgag tcgggaagta aaattcgggc ttttatgatg 2640
tgccctacat catattttta catctactta caagccaaaa atggctggaa gacatttatg 2700
aatcgtagga ctgctgtgaa gaaaattaat tcacttcttg aaataaaagg gagccgctta 2760
caagaaataa atgatgtatg tgcaatctgc tatcatgagt ttacaacatc tgctcgtatt 2820
acaccgtgta atcattattt ccatgcactt tgccttcgga aatggctgta cattcaagat 2880

```

acttgtccaa tgtgccatca gaaagtatac atcgaagatg atatcaagga taattcaaatt 2940
gtatctaaca acaatggatt tattccaccc aatgaaactc cagaggaagc tgtaagagaa 3000
gctgctgctg aatctgacag ggaattgaac gaagatgaca gtacagattg tgatgatgat 3060
gttcaaagag aaagaaatgg agtgattcag cacacaggcg cagcagctga agaatttaatt 3120
gatgatactg actgatgaaa atagcattta ttaatgattg aggtattttgt ttaaaattca 3180
gttcatccaa aatggagtaa tatccttcac cttcagtggtg taaccaagca caaaaacagt 3240
atcaatgttg aatctgtgaa tggttttccg tttactgtga tgtgctactg taaatatacc 3300
tctttaatta cttctggtct ctttggtgac ctgttttaaat ttgtgtacat tattgtacat 3360
agaataaaat gttttcacat ttttatgacn aaaawwwraa caaatagctt tttaatagan 3420
tgtaatgata atatggtgag tcacctgtgc caaatattct tcaatgaaat tatataatgt 3480
aactttggac ctcagttttt ctttagaaat ggggtggaga atgaaaatgc aaatcaggaa 3540
accacattaa agtcaaggaa ataaaataat ttgaccagag gataaaggac atgagagag 3599

```

<210> 40

<211> 664

<212> PRT

<213> Homo sapiens

<400> 40

```

Met Ala Ala Val Gly Pro Pro Gln Gln Gln Val Arg Met Ala His Gln
 1          5          10          15
Gln Val Trp Ala Ala Leu Glu Val Ala Leu Arg Val Pro Cys Leu Tyr
 20          25          30
Ile Ile Asp Ala Ile Phe Asn Ser Tyr Pro Asp Ser Ser Gln Ser Arg
 35          40          45
Phe Cys Ile Val Leu Gln Ile Phe Leu Arg Leu Phe Gly Val Phe Ala
 50          55          60
Ser Ser Ile Val Leu Ile Leu Ser Gln Arg Ser Leu Phe Lys Phe Tyr
 65          70          75          80
Thr Tyr Ser Ser Ala Phe Leu Leu Ala Ala Thr Ser Val Leu Val Asn
 85          90          95
Tyr Tyr Ala Ser Leu His Ile Asp Phe Tyr Gly Ala Tyr Asn Thr Ser
100          105          110
Ala Phe Gly Ile Glu Leu Leu Pro Arg Lys Gly Pro Ser Leu Trp Met
115          120          125
Ala Leu Ile Val Leu Gln Leu Thr Phe Gly Ile Gly Tyr Val Thr Leu
130          135          140
Leu Gln Ile His Ser Ile Tyr Ser Gln Leu Ile Ile Leu Asp Leu Leu
145          150          155          160
Val Pro Val Ile Gly Leu Ile Thr Glu Leu Pro Leu His Ile Arg Glu
165          170          175
Thr Leu Leu Phe Thr Ser Ser Leu Ile Leu Thr Leu Asn Thr Val Phe
180          185          190
Val Leu Ala Val Lys Leu Lys Trp Phe Tyr Tyr Ser Thr Arg Tyr Val
195          200          205
Tyr Leu Leu Val Arg His Met Tyr Arg Ile Tyr Gly Leu Gln Leu Leu
210          215          220
Met Glu Asp Thr Trp Lys Arg Ile Arg Phe Pro Asp Ile Leu Arg Val
225          230          235          240
Phe Trp Leu Thr Arg Val Thr Ala Gln Ala Thr Val Leu Met Tyr Ile
245          250          255
Leu Arg Met Ala Asn Glu Thr Asp Ser Phe Phe Ile Ser Trp Asp Asp
260          265          270
Phe Trp Asp Leu Ile Cys Asn Leu Ile Ile Ser Gly Cys Asp Ser Thr
275          280          285
Leu Thr Val Leu Gly Met Ser Ala Val Ile Ser Ser Val Ala His Tyr
290          295          300
Leu Gly Leu Gly Ile Leu Ala Phe Ile Gly Ser Thr Glu Glu Asp Asp
305          310          315          320

```

Arg Arg Leu Gly Phe Val Ala Pro Val Leu Phe Phe Ile Leu Ala Leu
 325 330 335
 Gln Thr Gly Leu Ser Gly Leu Arg Pro Glu Glu Arg Leu Ile Arg Leu
 340 345 350
 Ser Arg Asn Met Cys Leu Leu Leu Thr Ala Val Leu His Phe Ile His
 355 360 365
 Gly Met Thr Asp Pro Val Leu Met Ser Leu Ser Ala Ser His Val Ser
 370 375 380
 Ser Phe Arg Arg His Phe Pro Val Leu Phe Val Ser Ala Cys Leu Phe
 385 390 395 400
 Ile Leu Pro Val Leu Leu Ser Tyr Val Leu Trp His His Tyr Ala Leu
 405 410 415
 Asn Thr Trp Leu Phe Ala Val Thr Ala Phe Cys Val Glu Leu Cys Leu
 420 425 430
 Lys Val Ile Val Ser Leu Thr Val Tyr Thr Leu Phe Met Ile Asp Gly
 435 440 445
 Tyr Tyr Asn Val Leu Trp Glu Lys Leu Asp Asp Tyr Val Tyr Tyr Val
 450 455 460
 Arg Ser Thr Gly Ser Ile Ile Glu Phe Ile Phe Gly Val Val Met Phe
 465 470 475 480
 Gly Asn Gly Ala Tyr Thr Met Met Phe Glu Ser Gly Ser Lys Ile Arg
 485 490 495
 Ala Phe Met Met Cys Leu His Ala Tyr Phe Asn Ile Tyr Leu Gln Ala
 500 505 510
 Lys Asn Gly Trp Lys Thr Phe Met Asn Arg Arg Thr Ala Val Lys Lys
 515 520 525
 Ile Asn Ser Leu Pro Glu Ile Lys Gly Ser Arg Leu Gln Glu Ile Asn
 530 535 540
 Asp Val Cys Ala Ile Cys Tyr His Glu Phe Thr Thr Ser Ala Arg Ile
 545 550 555 560
 Thr Pro Cys Asn His Tyr Phe His Ala Leu Cys Leu Arg Lys Trp Leu
 565 570 575
 Tyr Ile Gln Asp Thr Cys Pro Met Cys His Gln Lys Val Tyr Ile Glu
 580 585 590
 Asp Asp Ile Lys Asp Asn Ser Asn Val Ser Asn Asn Asn Gly Phe Ile
 595 600 605
 Pro Pro Asn Glu Thr Pro Glu Glu Ala Val Arg Glu Ala Ala Ala Glu
 610 615 620
 Ser Asp Arg Glu Leu Asn Glu Asp Asp Ser Thr Asp Cys Asp Asp Asp
 625 630 635 640
 Val Gln Arg Glu Arg Asn Gly Val Ile Gln His Thr Gly Ala Ala Ala
 645 650 655
 Glu Glu Phe Asn Asp Asp Thr Asp
 660

<210> 41

<211> 2080

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 34, 85, 95

<223> n = A,T,C or G

<400> 41

cgaccccgcs tccrcmgssr rkkgcgtccg cggnggcgcg gggagagtag ggtgctgtgg 60
 tctgagctag aggggtgaagc tggcnggagc agganggatg ggcgagcagt ctgaatgccca 120

```

gaatggataa ccgttttgct acagcatttg taattgcttg tgtgcttagc ctcatattcca 180
ccatctacat ggcagcctcc attggcacag acttcttgta tgaatatcga agtccagttc 240
aagaaaattc cagtgatttg aataaaagca tctgggatga attcattagt gatgaggcag 300
atgaaaagac ttataatgat gcactttttc gatacaatgg cacagtggga ttgtggagac 360
ggtgtatcac catacccaaa aacatgcatt ggtatagccc accagaaagg acagagtcac 420
ttgatgtggt caaaaaatgt gtgagtttca cactaactga gcagttcatg gagaaatttg 480
ttgatcccgg aaaccacaat agcgggattg atctccttag gacctatctt tggcggttgc 540
agttcctttt accttttggt agtttaggtt tgatgtgctt tggggctttg atcggaacttt 600
gtgcttgcat ttgccgaagc ttatatccca ccattgccac gggcattctc catctccttg 660
caggtctgtg tacactgggc tcagtaagtt gttatgttgc tgggaattgaa ctactccacc 720
agaaactaga gctccctgac aatgtatccg gtgaatttgg atggctcttc tgcttggtt 780
gtgtctctgc tcccttacag ttcattggct ctgctctctt catctgggct gctcacacca 840
accggaagaa gtacacctta atgaaggcat atcgtgtggc atgagcaaga aactgcctgc 900
tttacaattg ccatttttat ttttttaaaa taatactgat attttcccca cctctcaatt 960
gtttttaatt tttatttggt gatataccat tttattatga aaatctattt tatttataca 1020
cattcaccac taaatacaca cttaatacca ctaaaattta tgtggtttac ttttaagcga 1080
gcatcttttc aaataaacta atctaggtct agacagaaag aaatggatag agacttgaca 1140
caaatttatg aaagaaaatt gggagtagga atgtgaccga aaacaagttg tgctaattgc 1200
tgtagacttt ttcagtaaaa ctaaagtaac tgtatctggt caactaaaaa ctctatatta 1260
gtttcttttg gaaacctctc atcgtcaaaa ctttatgttc actttgctgt tgtagatagc 1320
cagtaacca gcagtattag tgctgttttc aaagatttaa gctctataaa attgggaaat 1380
tatctaagat cttttccctt aagcattgac acatagcttc atctgaggtg agatatggca 1440
gctgtttgta tctgcaactgt gtctgtctac aaaaagtga aaatacagtg tttacttgaa 1500
attttaactt tgtaactgca agaattccag ttcagccggg cgaggattag tattattttt 1560
aactctccgt aagattttca gtaccaccaa attgttttgg attttttttc tttcctcttc 1620
acataccagg gttattaaaa gtgtgctttc tttttacatt atattacagt tacaaggtaa 1680
aattcctcaa ctgctattta tttattccag cccagtacta taaagaacgt ttcaccataa 1740
tgacctcca gagctgggaa acctaccaca agatctaaag ttctggctgt ccattaacct 1800
ccaactatgg tctttatttc ttgtgtaaat atgatgtgcc tttccttgcc taaatccctt 1860
cctggtgtgt atcaacatta tttaatgtct tctaattcag tcattttttt ataagtatgt 1920
ctataaacat tgaactttta aaaacttatt tattttattc actactgtag caattgacag 1980
attaaaaaaa tgtaacttca taatttctta ccataacctc aatgtctttt ttaaaaaata 2040
aaattaaaaa tgaaaagaga aaaaaaaaaa aaaaaaaac 2080

```

<210> 42

<211> 253

<212> PRT

<213> Homo sapiens

<400> 42

```

Met Asp Asn Arg Phe Ala Thr Ala Phe Val Ile Ala Cys Val Leu Ser
 1          5          10          15
Leu Ile Ser Thr Ile Tyr Met Ala Ala Ser Ile Gly Thr Asp Phe Trp
          20          25          30
Tyr Glu Tyr Arg Ser Pro Val Gln Glu Asn Ser Ser Asp Leu Asn Lys
          35          40          45
Ser Ile Trp Asp Glu Phe Ile Ser Asp Glu Ala Asp Glu Lys Thr Tyr
          50          55          60
Asn Asp Ala Leu Phe Arg Tyr Asn Gly Thr Val Gly Leu Trp Arg Arg
          65          70          75          80
Cys Ile Thr Ile Pro Lys Asn Met His Trp Tyr Ser Pro Pro Glu Arg
          85          90          95
Thr Glu Ser Phe Asp Val Val Thr Lys Cys Val Ser Phe Thr Leu Thr
          100          105          110
Glu Gln Phe Met Glu Lys Phe Val Asp Pro Gly Asn His Asn Ser Gly
          115          120          125
Ile Asp Leu Leu Arg Thr Tyr Leu Trp Arg Cys Gln Phe Leu Leu Pro
          130          135          140
Phe Val Ser Leu Gly Leu Met Cys Phe Gly Ala Leu Ile Gly Leu Cys

```


145	150	155	160
Ala Cys Ile Cys Arg Ser Leu Tyr Pro Thr Ile Ala Thr Gly Ile Leu			
	165	170	175
His Leu Leu Ala Gly Leu Cys Thr Leu Gly Ser Val Ser Cys Tyr Val			
	180	185	190
Ala Gly Ile Glu Leu Leu His Gln Lys Leu Glu Leu Pro Asp Asn Val			
	195	200	205
Ser Gly Glu Phe Gly Trp Ser Phe Cys Leu Ala Cys Val Ser Ala Pro			
	210	215	220
Leu Gln Phe Met Ala Ser Ala Leu Phe Ile Trp Ala Ala His Thr Asn			
225	230	235	240
Arg Lys Glu Tyr Thr Leu Met Lys Ala Tyr Arg Val Ala			
	245	250	

<210> 43

<211> 2015

<212> DNA

<213> Homo sapiens

<400> 43

```

cttaccacctg ccggtgataag gagattttaag aagtctgagg gtggtgttaa gtttctcaga 60
acagacgcat atttgccgat gcaattgcag aacaggaaac agaaccaggg agaatttttag 120
gtacccccaa atctcattgg ccctccgcac aagccaagcc acagccactc ctgccacaca 180
atcggtatcgc tttcagcact cgcagccgtg gacagctccc tcgccgcgcg gtccttttct 240
ctgcagttag ctgatttgct ctgccagcag ctgtcgggtgc cgcgctcgac accgagtcct 300
agctagcgct cacagaatac gcgctccctc cctccccctt ctctgtcccc cgctctctgc 360
tcaccccggc ccaactccagc ggcgactttg agggattccc tctctggcgg cctctgcagc 420
agcacagccg gcttcattcg gggcactgcg agtatggatc tccaaggaaag aggggtcccc 480
agcatcgaca gacttcgagt tctcctgatg ttgttccata caatggctca aatcatggca 540
gaacaagaag tggaaaatct ctgaggcctt tccactaacc ctgaaaaaga tatattttgtg 600
gtgcgggaaa atgggacgac gtgtctcatg gcagagtttg cagccaaatt tattgtacct 660
tatgatgtgt gggccagcaa ctacgtagat ctgatcacag aacaggccga tatcgatttg 720
accgggggag ctgaggtgaa gggccgctgt ggccacagcg agtcggagct gcaagtgttc 780
tgggtggatc ggcgatatgc actcaaaatg ctctttgtaa aggaaagcca caacatgtcc 840
aagggaacctg aggcgacttg gaggtgagc aaagtgcagt ttgtctacga ctctcggag 900
aaaacccact tcaagacgac agtcagtgtc gggaaagcaca cagccaactc gcaccacctc 960
tctgccttgg tcaccccgcc tgggaagtcc tatgagtgtc aagctcaaca aaccatttca 1020
ctggcctcta gtgatccgca gaagacggtc accatgatcc tgtctgcggt ccacatccaa 1080
ccttttgaca ttatctcaga ttttgtcttc agtgaagagc ataaatgccc agtggatgag 1140
cgaggagcaac tggaaagaaac cttgcccctg attttggggc tcatcttggg cctcgtcatc 1200
atggtaacac tcgcgattta ccacgtccac cacaaaatga ctgccaacca ggtgcagatc 1260
cctcgggaca gatcccagta taagcacatg ggctagaggc cgttaggcag gcaccccccta 1320
ttcctgtctc cccaactgga tcaggtagaa caacaaaagc acttttccat cttgtacacg 1380
agatacacca acatagctac aatcaaacag gcctgggtat ctgaggcttg cttggcttgt 1440
gtccatgctt aaaccacgg aagggggaga ctctttcgga tttgtagggt gaaatggcaa 1500
ttattctctc catgctggg aggaggggag gaggtctca gacagcttct gtgctcatgg 1560
tggcttggct ttgactctcc aaagagcaat aaatgccact tggagctgta tctggcccca 1620
aagtttaggg attgaaaaca tgcttctttg aggaggaaac cccttttaggt tcagaagaat 1680
atgggggtgct ttgtccctt ggacacagct ggcttatcct atacagttgt caatgcacac 1740
agaatacaac ctcatgtctc ctgcagcaag acccctgaaa gtgattcatg cttctggctg 1800
gcattctgca tgtttagtga ttgtcttggg aatgtttcac tgctaccgc atccagcgac 1860
tgacgacca gaaaacgact aatgtaacta tgcagagttg tttggacttc ttctgtgcc 1920
aggtccaagt cgggggacct gaagaatcaa tctgtgtgag tctgtttttc aaaatgaaat 1980
aaaacacact attctctggc aaaaaaaaaa aaaaaa 2015

```

<210> 44

<211> 280

<212> PRT

<213> Homo sapiens

<400> 44

```

Met Asp Leu Gln Gly Arg Gly Val Pro Ser Ile Asp Arg Leu Arg Val
 1          5          10          15
Leu Leu Met Leu Phe His Thr Met Ala Gln Ile Met Ala Glu Gln Glu
 20          25          30
Val Glu Asn Leu Ser Gly Leu Ser Thr Asn Pro Glu Lys Asp Ile Phe
 35          40          45
Val Val Arg Glu Asn Gly Thr Thr Cys Leu Met Ala Glu Phe Ala Ala
 50          55          60
Lys Phe Ile Val Pro Tyr Asp Val Trp Ala Ser Asn Tyr Val Asp Leu
 65          70          75          80
Ile Thr Glu Gln Ala Asp Ile Ala Leu Thr Arg Gly Ala Glu Val Lys
 85          90          95
Gly Arg Cys Gly His Ser Glu Ser Glu Leu Gln Val Phe Trp Val Asp
 100         105         110
Arg Ala Tyr Ala Leu Lys Met Leu Phe Val Lys Glu Ser His Asn Met
 115         120         125
Ser Lys Gly Pro Glu Ala Thr Trp Arg Leu Ser Lys Val Gln Phe Val
 130         135         140
Tyr Asp Ser Ser Glu Lys Thr His Phe Lys Asp Ala Val Ser Ala Gly
 145         150         155         160
Lys His Thr Ala Asn Ser His His Leu Ser Ala Leu Val Thr Pro Ala
 165         170         175
Gly Lys Ser Tyr Glu Cys Gln Ala Gln Gln Thr Ile Ser Leu Ala Ser
 180         185         190
Ser Asp Pro Gln Lys Thr Val Thr Met Ile Leu Ser Ala Val His Ile
 195         200         205
Gln Pro Phe Asp Ile Ile Ser Asp Phe Val Phe Ser Glu Glu His Lys
 210         215         220
Cys Pro Val Asp Glu Arg Glu Gln Leu Glu Glu Thr Leu Pro Leu Ile
 225         230         235         240
Leu Gly Leu Ile Leu Gly Leu Val Ile Met Val Thr Leu Ala Ile Tyr
 245         250         255
His Val His His Lys Met Thr Ala Asn Gln Val Gln Ile Pro Arg Asp
 260         265         270
Arg Ser Gln Tyr Lys His Met Gly
 275         280

```

<210> 45

<211> 2937

<212> DNA

<213> Homo sapiens

<400> 45

```

ttaggaggagtc gacccacgcg tccgcggagcg cgtgggagcg cgcgtagggtt cggggactaa 60
ctgcaacgga gagactcaag atgattccct ttttaccat gttttctcta ctattgctgc 120
ttattgttaa ccctataaac gccaacaatc attatgacaa gatcttggt catagtcgta 180
tcaggggtcg ggaccaaggc ccaaagtgtc gtgcccttca acagattttg ggcacaaaaa 240
agaaatactt cagcacttgt aagaactggt ataaaaagtc catctgtgga cagaaaaacga 300
ctgtgttata tgaatgttgc cctggttata tgagaatgga aggaatgaaa ggctgccag 360
cagttttgcc cattgacat gtttatggca ctctgggcat cgtgggagcc accacaacgc 420
agcgctattc tgacgcctca aaactgaggg aggagatcga gggaaaggga tccttcactt 480
actttgcacc gagtaatgag gcttgggaca acttggttc tgatatccgt agagggttgg 540
agagcaacgt gaatgttgaa ttactgaatg ctttacatag tcacatgatt aataagagaa 600
tggtgaccaa ggacttaaaa aatggcatga ttattccttc aatgtataac aatttggggc 660
ttttcattaa ccattatcct aatggggttg tcaactgttaa ttgtgctcga atcatccatg 720

```

```

ggaaccagat tgcaacaaat ggtgtgtgcc atgtcattga ccgtgtgctt acacaaattg 780
gtacctcaat tcaagacttc attgaagcag aagatgacct ttcattcttt agagcagctg 840
ccatcacatc ggacatattg gaggcccttg gaagagacgg tcacttcaca ctctttgctc 900
ccaccaatga ggcttttgag aaacttccac gaggtgtcct agaaaggatc atgggagaca 960
aagtggcttc cgaagctctt atgaagtacc acatcttaaa tactctccag tgttctgagt 1020
ctattatggg aggagcagtc tttgagacgc tggaaaggaaa tacaattgag ataggatgtg 1080
acggtgacag tataacagta aatggaatca aaatggtgaa caaaaaggat attgtgacaa 1140
ataatggtgt gatccatttg attgatcagg tcctaatttc tgattctgcc aaacaagtta 1200
ttgagctggc tggaaaacag caaaccacct tcacggatct tgtggcccaa ttaggcttgg 1260
catctgctct gaggccagat ggagaatata ctttgctggc acctgtgaat aatgcatttt 1320
ctgatgatac tctcagcatg gatcagcgcc tccttaaatt aattctgcag aatcacatat 1380
tgaaagtaaa agttggcctt aatgagcttt acaacgggca aatactggaa accatcggag 1440
gcaaacagct cagagtcttc gtatatcgta cagctgtctg cattgaaaat tcatgcatgg 1500
agaaaggagg taagcaaggg agaaacggtg cgattcacat attccgcgag atcatcaagc 1560
cagcagagaa atccctccat gaaaagttaa aacaagataa gcgctttagc accttccctca 1620
gcctacttga agctgcagac ttgaaagagc tcctgacaca acctggagac tggacattat 1680
ttgtgccaac caatgatgct ttaagggaa tgactagtga agaaaaagaa attctgatac 1740
gggacaaaaa tgctcttcaa aacatcattc tttatcacct gacaccagga gttttcattg 1800
gaaaaggatt tgaacctggt gttactaaca ttttaaagac cacacaagga agcaaaatct 1860
ttctgaaaga agtaaattgat acacttctgg tgaatgaatt gaaatcaaaa gaatctgaca 1920
tcatgacaac aaatggtgta attcatgttg tagataaact cctctatcca gcagacacac 1980
ctgttggaag tgatcaactg ctggaaatac ttaataaatt aatcaaatac atccaaatta 2040
agtttgttcg tggagaaaca gaagaaactc tgaagaaatt gttacaagaa gacacacccg 2100
tgaggaagtt gcaagccaac aaaaaagttc aaggatctag aagacgatta agggaaggtc 2160
gttctcagtg aaaatccaaa aaccagaaaa aaatgtttat acaaccctaa gtcaataacc 2220
tgaccttaga aaattgtgag agccaagttg acttcaggaa ctgaaacatc agcacaaga 2280
agcaatcatc aaataattct gaacacaaat ttaatatctt ttttctgaa tgagaaacat 2340
gagggaaatt gtggagttag cctcctgtgg taaaggaatt gaagaaaata taacacctta 2400
cacccttttt catcttgaca ttaaaagttc tggctaactt tggaatccat tagagaaaaa 2460
tccttgtcac cagattcatt acaattcaaa tcgaagagtt gtgaactgtt atccattga 2520
aaagaccgag ccttgatgtg atgttatgga tacataaaat gcacgcaagc cattatctct 2580
ccatgggaag ctaagttata aaaatagggt cttggtgtac aaaacttttt atatcaaaag 2640
gctttgcaca tttctatatg agtgggttta ctggtaaatt atgttatctt ttacaactaa 2700
ttttgtactc tcagaatgtc atatgcttct tgcaatgcat attttttaat ctcaaacggt 2760
tcaataaaac catttttcag atataaagag aattacttca aattgagtaa ttcagaaaaa 2820
ctcaagattt aagttaaaaa gtggtttgga cttgggaaca ggactttata cctcttttac 2880
tgtaacaagt actcattaaa ggaaattgaa tgaaaaaaa aaaaaaaggg cggccgc 2937

```

<210> 46

<211> 696

<212> PRT

<213> Homo sapiens

<400> 46

```

Met Ile Pro Phe Leu Pro Met Phe Ser Leu Leu Leu Leu Ile Val
1           5           10           15
Asn Pro Ile Asn Ala Asn Asn His Tyr Asp Lys Ile Leu Ala His Ser
20          25          30
Arg Ile Arg Gly Arg Asp Gln Gly Pro Asn Val Cys Ala Leu Gln Gln
35          40          45
Ile Leu Gly Thr Lys Lys Lys Tyr Phe Ser Thr Cys Lys Asn Trp Tyr
50          55          60
Lys Lys Ser Ile Cys Gly Gln Lys Thr Thr Val Leu Tyr Glu Cys Cys
65          70          75          80
Pro Gly Tyr Met Arg Met Glu Gly Met Lys Gly Cys Pro Ala Val Leu
85          90          95
Pro Ile Asp His Val Tyr Gly Thr Leu Gly Ile Val Gly Ala Thr Thr
100         105         110
Thr Gln Arg Tyr Ser Asp Ala Ser Lys Leu Arg Glu Glu Ile Glu Gly

```

Lys	Gly	Ser	Phe	Thr	Tyr	Phe	Ala	Pro	Ser	Asn	Glu	Ala	Trp	Asp	Asn
	130					135					140				
Leu	Asp	Ser	Asp	Ile	Arg	Arg	Gly	Leu	Glu	Ser	Asn	Val	Asn	Val	Glu
145					150					155					160
Leu	Leu	Asn	Ala	Leu	His	Ser	His	Met	Ile	Asn	Lys	Arg	Met	Leu	Thr
				165					170					175	
Lys	Asp	Leu	Lys	Asn	Gly	Met	Ile	Ile	Pro	Ser	Met	Tyr	Asn	Asn	Leu
				180				185					190		
Gly	Leu	Phe	Ile	Asn	His	Tyr	Pro	Asn	Gly	Val	Val	Thr	Val	Asn	Cys
		195					200					205			
Ala	Arg	Ile	Ile	His	Gly	Asn	Gln	Ile	Ala	Thr	Asn	Gly	Val	Val	His
	210					215					220				
Val	Ile	Asp	Arg	Val	Leu	Thr	Gln	Ile	Gly	Thr	Ser	Ile	Gln	Asp	Phe
225					230					235					240
Ile	Glu	Ala	Glu	Asp	Asp	Leu	Ser	Ser	Phe	Arg	Ala	Ala	Ala	Ile	Thr
				245					250					255	
Ser	Asp	Ile	Leu	Glu	Ala	Leu	Gly	Arg	Asp	Gly	His	Phe	Thr	Leu	Phe
				260				265					270		
Ala	Pro	Thr	Asn	Glu	Ala	Phe	Glu	Lys	Leu	Pro	Arg	Gly	Val	Leu	Glu
				275			280					285			
Arg	Ile	Met	Gly	Asp	Lys	Val	Ala	Ser	Glu	Ala	Leu	Met	Lys	Tyr	His
	290					295					300				
Ile	Leu	Asn	Thr	Leu	Gln	Cys	Ser	Glu	Ser	Ile	Met	Gly	Gly	Ala	Val
305					310					315					320
Phe	Glu	Thr	Leu	Glu	Gly	Asn	Thr	Ile	Glu	Ile	Gly	Cys	Asp	Gly	Asp
				325					330					335	
Ser	Ile	Thr	Val	Asn	Gly	Ile	Lys	Met	Val	Asn	Lys	Lys	Asp	Ile	Val
				340				345					350		
Thr	Asn	Asn	Gly	Val	Ile	His	Leu	Ile	Asp	Gln	Val	Leu	Ile	Pro	Asp
				355			360					365			
Ser	Ala	Lys	Gln	Val	Ile	Glu	Leu	Ala	Gly	Lys	Gln	Gln	Thr	Thr	Phe
	370					375					380				
Thr	Asp	Leu	Val	Ala	Gln	Leu	Gly	Leu	Ala	Ser	Ala	Leu	Arg	Pro	Asp
385					390					395					400
Gly	Glu	Tyr	Thr	Leu	Leu	Ala	Pro	Val	Asn	Asn	Ala	Phe	Ser	Asp	Asp
				405					410					415	
Thr	Leu	Ser	Met	Asp	Gln	Arg	Leu	Leu	Lys	Leu	Ile	Leu	Gln	Asn	His
				420				425					430		
Ile	Leu	Lys	Val	Lys	Val	Gly	Leu	Asn	Glu	Leu	Tyr	Asn	Gly	Gln	Ile
				435			440					445			
Leu	Glu	Thr	Ile	Gly	Gly	Lys	Gln	Leu	Arg	Val	Phe	Val	Tyr	Arg	Thr
	450					455				460					
Ala	Val	Cys	Ile	Glu	Asn	Ser	Cys	Met	Glu	Lys	Gly	Ser	Lys	Gln	Gly
465															

Ile	Phe	Leu	Lys	Glu	Val	Asn	Asp	Thr	Leu	Leu	Val	Asn	Glu	Leu	Lys
	595						600					605			
Ser	Lys	Glu	Ser	Asp	Ile	Met	Thr	Thr	Asn	Gly	Val	Ile	His	Val	Val
	610					615					620				
Asp	Lys	Leu	Leu	Tyr	Pro	Ala	Asp	Thr	Pro	Val	Gly	Asn	Asp	Gln	Leu
	625				630					635				640	
Leu	Glu	Ile	Leu	Asn	Lys	Leu	Ile	Lys	Tyr	Ile	Gln	Ile	Lys	Phe	Val
			645					650						655	
Arg	Gly	Glu	Thr	Glu	Glu	Thr	Leu	Lys	Lys	Leu	Leu	Gln	Glu	Asp	Thr
		660					665					670			
Pro	Val	Arg	Lys	Leu	Gln	Ala	Asn	Lys	Lys	Val	Gln	Gly	Ser	Arg	Arg
	675						680				685				
Arg	Leu	Arg	Glu	Gly	Arg	Ser	Gln								
	690					695									

<210> 47

<211> 3417

<212> DNA

<213> Homo sapiens

<400> 47

```

gccccgcgctc cgcgccctccg ggctccttcg gccccgccat gggctgctgc agctccgcct 60
cctccgcgcgc gcagagctcc aaacgagaat ggaagccgct ggaggaccgt agctgcacag 120
acataccatg gctgctgctc ttcattcctct tctgcattgg gatgggattt atttgtggct 180
tttcaatagc aacaggtgca gcagcaagac tagtgtcagg atacgacagc tatggaaata 240
tctgtgggca gaaaaatata aagttggaag caataccaaa cagtggcatg gaccacaccc 300
agcggaaagta tgtattcctt ttggatccat gcaacctgga ctgataaac cggaagatta 360
agtctgtagc actgtgtgta gcagcgtgtc caaggcaaga actgaaaact ctgagtgtg 420
ttcagaagtt tgcagagata aatggttcag ccctatgtag ctacaacctt aagccttctg 480
aatacactac atctccaaaa tcttctgttc tctgccccaa actaccagtt ccagcgagt 540
cacctattcc attcttccat cgctgtgctc ctgtgaacat ttctgtctat gccaaagttt 600
cagaggccct gatcacctt gtcagtgaac atagtgtctt acacaggctg attagtggag 660
taatgaccag caaagaaatt atattgggac tttgcttgtt atcactagtt ctatccatga 720
ttttgatggt gataatcagg tatatatcaa gactactgtt gtggatctta acgattctgg 780
tcatactcgg ttcaattgga ggcacagggt tactatgggt gctgtatgca aagcaaagaa 840
ggctctccaa agaaactgtt actcctgagc agcttcagat agctgaagac aatcttcggg 900
ccctcctcat ttatgccatt tcagctacag tgttcacagt gatcttattc ctgataatgt 960
tggttatgcg caaacgtgtt gctcttacca tcgccttgtt ccacgtagct ggcaaggtct 1020
tcattcactt gccactgcta gtcttccaac ccttctggac tttctttgct cttgtcttgt 1080
tttgggtgta ctggatcatg acacttcttt ttcttggcac taccggcagt cctgttcaga 1140
atgagcaagg ctttgtggag ttcaaaattt ctgggcctct gcagtacatg tgggtgtacc 1200
atgtgggtgg cctgatttgg atcagtgaat ttattctagc atgtcagcag atgacagtgg 1260
caggagctgt ggtaacatac tattttacta gggataaaaag gaatttgcca ttacaccta 1320
ttttggcatc agtaaatcgc cttattcgtt accacctagg tacggtggca aaaggatctt 1380
tcattatcac attagtcaaa attccgcgaa tgatccttat gtatattcac agtcagctca 1440
aaggaaagga aaatgcttgt gcacgatgtg tgctgaaatc ttgcatttgt tgccttttgt 1500
gtcttgaaaa gtgcctaaat tatttaaatc agaatgcata cacagccaca gctatcaaca 1560
gcaccaactt ctgcacctca gcaaaggatg cctttgtcat tctgggtggg aatgctttgc 1620
gagtggctac catcaacaca gtaggagatt ttatgttatt ccttggaag gtgctgatag 1680
tctgcagcac aggttttagct gggattatgc tgctcaacta ccagcaggac tacacagtat 1740
gggtgctgcc tctgatcatc gtctgcctct ttgctttcct agtcgctcat tgcttctgt 1800
ctatttatga aatggtagtg gatgtattat tcttgtgttt tgccattgat acaaaatata 1860
atgatgggag ccctggcaga gaattctata tggataaagt gctgatggag tttgtggaaa 1920
acagtaggaa agcaatgaaa gaagctggta agggaggcgt cgctgattcc agagagctaa 1980
agccgatggc ttcgggagca agttctgctt gaacctagcc gacggttatg gaaacccatt 2040
gacattccaa aacaatatat acacataact atgtatttgt gtgtgtgggt gtgtgtatat 2100
atgtatttgt atgtgtgtat atatgtatat gtatatacac acacacacat aaatcagcca 2160
aaatcagaga aaaggaacag ggatttaata ccttttttat gcttattttt gtcaaacatg 2220

```

```

tactcctttc atacgggttg cttttacaag gcaacttccg tcattttaatg ttttcaactg 2280
taattgtctt aatggaaatg ttaaaattca tatctgatta acatttttaa taacttagag 2340
gagattttta ctttatttaa aaataggtaa aattattgta cctaattatg tctaaagttt 2400
attcaggggt aatttccctg atgtctgtat aaaatcaaga tcttatttta ctgatgcata 2460
agtcctagtg ggtcaagact aggcataatg tttcagataa ataaggaatt actccaatca 2520
gttttcccca atcaaagaag ccatgtcatt ttacttttag aaacatacaa ttggggcccaa 2580
tatgggaatt ttcataatag ttcatacatt tgtcagccaa cattaaaagg taaccaactc 2640
ctcaggtatt tgtagtttac cctaacgctt ctttaaaaga aagtaggtaa aaaaagaaaa 2700
gggtagataa tctttcgtat gcaaactttt cccttatatt ttgtctttct ttcctttttg 2760
acttttagtag catcctccac acatttgtgt gcctgatttg aaaggaagct ggggcaccca 2820
gcgagtttag cctttaagtt tctgtgtatt gatttgcaga ttaagtaatg ctgagaggaa 2880
taaagaaggg acagaaacat ggaacataaa gcattgaaaa ttccggtgct tgggcttcgg 2940
cttcagagta acgtcagtg cttagggtta aacggccatt ttattcaaat gcttgctata 3000
caatctgaaa acacactggc aggtgctcct ctccttgga attcattgag tatccagagt 3060
tctacgatgt ttaactgaag aattggctaa tgttttgatc ctccagtgtg actgttggtt 3120
ttgtttgggg gtgggtttgg ggttttttgc ttttttattc ctgaagctta ccagatatga 3180
atggctaata ctccattggt ctgcttggtg taatggtgaa tgctttaaga aaaaaaagt 3240
taatttgcta agaataattc atgatctgt tatgcgataa ctcctttttg ttacaatttt 3300
tttaaaaaaa gctatttttg ttaatgtaaa gtaaatattt cagagcaaat tttttaact 3360
tattgcacta aatacaggct ctgtacaaaa aaaaaaaaaa agggcgggccg ctagact 3417

```

<210> 48

<211> 657

<212> PRT

<213> Homo sapiens

<400> 48

```

Met Gly Cys Cys Ser Ser Ala Ser Ser Ala Ala Gln Ser Ser Lys Arg
 1           5           10           15
Glu Trp Lys Pro Leu Glu Asp Arg Ser Cys Thr Asp Ile Pro Trp Leu
          20           25           30
Leu Leu Phe Ile Leu Phe Cys Ile Gly Met Gly Phe Ile Cys Gly Phe
          35           40           45
Ser Ile Ala Thr Gly Ala Ala Ala Arg Leu Val Ser Gly Tyr Asp Ser
          50           55           60
Tyr Gly Asn Ile Cys Gly Gln Lys Asn Thr Lys Leu Glu Ala Ile Pro
65           70           75           80
Asn Ser Gly Met Asp His Thr Gln Arg Lys Tyr Val Phe Phe Leu Asp
          85           90           95
Pro Cys Asn Leu Asp Leu Ile Asn Arg Lys Ile Lys Ser Val Ala Leu
          100          105          110
Cys Val Ala Ala Cys Pro Arg Gln Glu Leu Lys Thr Leu Ser Asp Val
          115          120          125
Gln Lys Phe Ala Glu Ile Asn Gly Ser Ala Leu Cys Ser Tyr Asn Leu
          130          135          140
Lys Pro Ser Glu Tyr Thr Thr Ser Pro Lys Ser Ser Val Leu Cys Pro
145          150          155          160
Lys Leu Pro Val Pro Ala Ser Ala Pro Ile Pro Phe Phe His Arg Cys
          165          170          175
Ala Pro Val Asn Ile Ser Cys Tyr Ala Lys Phe Ala Glu Ala Leu Ile
          180          185          190
Thr Phe Val Ser Asp Asn Ser Val Leu His Arg Leu Ile Ser Gly Val
          195          200          205
Met Thr Ser Lys Glu Ile Ile Leu Gly Leu Cys Leu Leu Ser Leu Val
          210          215          220
Leu Ser Met Ile Leu Met Val Ile Ile Arg Tyr Ile Ser Arg Val Leu
225          230          235          240
Val Trp Ile Leu Thr Ile Leu Val Ile Leu Gly Ser Leu Gly Gly Thr
          245          250          255

```

Gly Val Leu Trp Trp Leu Tyr Ala Lys Gln Arg Arg Ser Pro Lys Glu
 260 265 270
 Thr Val Thr Pro Glu Gln Leu Gln Ile Ala Glu Asp Asn Leu Arg Ala
 275 280 285
 Leu Leu Ile Tyr Ala Ile Ser Ala Thr Val Phe Thr Val Ile Leu Phe
 290 295 300
 Leu Ile Met Leu Val Met Arg Lys Arg Val Ala Leu Thr Ile Ala Leu
 305 310 315 320
 Phe His Val Ala Gly Lys Val Phe Ile His Leu Pro Leu Leu Val Phe
 325 330 335
 Gln Pro Phe Trp Thr Phe Phe Ala Leu Val Leu Phe Trp Val Tyr Trp
 340 345 350
 Ile Met Thr Leu Leu Phe Leu Gly Thr Thr Gly Ser Pro Val Gln Asn
 355 360 365
 Glu Gln Gly Phe Val Glu Phe Lys Ile Ser Gly Pro Leu Gln Tyr Met
 370 375 380
 Trp Trp Tyr His Val Val Gly Leu Ile Trp Ile Ser Glu Phe Ile Leu
 385 390 395 400
 Ala Cys Gln Gln Met Thr Val Ala Gly Ala Val Val Thr Tyr Tyr Phe
 405 410 415
 Thr Arg Asp Lys Arg Asn Leu Pro Phe Thr Pro Ile Leu Ala Ser Val
 420 425 430
 Asn Arg Leu Ile Arg Tyr His Leu Gly Thr Val Ala Lys Gly Ser Phe
 435 440 445
 Ile Ile Thr Leu Val Lys Ile Pro Arg Met Ile Leu Met Tyr Ile His
 450 455 460
 Ser Gln Leu Lys Gly Lys Glu Asn Ala Cys Ala Arg Cys Val Leu Lys
 465 470 475 480
 Ser Cys Ile Cys Cys Leu Trp Cys Leu Glu Lys Cys Leu Asn Tyr Leu
 485 490 495
 Asn Gln Asn Ala Tyr Thr Ala Thr Ala Ile Asn Ser Thr Asn Phe Cys
 500 505 510
 Thr Ser Ala Lys Asp Ala Phe Val Ile Leu Val Glu Asn Ala Leu Arg
 515 520 525
 Val Ala Thr Ile Asn Thr Val Gly Asp Phe Met Leu Phe Leu Gly Lys
 530 535 540
 Val Leu Ile Val Cys Ser Thr Gly Leu Ala Gly Ile Met Leu Leu Asn
 545 550 555 560
 Tyr Gln Gln Asp Tyr Thr Val Trp Val Leu Pro Leu Ile Ile Val Cys
 565 570 575
 Leu Phe Ala Phe Leu Val Ala His Cys Phe Leu Ser Ile Tyr Glu Met
 580 585 590
 Val Val Asp Val Leu Phe Leu Cys Phe Ala Ile Asp Thr Lys Tyr Asn
 595 600 605
 Asp Gly Ser Pro Gly Arg Glu Phe Tyr Met Asp Lys Val Leu Met Glu
 610 615 620
 Phe Val Glu Asn Ser Arg Lys Ala Met Lys Glu Ala Gly Lys Gly Gly
 625 630 635 640
 Val Ala Asp Ser Arg Glu Leu Lys Pro Met Ala Ser Gly Ala Ser Ser
 645 650 655
 Ala

<210> 49

<211> 3758

<212> DNA

<213> Homo sapiens

<400> 49

```

cctcgcggtcc gcgcacaccg ggggtggcagc gccgcagcgg gcagggcgcc cgcactccgc 60
cgccctctgcc cgcaaccgct gagccatcca tgggggtcgc gggccgcaac cgtcccgggg 120
cggcctgggc ggtgctgctg ctgctgctgc cgccactgct gctgctggcg ggggccgtcc 180
cgccgggtcg gggccgtgcc gcggggccgc aggaggatgt agatgagtgt ccgcaagggc 240
tagatgactg ccatgccgac gccctgtgtc agaacacacc caccctctac aagtgtcct 300
gcaagccctgg ctaccaagg gaggcgagc agtgtgagga catcgatgaa tgtggaaatg 360
agctcaatgg aggtgtgtc catgactgtt tgaatattcc aggcaattat cgttgactt 420
gttttgatgg cttcatgttg gctcatgacg gtcataattg tcttgatgtg gacgagtgcc 480
tggagaacaa tggcggctgc cagcatacct gtgtcaacgt catggggagc tatgagtgt 540
gctgcaagga ggggttttct ctgagtgaac atcagcacac ctgcattcac cgctcggaag 600
agggcctgag ctgcatgaat aaggatcac gctgtagtca catctgcaag gaggcccaa 660
ggggcagcgt cgccgtgtgag tgcaaggcctg gttttgagct ggccaagaac cagagagact 720
gcatcttgac ctgtaaccat gggaacggtg ggtgccagca ctctgtgac gatacagccg 780
atggcccaga gtgcagctgc catccacagt acaagatgca cacagatggg aggagctgcc 840
ttgagcgaga ggacactgtc ctggaggtga cagagagcaa caccacatca gtggtggatg 900
gggataaacg ggtgaaacgg cggctgtctc tggaacgtg tgctgtcaac aatggaggct 960
gtgaccgcac ctgtaaggat acttcgacag gtgtccactg cagtgtcctt gttggattca 1020
ctctccagtt ggatgggaag acatgtaaag atattgatga gtgccagacc cgcaatggag 1080
gttgatgata tttctgcaaa aacatcggtg gcagttttga ctgcggctgc aagaaaggat 1140
ttaaattatt aacagatgag aagtcttgcc aagatgtgga tgagtgtctt ttggatagga 1200
cctgtgacca cagctgcac aaccaccctg gcacatttgc ttgtgcttgc aaccgagggt 1260
acaccctgta tggcttcacc cactgtggag acaccaatga gtgcagcatc aacaacggag 1320
gctgtcagca ggtctgtgtg aacacagtgg gcagctatga atgccagtgc caccctgggt 1380
acaagctcca ctggaataaa aaagactgtg tggaagtga ggggtcctg cccacaagt 1440
tgtcaccccg tgtgtccctg cactgcggtg agagtgggtg aggagacggg tgcttccctc 1500
gatgtcactc tggcattcac ctctcttcag atgtcaccac catcaggaca agtgaacct 1560
ttaagctaaa tgaaggcaag tgtagtttga aaaatgctga gctgttccc gagggctgc 1620
gaccagcact accagagaag cacagctcag taaaagagag cttccgctac gtaaacctta 1680
catgcagctc tggcaagcaa gtcccaggag cccctggccg accaagcacc cctaaggaaa 1740
tgtttatcac tgttgagttt gagcttgaaa ctaacaaaaa ggaggtgaca gcttcttgtg 1800
acctgagctg catcgtaaag cgaaccgaga agcggctccg taaagccatc cgcacgtc 1860
gaaaggccgt ccacaggag cagtttcaac tccagctctc aggcagatga ctogacgtg 1920
ctaaaaagcc tcccagaaca tctgaacgcc aggcagagtc ctgtggagtg ggccagggtc 1980
atgcagaaaa ccaatgtgtc agttgcaggg ctgggacctt ttatgatgga gcacgagaac 2040
gctgcatttt atgtccaaat ggaaccttcc aaaatgagga aggacaaatg acttgtgaac 2100
catgcccagg accaggaat tctggggccc tgaagacccc agaagcttgg aatatgtctg 2160
aatgtggagg tctgtgtcaa attctgcaga tggctttgca ccttgccagc 2220
tctgtgccct gggcacgttc cagcctgaag ctggctgaac ttctgtcttc ccctgtggag 2280
gaggccttgc caccaaacat cagggagcta cttcctttca ggactgtgaa accagagttc 2340
aatgttcacc tggacatttc tacaacacca ccactcaccg atgtattcgt tgcccagtgg 2400
gaacatacca gcctgaattt ggaaaaata attgtgttct ttgcccagga aatactacga 2460
ctgactttga tggctccaca aacataaccc agtgtaaaaa cagaagatgt ggaggggagc 2520
tgggagattt cactgggtac attgaatccc caaactaccc aggcaattac ccagccaaca 2580
ccgagtgtac gtggaccatc aacccacccc ccaagcgccg catcctgate gtggtccctg 2640
agatcttctt gcccatagag gacgactgtg gggactatct ggtgatgcgg aaaacctctt 2700
catccaattc tgtgacaaca tatgaaacct gccagacctt cgaacgcccc atcgcttca 2760
cctccaggtc aaagaagctg tggattcagt tcaagtcaa tgaagggaac agcgctagag 2820
ggttccaggc cccatacgtg acatatgatg aggactacca ggaactcatt gaagacatag 2880
ttcgagatgg caggctctat gcatctgaga accatcagga aatacttaag gataagaaac 2940
ttatcaaggc tctgtttgat gtcctggccc atccccagaa ctatttcaag tacacagccc 3000
aggagtcccg agagatgttt ccaagatcgt tcatccgatt gctacgttcc aaagtgtcca 3060
ggtttttgag accttcaaaa tgactcagcc cacgtgccac tcaatacaaa tgttctgcta 3120
tagggttggt gggacagagc tgtcttccct ctgcatgtca gcacagtcgg gtattgctgc 3180
ctcccgtatc agtgactcat tagagttcaa tttttataga taatacagat attttggtaa 3240
attgaacttg gtttttcttt cccagcatcg tggatgtaga ctgagaatgg ctttgagtgg 3300
catcagcttc tcaactgtgt gggcggtgtg cttggataga tcacgggctg gctgagctgg 3360
actttggtca gctcagctg tccctctggg gtcttactcc tcccaagga 3420
gtctgtagtg gaaaggaggc cacagaataa gctgcttatt ctgaaacttc agcttccctc 3480

```



```

agcccgcccc tctctaaggg agccctctgc actcgtgtgc aggctctgac caggcagaac 3540
aggcaagagg ggaggggaagg agaccctctgc aggctccctc caccacacctt gagacctggg 3600
aggactcagt ttctccacag ccttctccag cctgtgtgat acaagtttga tcccaggaac 3660
ttgagttcta agcagtgtct gtgaaaaaaa aaagcagaaa gaattagaaa taaataaaaa 3720
ctaagcactt ctggagacac ctataggagt cgtattac 3758

```

<210> 50

<211> 997

<212> PRT

<213> Homo sapiens

<400> 50

```

Met Gly Val Ala Gly Arg Asn Arg Pro Gly Ala Ala Trp Ala Val Leu
 1          5          10          15
Leu Leu Leu Leu Pro Pro Leu Leu Leu Leu Ala Gly Ala Val Pro Pro
 20          25          30
Gly Arg Gly Arg Ala Ala Gly Pro Gln Glu Asp Val Asp Glu Cys Pro
 35          40          45
Gln Gly Leu Asp Asp Cys His Ala Asp Ala Leu Cys Gln Asn Thr Pro
 50          55          60
Thr Ser Tyr Lys Cys Ser Cys Lys Pro Gly Tyr Gln Gly Glu Gly Arg
 65          70          75          80
Gln Cys Glu Asp Ile Asp Glu Cys Gly Asn Glu Leu Asn Gly Gly Cys
 85          90          95
Val His Asp Cys Leu Asn Ile Pro Gly Asn Tyr Arg Cys Thr Cys Phe
 100         105         110
Asp Gly Phe Met Leu Ala His Asp Gly His Asn Cys Leu Asp Val Asp
 115         120         125
Glu Cys Leu Glu Asn Asn Gly Gly Cys Gln His Thr Cys Val Asn Val
 130         135         140
Met Gly Ser Tyr Glu Cys Cys Cys Lys Glu Gly Phe Phe Leu Ser Asp
 145         150         155         160
Asn Gln His Thr Cys Ile His Arg Ser Glu Glu Gly Leu Ser Cys Met
 165         170         175
Asn Lys Asp His Gly Cys Ser His Ile Cys Lys Glu Ala Pro Arg Gly
 180         185         190
Ser Val Ala Cys Glu Cys Arg Pro Gly Phe Glu Leu Ala Lys Asn Gln
 195         200         205
Arg Asp Cys Ile Leu Thr Cys Asn His Gly Asn Gly Gly Cys Gln His
 210         215         220
Ser Cys Asp Asp Thr Ala Asp Gly Pro Glu Cys Ser Cys His Pro Gln
 225         230         235         240
Tyr Lys Met His Thr Asp Gly Arg Ser Cys Leu Glu Arg Glu Asp Thr
 245         250         255
Val Leu Glu Val Thr Glu Ser Asn Thr Thr Ser Val Val Asp Gly Asp
 260         265         270
Lys Arg Val Lys Arg Arg Leu Leu Met Glu Thr Cys Ala Val Asn Asn
 275         280         285
Gly Gly Cys Asp Arg Thr Cys Lys Asp Thr Ser Thr Gly Val His Cys
 290         295         300
Ser Cys Pro Val Gly Phe Thr Leu Gln Leu Asp Gly Lys Thr Cys Lys
 305         310         315         320
Asp Ile Asp Glu Cys Gln Thr Arg Asn Gly Gly Cys Asp His Phe Cys
 325         330         335
Lys Asn Ile Val Gly Ser Phe Asp Cys Gly Cys Lys Lys Gly Phe Lys
 340         345         350
Leu Leu Thr Asp Glu Lys Ser Cys Gln Asp Val Asp Glu Cys Ser Leu
 355         360         365
Asp Arg Thr Cys Asp His Ser Cys Ile Asn His Pro Gly Thr Phe Ala

```

370		375		380
Cys Ala Cys Asn Arg Gly Tyr Thr Leu Tyr Gly Phe Thr His Cys Gly				
385		390		395
Asp Thr Asn Glu Cys Ser Ile Asn Asn Gly Gly Cys Gln Gln Val Cys				400
	405		410	415
Val Asn Thr Val Gly Ser Tyr Glu Cys Gln Cys His Pro Gly Tyr Lys				
	420		425	430
Leu His Trp Asn Lys Lys Asp Cys Val Glu Val Lys Gly Leu Leu Pro				
	435		440	445
Thr Ser Val Ser Pro Arg Val Ser Leu His Cys Gly Lys Ser Gly Gly				
	450		455	460
Gly Asp Gly Cys Phe Leu Arg Cys His Ser Gly Ile His Leu Ser Ser				
	465		470	475
Asp Val Thr Thr Ile Arg Thr Ser Val Thr Phe Lys Leu Asn Glu Gly				480
	485		490	495
Lys Cys Ser Leu Lys Asn Ala Glu Leu Phe Pro Glu Gly Leu Arg Pro				
	500		505	510
Ala Leu Pro Glu Lys His Ser Ser Val Lys Glu Ser Phe Arg Tyr Val				
	515		520	525
Asn Leu Thr Cys Ser Ser Gly Lys Gln Val Pro Gly Ala Pro Gly Arg				
	530		535	540
Pro Ser Thr Pro Lys Glu Met Phe Ile Thr Val Glu Phe Glu Leu Glu				
	545		550	555
Thr Asn Gln Lys Glu Val Thr Ala Ser Cys Asp Leu Ser Cys Ile Val				
	565		570	575
Lys Arg Thr Glu Lys Arg Leu Arg Lys Ala Ile Arg Thr Leu Arg Lys				
	580		585	590
Ala Val His Arg Glu Gln Phe His Leu Gln Leu Ser Gly Met Asn Leu				
	595		600	605
Asp Val Ala Lys Lys Pro Pro Arg Thr Ser Glu Arg Gln Ala Glu Ser				
	610		615	620
Cys Gly Val Gly Gln Gly His Ala Glu Asn Gln Cys Val Ser Cys Arg				
	625		630	635
Ala Gly Thr Tyr Tyr Asp Gly Ala Arg Glu Arg Cys Ile Leu Cys Pro				
	645		650	655
Asn Gly Thr Phe Gln Asn Glu Glu Gly Gln Met Thr Cys Glu Pro Cys				
	660		665	670
Pro Arg Pro Gly Asn Ser Gly Ala Leu Lys Thr Pro Glu Ala Trp Asn				
	675		680	685
Met Ser Glu Cys Gly Gly Leu Cys Gln Pro Gly Glu Tyr Ser Ala Asp				
	690		695	700
Gly Phe Ala Pro Cys Gln Leu Cys Ala Leu Gly Thr Phe Gln Pro Glu				
	705		710	715
Ala Gly Arg Thr Ser Cys Phe Pro Cys Gly Gly Gly Leu Ala Thr Lys				
	725		730	735
His Gln Gly Ala Thr Ser Phe Gln Asp Cys Glu Thr Arg Val Gln Cys				
	740		745	750
Ser Pro Gly His Phe Tyr Asn Thr Thr Thr His Arg Cys Ile Arg Cys				
	755		760	765
Pro Val Gly Thr Tyr Gln Pro Glu Phe Gly Lys Asn Asn Cys Val Ser				
	770		775	780
Cys Pro Gly Asn Thr Thr Thr Asp Phe Asp Gly Ser Thr Asn Ile Thr				
	785		790	795
Gln Cys Lys Asn Arg Arg Cys Gly Gly Glu Leu Gly Asp Phe Thr Gly				
	805		810	815
Tyr Ile Glu Ser Pro Asn Tyr Pro Gly Asn Tyr Pro Ala Asn Thr Glu				
	820		825	830
Cys Thr Trp Thr Ile Asn Pro Pro Lys Arg Arg Ile Leu Ile Val				
	835		840	845

Val Pro Glu Ile Phe Leu Pro Ile Glu Asp Asp Cys Gly Asp Tyr Leu
 850 855 860
 Val Met Arg Lys Thr Ser Ser Ser Asn Ser Val Thr Thr Tyr Glu Thr
 865 870 875 880
 Cys Gln Thr Tyr Glu Arg Pro Ile Ala Phe Thr Ser Arg Ser Lys Lys
 885 890 895
 Leu Trp Ile Gln Phe Lys Ser Asn Glu Gly Asn Ser Ala Arg Gly Phe
 900 905 910
 Gln Val Pro Tyr Val Thr Tyr Asp Glu Asp Tyr Gln Glu Leu Ile Glu
 915 920 925
 Asp Ile Val Arg Asp Gly Arg Leu Tyr Ala Ser Glu Asn His Gln Glu
 930 935 940
 Ile Leu Lys Asp Lys Lys Leu Ile Lys Ala Leu Phe Asp Val Leu Ala
 945 950 955 960
 His Pro Gln Asn Tyr Phe Lys Tyr Thr Ala Gln Glu Ser Arg Glu Met
 965 970 975
 Phe Pro Arg Ser Phe Ile Arg Leu Leu Arg Ser Lys Val Ser Arg Phe
 980 985 990
 Leu Arg Pro Tyr Lys
 995

<210> 51
 <211> 3586
 <212> DNA
 <213> Homo sapiens

<400> 51
 ccgcgcgcgt ggcgcgcggcg gtaattagtg attgtcttcc agcttcgcga aggcctagggg 60
 cgcggtctgcc ggggtggctgc gcgcgcgtgc ccccgaccg aggggcagcc aatccaatga 120
 aaccaccgcg tgttcgcgcc tggtagagat ttctcgaaga caccagtggg cccgttccga 180
 gccctctgga ccgcccgtgt ggaaccaaac ctgcgcgcgt ggccgggccc tgggacaacg 240
 aggcgcgcga gacgaaggcg caatggcgag gaagttatct gtaatcttga tcctgacctt 300
 tgccctctct gtcacaaatc cccttcatga actaaaagca gctgctttcc cccagaccac 360
 tgagaaaatt agtccgaatt gggaatctgg cattaatgtt gacttggcaa tttccacacg 420
 gcaatatcat ctacaacagc ttttctaccg ctatggagaa aataattctt tgtcagttga 480
 aggggttcaga aaattacttc aaaatatagg catagataag attaaaagaa tccatataca 540
 ccatgaccac gaccatcact cagaaccaga gcatcactca gaccatgagc gtcactcaga 600
 ccatgagcat cactcagacc acgagcatca ctctgacct gatcatcact cttctggtaa 660
 aaataagcga aaagctcttt gccagacca tgactcagat agttcaggta aagatcctag 720
 aaacagccag gggaaaggag ctaccgacc agaacatgcc agtggtagaa ggaatgtcaa 780
 ggacagtgtt agtgctagtg aagtgcctc aactgtgtac aacactgtct ctgaaggaa 840
 tcactttcta gagacaatag agactccaag acctggaaaa ctcttcccca aagatgtaag 900
 cagctccact ccacccagtg tcacatcaaa gagccgggtg agccggctgg ctggtaggaa 960
 aacaaatgaa tctgtgagtg agccccgaaa aggccttatg tattccagaa acacaaatga 1020
 aaatcctcag gagtgtttca atgcatcaaa gctactgaca tctcatggca tgggcatcca 1080
 gggtccgctg aatgcaacag agttcaacta tctctgtcca gccatcatca accaaattga 1140
 tgctagatct tgtctgattc atacaagtga aaagaaggct gaaatccctc caaagaccta 1200
 ttcattacaa atagcctggg ttggtggttt tatagccatt tccatcatca gtttctgtc 1260
 tctgctgggg gttatcttag tgccctcat gaatcgggtg tttttcaaat ttctcctgag 1320
 tttccttggt gcaactggcc ttgggacttt gagtgggtgat gcttttttac accttcttcc 1380
 acattctcat gcaagtcacc accatagtca tagccatgaa gaaccagcaa tggaaatgaa 1440
 aagaggacca cttttcagtc atctgtcttc tcaaaacata gaagaaagtg cctattttga 1500
 ttccacgtgg aagggtctaa cagctctagg aggcctgtat ttcattgttc ttgttgaaca 1560
 tgcctcaca ttgatcaaac aatttaaaga taagaagaaa aagaatcaga agaaacctga 1620
 aaatgatgat gatgtggaga ttaagaagca gttgtccaag tatgaatctc aactttcaac 1680
 aaatgaggag aaagtagata cagatgatcg aactgaaggc tatttacgag cagactcaca 1740
 agagccctcc cacttgatt ctcagcagcc tgcagctctg gaagaagaag aggtcatgat 1800
 agctcatgct catccacagg aagtctacaa tgaatatgta cccagagggg gcaagaataa 1860

```

atgccattca catttccacg atacactcgg ccagtcagac gatctcattc accaccatca 1920
tgactaccat catattctcc atcatcacca ccacccaaac caccatcctc acagtcacag 1980
ccagcgctac tctcgggagg agctgaaaaga tgcgcggcgtc gccactttgg cctggatggg 2040
gataatgggt gatggcctgc acaatttcag cgatggccta gcaattgggtg ctgctttttac 2100
tgaaggctta tcaagtgggt taagtacttc tgttgctgtg ttctgtcatg agttgcctca 2160
tgaattagggt gactttgctg ttctactaaa ggctggcatg accgttaagc aggtgtcct 2220
ttataatgca ttgtcagcca tgctggcgta tcttggaatg gcaacaggaa ttttcattgg 2280
tcattatgct gaaaatgttt ctatgtggat atttgcactt actgctggct tattcatgta 2340
tggtgctctg gttgatattg tacctgaaat gctgcacaat gatgctagt accatggatg 2400
tagccgctgg ggggtatttct ttttacagaa tgctgggatg cttttgggtt ttggaattat 2460
gttacttatt ccatatttga acataaaatc gtgttcgtat aaatttctag ttaaggttta 2520
aatgctagag tagcttaaaa agttgtcata gtttcagtag gtcataggga gatgagtttg 2580
tatgctgtac tatgcagcgt ttaaagttag tgggttttgt gatttttgta ttgaatattg 2640
ctgtctgtta caaagtcagt taaaggtacg ttttaatat taagtatttc tatcttggag 2700
ataaaatctg tatgtgcaat tcaccggtat taccagttta ttatgtaaac aagagatttg 2760
gcatgacatg ttctgtatgt ttcagggaaa aatgtcttta atgctttttc aagaactaac 2820
acagtatttc ctatactgga ttttaggtct ctgaagaact gctggtggtt aggaataaga 2880
atgtgcatga agcctaaaat accaagaaag cttatactga atttaagcaa agaaataaag 2940
gagaaaaagag aagaatctga gaattgggga ggcatagatt cttataaaaa tcacaaaatt 3000
tggtgtaaat tagaggggag aaatttagaa ttaagtataa aaaggcagaa ttagtataga 3060
gtacattcat taaacatttt tgtcaggatt atttcccgt aaaaacgtag gagcactctc 3120
atatactaat tagtgtacat ttaactttgt ataatacaga aatctaaata tatttaatga 3180
attcaagcaa tatacacttg accaagaaat tggaatttca aaatgttcgt gcgggttata 3240
taccagatga gtacagtga tagtttatgt atcaccagac tgggttattg ccaagttata 3300
tatcaccaaa agctgtatga ctggatgttc tggttacctg gtttacaaaa ttatcagagt 3360
agtaaaactt tgatatatat gaggatatta aaactacact aagtatcatt tgattcgatt 3420
cagaaagtac tttgatatact ctcaagtgtt cagtgtatc attgtgagca attgtcttta 3480
tatacggtag cttagccata ctaggcctgt ctgtggcatt ctctagatgt ttctttttta 3540
cacaataaat tccttatatc agcttgaaaa aaaaaaaaaa aaaaaa 3586

```

<210> 52

<211> 752

<212> PRT

<213> Homo sapiens

<400> 52

```

Met Ala Arg Lys Leu Ser Val Ile Leu Ile Leu Thr Phe Ala Leu Ser
 1           5           10           15
Val Thr Asn Pro Leu His Glu Leu Lys Ala Ala Ala Phe Pro Gln Thr
          20           25           30
Thr Glu Lys Ile Ser Pro Asn Trp Glu Ser Gly Ile Asn Val Asp Leu
          35           40           45
Ala Ile Ser Thr Arg Gln Tyr His Leu Gln Gln Leu Phe Tyr Arg Tyr
          50           55           60
Gly Glu Asn Asn Ser Leu Ser Val Glu Gly Phe Arg Lys Leu Leu Gln
65           70           75           80
Asn Ile Gly Ile Asp Lys Ile Lys Arg Ile His Ile His His Asp His
          85           90           95
Asp His His Ser Asp His Glu His His Ser Asp His Glu Arg His Ser
          100          105          110
Asp His Glu His His Ser Asp His Glu His His Ser Asp His Asp His
          115          120          125
His Ser Ser Gly Lys Asn Lys Arg Lys Ala Leu Cys Pro Asp His Asp
          130          135          140
Ser Asp Ser Ser Gly Lys Asp Pro Arg Asn Ser Gln Gly Lys Gly Ala
145          150          155          160
His Arg Pro Glu His Ala Ser Gly Arg Arg Asn Val Lys Asp Ser Val
          165          170          175
Ser Ala Ser Glu Val Thr Ser Thr Val Tyr Asn Thr Val Ser Glu Gly

```

			180					185					190			
Thr	His	Phe	Leu	Glu	Thr	Ile	Glu	Thr	Pro	Arg	Pro	Gly	Lys	Leu	Phe	
		195					200					205				
Pro	Lys	Asp	Val	Ser	Ser	Ser	Thr	Pro	Pro	Ser	Val	Thr	Ser	Lys	Ser	
	210					215					220					
Arg	Val	Ser	Arg	Leu	Ala	Gly	Arg	Lys	Thr	Asn	Glu	Ser	Val	Ser	Glu	
225					230					235					240	
Pro	Arg	Lys	Gly	Phe	Met	Tyr	Ser	Arg	Asn	Thr	Asn	Glu	Asn	Pro	Gln	
				245					250					255		
Glu	Cys	Phe	Asn	Ala	Ser	Lys	Leu	Leu	Thr	Ser	His	Gly	Met	Gly	Ile	
			260					265					270			
Gln	Val	Pro	Leu	Asn	Ala	Thr	Glu	Phe	Asn	Tyr	Leu	Cys	Pro	Ala	Ile	
		275					280					285				
Ile	Asn	Gln	Ile	Asp	Ala	Arg	Ser	Cys	Leu	Ile	His	Thr	Ser	Glu	Lys	
	290					295					300					
Lys	Ala	Glu	Ile	Pro	Pro	Lys	Thr	Tyr	Ser	Leu	Gln	Ile	Ala	Trp	Val	
305					310					315					320	
Gly	Gly	Phe	Ile	Ala	Ile	Ser	Ile	Ile	Ser	Phe	Leu	Ser	Leu	Leu	Gly	
				325					330					335		
Val	Ile	Leu	Val	Pro	Leu	Met	Asn	Arg	Val	Phe	Phe	Lys	Phe	Leu	Leu	
			340					345					350			
Ser	Phe	Leu	Val	Ala	Leu	Ala	Val	Gly	Thr	Leu	Ser	Gly	Asp	Ala	Phe	
		355					360					365				
Leu	His	Leu	Leu	Pro	His	Ser	His	Ala	Ser	His	His	His	Ser	His	Ser	
	370					375					380					
His	Glu	Glu	Pro	Ala	Met	Glu	Met	Lys	Arg	Gly	Pro	Leu	Phe	Ser	His	
385					390					395					400	
Leu	Ser	Ser	Gln	Asn	Ile	Glu	Glu	Ser	Ala	Tyr	Phe	Asp	Ser	Thr	Trp	
				405					410					415		
Lys	Gly	Leu	Thr	Ala	Leu	Gly	Gly	Leu	Tyr	Phe	Met	Phe	Leu	Val	Glu	
			420					425					430			
His	Val	Leu	Thr	Leu	Ile	Lys	Gln	Phe	Lys	Asp	Lys	Lys	Lys	Lys	Asn	
	435						440					445				
Gln	Lys	Lys	Pro	Glu	Asn	Asp	Asp	Asp	Val	Glu	Ile	Lys	Lys	Gln	Leu	
	450					455					460					
Ser	Lys	Tyr	Glu	Ser	Gln	Leu	Ser	Thr	Asn	Glu	Glu	Lys	Val	Asp	Thr	
465					470					475					480	
Asp	Asp	Arg	Thr	Glu	Gly	Tyr	Leu	Arg	Ala	Asp	Ser	Gln	Glu	Pro	Ser	
				485					490					495		
His	Phe	Asp	Ser	Gln	Gln	Pro	Ala	Val	Leu	Glu	Glu	Glu	Glu	Val	Met	
			500					505					510			
Ile	Ala	His	Ala	His	Pro	Gln	Glu	Val	Tyr	Asn	Glu	Tyr	Val	Pro	Arg	
	515						520					525				
Gly	Cys	Lys	Asn	Lys	Cys	His	Ser	His	Phe	His	Asp	Thr	Leu	Gly	Gln	
	530					535										

Leu	Ser	Ala	Met	Leu	Ala	Tyr	Leu	Gly	Met	Ala	Thr	Gly	Ile	Phe	Ile
		660						665					670		
Gly	His	Tyr	Ala	Glu	Asn	Val	Ser	Met	Trp	Ile	Phe	Ala	Leu	Thr	Ala
	675						680				685				
Gly	Leu	Phe	Met	Tyr	Val	Ala	Leu	Val	Asp	Met	Val	Pro	Glu	Met	Leu
	690					695					700				
His	Asn	Asp	Ala	Ser	Asp	His	Gly	Cys	Ser	Arg	Trp	Gly	Tyr	Phe	Phe
705					710					715					720
Leu	Gln	Asn	Ala	Gly	Met	Leu	Leu	Gly	Phe	Gly	Ile	Met	Leu	Leu	Ile
			725					730					735		
Pro	Tyr	Leu	Asn	Ile	Lys	Ser	Cys	Ser	Tyr	Lys	Phe	Leu	Val	Lys	Val
		740					745						750		

<210> 53

<211> 9646

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 9026, 9030

<223> n = A,T,C or G

<400> 53

```

atgcccaagc ggcgcgactg gggggccctc tccgtggtgc tgatcctgct ttggggccat 60
ccgcgagtgg cgctggcctg cccgcatact tgtgcctgct acgtccccag cgaggtccac 120
tgcaagttcc gatccctggc ttccgtgccc gctggcattg ctagacacgt ggaaagaatc 180
aatttggggt ttaatagcat acaggccctg tcagaaacct catttgacag actgaccaag 240
ttggagctac ttatgattca cggcaatgag atcccaagca tccccgatgg agctttaaga 300
gacctcagct ctcttcaggt tttcaagttc agctacaaca agctgagagt gatcacagga 360
cagaccctcc agggctctct taacttaatg aggctgcaca ttgaccacaa caagatcgag 420
tttatccacc ctcaagcttt caacggctta acgtctctga ggctactcca tttggaagga 480
aatctcctcc accagctgca cccagcacc ttctccacgt tcacattttt ggattatttc 540
agactctcca ccataaggca cctctactta gcagagaaca tggtagaac tcttctgcc 600
agcatgcttc ggaacatgcc gcttctggag aatctttact tgcagggaaa tccgtggacc 660
tgcgattgtg agatgagatg gtttttggaa tgggatgcaa aatccagagg aattctgaag 720
tgtaaaaagg acaaagctta tgaaggcggt cagttgtgtg caatgtgctt cagtccaaag 780
aagttgtaca aacatgagat acacaagctg aaggacatga cttgtctgaa gccttcaata 840
gagtcccctc tgagacagaa caggagcagg agtattgagg aggagcaaga acaggaagag 900
gatggtggca gccagctcat cctggagaaa ttccaactgc cccagtggag catctctttg 960
aatatgaccg acgagcacgg gaacatggtg aacttggtct gtgacatcaa gaaaccaatg 1020
gatgtgtaca agattcactt gaaccaaacg gatcctccag atattgacat aaatgcaaca 1080
gttgcccttg actttgagtg tccaatgacc cgagaaaact atgaaaagct atggaaattg 1140
atagcatact acagtgaagt tcccgtagag ctacacagag agctcatgct cagcaaagac 1200
cccagagtca gctaccagta caggcaggat gctgatgagg aagctcttta ctacacagg 1260
gtgagagccc agattcttg agaacagaa tgggtcatgc agccatccat agatatccag 1320
ctgaaccgac gtcagagtac ggccaagaag tggtacttt cctactacac ccagtattct 1380
caaacaatat ccaccaaaga tacaaggcag gctcggggca gaagctgggt aatgattgag 1440
cctagtggag ctgtgcaaag agatcagact gtccctggaag ggggtccatg ccagttgagc 1500
tgcaacgtga aagcttctga gagtccatct atcttctggg tgcttccaga tggctccatc 1560
ctgaaagcgc ccatggatga cccagacagc aagttctcca ttctcagcag tggctggctg 1620
aggatcaagt ccatggagcc atctgactca ggcttgtagc agtgcattgc tcaagtgagg 1680
gatgaaatgg accgcatggt atatagggta cttgtgcagt ctccctccac tcagccagcc 1740
gagaaagaca cagtgacaat tggcaagaac ccaggggagt cggtgacatt gccttgcaat 1800
gctttagcaa taccgaagc ccaccttagc tggattcttc caaacagaag gataattaat 1860
gatttggtca acacatcaca tgtatacatg ttgccaaatg gaactctttc catcccaaag 1920
gtccaagtca gtgatagtgg ttactacaga tgtgtggctg tcaaccagca aggggcagac 1980
cattttacgg tgggaatcac agtgaccaag aaagggtctg gcttgccatc caaaaggagg 2040

```

agacgcccag	gtgcaaaggc	tctttccaga	gtcagagaag	acatcgtgga	ggatgaaggg	2100
ggctcgggca	tgggagatga	agagaacact	tcaaggagac	ttctgcatcc	aaaggaccaa	2160
gaggtgttcc	tcaaaacaaa	ggatgatgcc	atcaatggag	acaagaaagc	caagaaaggg	2220
agaagaaagc	tgaactctg	gaagcattcg	gaaaaagaac	cagagaccaa	tgttgacagaa	2280
ggtcgacag	tgtttgaatc	tagacgaagg	ataaacatgg	caaacaaaca	gattaatccg	2340
gagcgctggg	ctgatatttt	agccaaagtc	cgtgggaaaa	atctccctaa	gggcacagaa	2400
gtacccccgt	tgattaaaac	cacaagtcct	ccatccttga	gcctagaagt	cacaccacct	2460
tttctgctg	tttctccccc	ctcagcatct	cctgtgcaga	cagtaaccag	tgctgaagaa	2520
tcctcagcag	atgtacctct	acttgggtga	gaagagcacg	ttttgggtac	catttcctca	2580
gccagcatgg	ggctagaaca	caaccacaat	ggagttattc	ttgttgaacc	tgaagtaaca	2640
agcacacctc	tggaggaagt	tggtgatgac	ctttctgaga	agactgagga	gataacttcc	2700
actgaaggag	acctgaaggg	gacagcagcc	cctacactta	tatctgagcc	ttatgaacca	2760
tctcctactc	tgcacacatt	agacacagtc	tatgaaaagc	ccacccatga	agagacggca	2820
acagagggtt	ggtctgcagc	agatgttga	tcgtcaccag	agcccacatc	cagtgaagtat	2880
gagcctccat	tggatgctgt	ctccttggct	gagtctgagc	ccatgcaata	ctttgaccca	2940
gatttgagga	ctaagtcaca	accagatgag	gataagatga	aagaagacac	ctttgcacac	3000
cttactccaa	ccccaccat	ctgggttaat	gactccagta	catcacagtt	atttgaggat	3060
tctactatag	gggaaccagg	tgtcccaggc	caatcacatc	tacaaggact	gacagacaac	3120
atccaccttg	tgaaaagtag	tctaagcact	caagacacct	tactgattaa	aaagggtatg	3180
aaagagatgt	ctcagacact	acagggagga	aatatgctag	agggagaccc	cacacactcc	3240
agaagttctg	agagtgaggg	ccaagagagc	aaatccatca	ctttgcctga	ctccacactg	3300
ggtataatga	gcagtatgtc	tccagttaag	aagcctgcgg	aaaccacagt	tggtaccctc	3360
ctagacaaa	acaccacaac	agtaacaaca	acaccaaggc	aaaaagtgtc	tccgtcatcc	3420
accatgagca	ctcacccttc	tcgaaggaga	cccaacggga	gaaggagatt	acgccccaac	3480
aaattccgcc	accggcacaa	gcaaacccca	cccacaactt	ttgccccatc	agagactttt	3540
tctactcaac	caactcaagc	acctgacatt	aagatttcaa	gtcaagtgga	gagttctctg	3600
gttctacag	cttggttgga	taacacagtt	aataccccca	aacagttgga	aatggagaag	3660
aatgcagaac	ccactccaa	gggaacacca	cggagaaaaa	acgggaagag	gccaacaaa	3720
catcgatata	cccttctac	agtgaagctc	agagcgtccg	gatccaagcc	cagcccttct	3780
ccagaaaata	aacatagaaa	cattgttact	cccagttcag	aaactatact	tttgccctaga	3840
actgtttctc	tgaaaactga	gggcccttat	gattccttag	attacatgac	aaccaccaga	3900
aaaatatatt	catcttacc	taaagtccaa	gagacacttc	cagtcacata	taaaccaca	3960
tcagatggaa	aagaaattaa	ggatgatgtt	gccacaaatg	ttgacaaaca	taaaagtga	4020
attttagtca	ctggtgaatc	aattactaat	gccataccaa	cttctcgctc	cttgggtctcc	4080
actatgggag	aatttaagga	agaatcctct	cctgtaggct	ttccagggaac	tccaacctgg	4140
aatccctcaa	ggacggccca	gcctgggagg	ctacagacag	acatacctgt	taccacttct	4200
ggggaaaatc	ttacagaccc	tccccttctt	aaagagcttg	aggatgtgga	tttacttctc	4260
gagtttttgt	cctctttgac	agtcctcacc	ccattctcacc	aggaagaagc	tggttcttcc	4320
acaactctct	caagcataaa	agtggaggtg	gcttcaagtc	aggcagaaac	caccacctt	4380
gatcaagatc	atcttgaaac	cactgtggct	attctccttt	ctgaaactag	accacagaat	4440
cacaccctta	ctgctgcccg	gatgaaggag	ccagcatcct	cgtccccatc	cacaattctc	4500
atgtctttgg	gacaaaccac	caccactaag	ccagcacttc	ccagtccaag	aatatctcaa	4560
gcactatag	attccaagga	aaatgttttc	ttgaattatg	tggggaatcc	agaaacagaa	4620
gcaaccccag	tcaacaatga	aggaacacag	catatgtcag	ggccaaatga	attatcaaca	4680
ccctcttccg	accgggatgc	atttaacttg	tctacaaaagc	tgggaattgga	aaagcaagta	4740
tttggtagta	ggagtctacc	acgtggccca	gatagccaac	gccaggatgg	aagagttcat	4800
gcttctcatc	aactaaccag	agtcctgcc	aaacccatcc	taccaacagc	aacagtgagg	4860
ctacctgaaa	tgtccacaca	aagcgcttcc	agatactttg	taacttccca	gtcacctcgt	4920
cactggacca	acaaaccgga	aataactaca	tatccttctg	gggctttgcc	agagaacaaa	4980
cagttttacaa	ctccaagatt	atcaagtaca	acaattcctc	tcccattgca	catgtccaaa	5040
cccagcattc	ctagtaagtt	tactgaccga	agaactgacc	aattcaatgg	ttactccaaa	5100
gtgtttggaa	ataacaacat	ccctgaggca	agaaacccag	ttggaaagcc	tcccagtcca	5160
agaattcctc	attattccaa	tggaagactc	cctttcttta	ccaacaagac	tctttctttt	5220
ccacagttgg	gagtcacccg	gagaccccag	ataccactt	ctcctgcccc	agtaatgaga	5280
gagagaaaag	ttattccagg	ttcctacaac	aggatacatt	cccatagcac	cttccatctg	5340
gactttggcc	ctccggcacc	tccgttgttg	cacactccgc	agaccacggg	atcacccctca	5400
actaacttac	agaatatccc	tatggtctct	tccaccacaga	gttctatctc	ctttataaca	5460
tcttctgtcc	agtcctcagg	aagcttccac	cagagcagct	caaagttctt	tgcaggagga	5520
cctcctgcat	ccaaattctg	gtctcttggg	gaaaagcccc	aatcctcac	caagtcccca	5580

cagactgtgt	ccgtcaccgc	tgagacagac	actgtgttcc	cctgtgaggc	aacaggaaaa	5640
ccaaagcctt	tcgttacttg	gacaaagggt	tccacaggag	ctcttatgac	tccgaatacc	5700
aggatacaac	ggtttgaggt	tctcaagaac	ggtaccttag	tgatacggaa	ggttcaagta	5760
caagatcgag	gccagtatat	gtgcaccgcc	agcaacctgc	acggcctgga	caggatggtg	5820
gtcttgcttt	cggtcaccgt	gcagcaacct	caaactcctag	cctcccacta	ccaggacgtc	5880
actgtctacc	tgggagacac	cattgcaatg	gagtgtctgg	ccaaagggac	cccagccccc	5940
caaatttcct	ggatcttccc	tgacaggagg	gtgtggcaaa	ctgtgtcccc	cgtggagagc	6000
cgcatacccc	tgacagaaaa	ccggaccctt	tccatcaagg	aggcgtcctt	ctcagacaga	6060
ggcgtctata	agtgcgtggc	cagcaatgca	gccggggcgg	acagcctggc	catccgcctg	6120
cacgtggcgg	cactgcccc	cgttatccac	caggagaagc	tggagaacat	ctcgctgccc	6180
ccggggctca	gcattcacat	tactgcact	gccaaaggctg	cggccctgcc	cagcgtgcgc	6240
tgggtgctcg	gggacggtag	ccagatccgc	ccctcgcagt	tcctccacgg	gaacttggtt	6300
gttttcccca	acgggacgct	ctacatccgc	aacctcgcg	ccaaggacag	cgggcgctat	6360
gagtgcgtgg	ccgccaacct	ggtaggctcc	gcgcgcagga	cgggtgcagct	gaacgtgcag	6420
cgtgcagcag	ccaacgcgcg	catcacgggc	acctccccgc	ggaggacgga	cgtcaggtag	6480
ggaggaaccc	tcaagctgga	ctgcagcgcc	tcggggggacc	cctggccgcg	catcctctgg	6540
aggctgccgt	ccaagaggat	gatcgacgct	ctcttcagtt	ttgatagcag	aatcaagggtg	6600
tttgccaatg	ggaccctggg	ggtgaaatca	gtgacggaca	aagatgccgg	agattacctg	6660
tgcgtagctc	gaaataaggt	tggtgatgac	tacgtggtgc	tcaaagtgga	tgtggtgatg	6720
aaaccggcca	agattgaaca	caaggaggag	aacgaccaca	aagtcttcta	cgggggtgac	6780
ctgaaagtgg	actgtgtggc	caccgggctt	cccaatcccg	agatctcctg	gagcctccca	6840
gacgggagtc	tggtgaactc	cttcatgcag	tcggatgaca	gcggtggacg	caccaagcgc	6900
tatgtcgtct	tcaacaatgg	gacactctac	tttaacgaag	tggggatgag	ggaggaagga	6960
gactacacct	gctttgctga	aaatcaggtc	gggaaggacg	agatgagagt	cagagtcaag	7020
gtggtgacag	cgcccgccac	catccggaac	aagacttact	tggcggttca	ggtgccctat	7080
ggagacgtgg	tcactgtagc	ctgtgaggcc	aaaggagaac	ccatgcccaa	ggtgacttgg	7140
ttgtccccaa	ccaacaaggt	gatccccacc	tcctctgaga	agtatcagat	ataccaaagt	7200
ggcactctcc	ttattcagaa	agcccagcgt	tctgacagcg	gcaactacac	ctgcttggtc	7260
aggaacagcg	cgggagagga	taggaagacg	gtgtggattc	acgtcaacgt	ccagccaccc	7320
aagatcaacg	gtaaccccaa	ccccatcacc	accgtgcggg	agatagcagc	cgggggcagt	7380
cggaaactga	ttgactgcaa	agctgaaggc	atccccaccc	cagggtgtgt	atgggctttt	7440
cccgaagggtg	tggttctgcc	agctccatac	tatggaaacc	ggatcactgt	ccatggcaac	7500
ggttccctgg	acatcaggag	tttgaggaag	agcgactccg	tccagctggt	atgcatggca	7560
cgaacagagg	gaggggaggc	gaggttgatc	gtgcagctca	ctgtcctgga	gccccatggg	7620
aaaccatctt	tccacgaccc	gatcagcgag	aagatcacgg	ccatggcggg	ccacaccatc	7680
agcctcaact	gctctgcgcg	ggggaccccg	acaccagcc	tggtgtgggt	ccttcccaat	7740
ggcaccgatac	tgacagtggt	acagcagctg	cagcgcttct	accacaaggc	tgacggcgat	7800
ctacacatta	gcggtctctc	ctcggtggac	gcyggggcct	accgctgcgt	ggcccgcaat	7860
gccgtggcc	acacggagag	gctggtctcc	ctgaagggtg	gactgaagcc	agaagcaaac	7920
aagcagtatc	ataacctggt	cagcatcatc	aatggtgaga	ccctgaagct	cccctgcacc	7980
cctccggggg	ctgggcaggg	acgtttctcc	tggaacgtcc	ccaatggcat	gcactctggg	8040
ggcccccaaa	ccctgggacg	cgtttctctt	ctggacaatg	gcaccctcac	ggttcgtgag	8100
gctcgggtgt	ttgacagggg	tacctatgta	tgacaggatg	agacggagta	cggcccttcg	8160
gtcaccagca	tccccgtgat	tgtgatcgcc	tatectcccc	ggatcaccag	cgaagccacc	8220
ccggtcatct	acaccgggcc	cgggaacacc	gtgaaactga	actgcatggc	tatggggatt	8280
ccaaagcttg	acatcacgtg	ggagttaccg	gataagtgcg	atctgaaggc	aggggttcag	8340
gctcgtctgt	atggaaacag	atttcttcac	ccccagggat	cactgaccat	ccagcatgcc	8400
acacagagag	atgccggctt	ctacaagtgc	atggcaaaaa	acattctcgg	cagtgactcc	8460
aaaacaactt	acatccacgt	cttctgaaat	gtggattcca	gaatgattgc	ttaggaactg	8520
acaacaaagc	ggggtttgta	agggaaagcca	ggttggggaa	taggagctct	ttaaataatgt	8580
gtcacagtgc	atggtggcct	ctggtgggtt	tcaagttgag	gttgatcttg	atctacaatt	8640
gttgggaaaa	ggaagcaatg	cagacacgag	aaggagggtc	cagccttgct	gagacacttt	8700
cttttggtgt	tacatcatgc	caggggcttc	attcagggtg	tctgtgctct	gactgcaatt	8760
tttctttttt	tgcaaatgcc	actcgactgc	cttcataagc	gtccatagga	tatctgagga	8820
acattcatca	aaaataagcc	atagacatga	acaacacctc	actaccccat	tgaagacgca	8880
tcacctagtt	aacctgctgc	agtttttaca	tgatagactt	tgttccagat	tgacaagtca	8940
tctttcagtt	atttctctg	tcacttcaaa	actccagctt	gccaataaag	gatttagaac	9000
cagagtgact	gatatatata	tatatntttn	aattcagagt	tacatacata	cagctaccat	9060
tttatatgaa	aaaagaaaaa	catttcttcc	tggaactcac	tttttatata	atgttttata	9120


```

tatatat ttt tkcctttcaa atcagacgat gagactagaa ggagaaatac tttctgtctt 9180
attaaata ataaattatt ggtctttaca agacttggat acattacagc agacatggaa 9240
aatataattt taaaaaattt ctctccaacc tccttcaaat tcagtcacca ctgttatatt 9300
accttctcca ggaaccctcc agtggggaag gctgcgatat tagatttcct tgtatgcaaa 9360
gtttttgttg aaagctgtgc tcagaggagg tgagaggaga ggaaggagaa aactgcatca 9420
taactttaca gaattgaatc tagagtcttc cccgaaaagc ccagaaactt ctctgcagta 9480
tctggcttgt ccatctggtc taagggtggt gcttcttccc cagccatgag tcagtttgtg 9540
cccatgaata atacacgacc tgttatttcc atgactgctt tactgtattt ttaagggtcaa 9600
tatactgtac atttgataat aaaataatat tctcccaaaa aaaaaa 9646

```

<210> 54

<211> 2828

<212> PRT

<213> Homo sapiens

<400> 54

```

Met Pro Lys Arg Ala His Trp Gly Ala Leu Ser Val Val Leu Ile Leu
 1           5           10           15
Leu Trp Gly His Pro Arg Val Ala Leu Ala Cys Pro His Pro Cys Ala
      20           25           30
Cys Tyr Val Pro Ser Glu Val His Cys Thr Phe Arg Ser Leu Ala Ser
      35           40           45
Val Pro Ala Gly Ile Ala Arg His Val Glu Arg Ile Asn Leu Gly Phe
      50           55           60
Asn Ser Ile Gln Ala Leu Ser Glu Thr Ser Phe Ala Gly Leu Thr Lys
      65           70           75           80
Leu Glu Leu Leu Met Ile His Gly Asn Glu Ile Pro Ser Ile Pro Asp
      85           90           95
Gly Ala Leu Arg Asp Leu Ser Ser Leu Gln Val Phe Lys Phe Ser Tyr
      100          105          110
Asn Lys Leu Arg Val Ile Thr Gly Gln Thr Leu Gln Gly Leu Ser Asn
      115          120          125
Leu Met Arg Leu His Ile Asp His Asn Lys Ile Glu Phe Ile His Pro
      130          135          140
Gln Ala Phe Asn Gly Leu Thr Ser Leu Arg Leu Leu His Leu Glu Gly
      145          150          155          160
Asn Leu Leu His Gln Leu His Pro Ser Thr Phe Ser Thr Phe Thr Phe
      165          170          175
Leu Asp Tyr Phe Arg Leu Ser Thr Ile Arg His Leu Tyr Leu Ala Glu
      180          185          190
Asn Met Val Arg Thr Leu Pro Ala Ser Met Leu Arg Asn Met Pro Leu
      195          200          205
Leu Glu Asn Leu Tyr Leu Gln Gly Asn Pro Trp Thr Cys Asp Cys Glu
      210          215          220
Met Arg Trp Phe Leu Glu Trp Asp Ala Lys Ser Arg Gly Ile Leu Lys
      225          230          235          240
Cys Lys Lys Asp Lys Ala Tyr Glu Gly Gly Gln Leu Cys Ala Met Cys
      245          250          255
Phe Ser Pro Lys Lys Leu Tyr Lys His Glu Ile His Lys Leu Lys Asp
      260          265          270
Met Thr Cys Leu Lys Pro Ser Ile Glu Ser Pro Leu Arg Gln Asn Arg
      275          280          285
Ser Arg Ser Ile Glu Glu Glu Gln Glu Glu Glu Asp Gly Gly Ser
      290          295          300
Gln Leu Ile Leu Glu Lys Phe Gln Leu Pro Gln Trp Ser Ile Ser Leu
      305          310          315          320
Asn Met Thr Asp Glu His Gly Asn Met Val Asn Leu Val Cys Asp Ile
      325          330          335
Lys Lys Pro Met Asp Val Tyr Lys Ile His Leu Asn Gln Thr Asp Pro

```

[illegible]

Val Thr Pro Pro Phe Pro Ala Val Ser Pro Pro Ser Ala Ser Pro Val
 820 825 830
 Gln Thr Val Thr Ser Ala Glu Glu Ser Ser Ala Asp Val Pro Leu Leu
 835 840 845
 Gly Glu Glu Glu His Val Leu Gly Thr Ile Ser Ser Ala Ser Met Gly
 850 855 860
 Leu Glu His Asn His Asn Gly Val Ile Leu Val Glu Pro Glu Val Thr
 865 870 875 880
 Ser Thr Pro Leu Glu Glu Val Val Asp Asp Leu Ser Glu Lys Thr Glu
 885 890 895
 Glu Ile Thr Ser Thr Glu Gly Asp Leu Lys Gly Thr Ala Ala Pro Thr
 900 905 910
 Leu Ile Ser Glu Pro Tyr Glu Pro Ser Pro Thr Leu His Thr Leu Asp
 915 920 925
 Thr Val Tyr Glu Lys Pro Thr His Glu Glu Thr Ala Thr Glu Gly Trp
 930 935 940
 Ser Ala Ala Asp Val Gly Ser Ser Pro Glu Pro Thr Ser Ser Glu Tyr
 945 950 955 960
 Glu Pro Pro Leu Asp Ala Val Ser Leu Ala Glu Ser Glu Pro Met Gln
 965 970 975
 Tyr Phe Asp Pro Asp Leu Glu Thr Lys Ser Gln Pro Asp Glu Asp Lys
 980 985 990
 Met Lys Glu Asp Thr Phe Ala His Leu Thr Pro Thr Pro Thr Ile Trp
 995 1000 1005
 Val Asn Asp Ser Ser Thr Ser Gln Leu Phe Glu Asp Ser Thr Ile Gly
 1010 1015 1020
 Glu Pro Gly Val Pro Gly Gln Ser His Leu Gln Gly Leu Thr Asp Asn
 1025 1030 1035 1040
 Ile His Leu Val Lys Ser Ser Leu Ser Thr Gln Asp Thr Leu Leu Ile
 1045 1050 1055
 Lys Lys Gly Met Lys Glu Met Ser Gln Thr Leu Gln Gly Gly Asn Met
 1060 1065 1070
 Leu Glu Gly Asp Pro Thr His Ser Arg Ser Ser Glu Ser Glu Gly Gln
 1075 1080 1085
 Glu Ser Lys Ser Ile Thr Leu Pro Asp Ser Thr Leu Gly Ile Met Ser
 1090 1095 1100
 Ser Met Ser Pro Val Lys Lys Pro Ala Glu Thr Thr Val Gly Thr Leu
 1105 1110 1115 1120
 Leu Asp Lys Asp Thr Thr Thr Val Thr Thr Thr Pro Arg Gln Lys Val
 1125 1130 1135
 Ala Pro Ser Ser Thr Met Ser Thr His Pro Ser Arg Arg Arg Pro Asn
 1140 1145 1150
 Gly Arg Arg Arg Leu Arg Pro Asn Lys Phe Arg His Arg His Lys Gln
 1155 1160 1165
 Thr Pro Pro Thr Thr Phe Ala Pro Ser Glu Thr Phe Ser Thr Gln Pro
 1170 1175 1180
 Thr Gln Ala Pro Asp Ile Lys Ile Ser Ser Gln Val Glu Ser Ser Leu
 1185 1190 1195 1200
 Val Pro Thr Ala Trp Val Asp Asn Thr Val Asn Thr Pro Lys Gln Leu
 1205 1210 1215
 Glu Met Glu Lys Asn Ala Glu Pro Thr Ser Lys Gly Thr Pro Arg Arg
 1220 1225 1230
 Lys His Gly Lys Arg Pro Asn Lys His Arg Tyr Thr Pro Ser Thr Val
 1235 1240 1245
 Ser Ser Arg Ala Ser Gly Ser Lys Pro Ser Pro Ser Pro Glu Asn Lys
 1250 1255 1260
 His Arg Asn Ile Val Thr Pro Ser Ser Glu Thr Ile Leu Leu Pro Arg
 1265 1270 1275 1280
 Thr Val Ser Leu Lys Thr Glu Gly Pro Tyr Asp Ser Leu Asp Tyr Met

				1285					1290				1295		
Thr	Thr	Thr	Arg	Lys	Ile	Tyr	Ser	Ser	Tyr	Pro	Lys	Val	Gln	Glu	Thr
			1300						1305				1310		
Leu	Pro	Val	Thr	Tyr	Lys	Pro	Thr	Ser	Asp	Gly	Lys	Glu	Ile	Lys	Asp
			1315						1320				1325		
Asp	Val	Ala	Thr	Asn	Val	Asp	Lys	His	Lys	Ser	Asp	Ile	Leu	Val	Thr
			1330						1335				1340		
Gly	Glu	Ser	Ile	Thr	Asn	Ala	Ile	Pro	Thr	Ser	Arg	Ser	Leu	Val	Ser
			1345						1350				1355		1360
Thr	Met	Gly	Glu	Phe	Lys	Glu	Glu	Ser	Ser	Pro	Val	Gly	Phe	Pro	Gly
									1365				1370		1375
Thr	Pro	Thr	Trp	Asn	Pro	Ser	Arg	Thr	Ala	Gln	Pro	Gly	Arg	Leu	Gln
			1380						1385				1390		
Thr	Asp	Ile	Pro	Val	Thr	Thr	Ser	Gly	Glu	Asn	Leu	Thr	Asp	Pro	Pro
			1395						1400				1405		
Leu	Leu	Lys	Glu	Leu	Glu	Asp	Val	Asp	Phe	Thr	Ser	Glu	Phe	Leu	Ser
			1410						1415				1420		
Ser	Leu	Thr	Val	Ser	Thr	Pro	Phe	His	Gln	Glu	Glu	Ala	Gly	Ser	Ser
			1425						1430				1435		1440
Thr	Thr	Leu	Ser	Ser	Ile	Lys	Val	Glu	Val	Ala	Ser	Ser	Gln	Ala	Glu
									1445				1450		1455
Thr	Thr	Thr	Leu	Asp	Gln	Asp	His	Leu	Glu	Thr	Thr	Val	Ala	Ile	Leu
			1460						1465				1470		
Leu	Ser	Glu	Thr	Arg	Pro	Gln	Asn	His	Thr	Pro	Thr	Ala	Ala	Arg	Met
			1475						1480				1485		
Lys	Glu	Pro	Ala	Ser	Ser	Ser	Pro	Ser	Thr	Ile	Leu	Met	Ser	Leu	Gly
			1490						1495				1500		
Gln	Thr	Thr	Thr	Thr	Lys	Pro	Ala	Leu	Pro	Ser	Pro	Arg	Ile	Ser	Gln
			1505						1510				1515		1520
Ala	Ser	Arg	Asp	Ser	Lys	Glu	Asn	Val	Phe	Leu	Asn	Tyr	Val	Gly	Asn
									1525				1530		1535
Pro	Glu	Thr	Glu	Ala	Thr	Pro	Val	Asn	Asn	Glu	Gly	Thr	Gln	His	Met
			1540						1545				1550		
Ser	Gly	Pro	Asn	Glu	Leu	Ser	Thr	Pro	Ser	Ser	Asp	Arg	Asp	Ala	Phe
			1555						1560				1565		
Asn	Leu	Ser	Thr	Lys	Leu	Glu	Leu	Glu	Lys	Gln	Val	Phe	Gly	Ser	Arg
			1570						1575				1580		
Ser	Leu	Pro	Arg	Gly	Pro	Asp	Ser	Gln	Arg	Gln	Asp	Gly	Arg	Val	His
			1585						1590				1595		1600
Ala	Ser	His	Gln	Leu	Thr	Arg	Val	Pro	Ala	Lys	Pro	Ile	Leu	Pro	Thr
									1605				1610		1615
Ala	Thr	Val	Arg	Leu	Pro	Glu	Met	Ser	Thr	Gln	Ser	Ala	Ser	Arg	Tyr
			1620						1625				1630		
Phe	Val	Thr	Ser	Gln	Ser	Pro	Arg	His	Trp	Thr	Asn	Lys	Pro	Glu	Ile
			1635						1640				1645		
Thr	Thr	Tyr	Pro	Ser	Gly	Ala	Leu	Pro	Glu	Asn	Lys	Gln	Phe	Thr	Thr
			1650						1655				1660		
Pro	Arg	Leu	Ser	Ser	Thr	Thr	Ile	Pro	Leu	Pro	Leu	His	Met	Ser	Lys
			1665						1670				1675		1680
Pro	Ser	Ile	Pro	Ser	Lys	Phe	Thr	Asp	Arg	Arg	Thr	Asp	Gln	Phe	Asn
									1685				1690		1695
Gly	Tyr	Ser	Lys	Val	Phe	Gly	Asn	Asn	Asn	Ile	Pro	Glu	Ala	Arg	Asn
			1700						1705				1710		
Pro	Val	Gly	Lys	Pro	Pro	Ser	Pro	Arg	Ile	Pro	His	Tyr	Ser	Asn	Gly
			1715						1720				1725		
Arg	Leu	Pro	Phe	Phe	Thr	Asn	Lys	Thr	Leu	Ser	Phe	Pro	Gln	Leu	Gly
			1730						1735				1740		
Val	Thr	Arg	Arg	Pro	Gln	Ile	Pro	Thr	Ser	Pro	Ala	Pro	Val	Met	Arg
			1745						1750				1755		1760

Glu Arg Lys Val Ile Pro Gly Ser Tyr Asn Arg Ile His Ser His Ser
 1765 1770 1775
 Thr Phe His Leu Asp Phe Gly Pro Pro Ala Pro Pro Leu Leu His Thr
 1780 1785 1790
 Pro Gln Thr Thr Gly Ser Pro Ser Thr Asn Leu Gln Asn Ile Pro Met
 1795 1800 1805
 Val Ser Ser Thr Gln Ser Ser Ile Ser Phe Ile Thr Ser Ser Val Gln
 1810 1815 1820
 Ser Ser Gly Ser Phe His Gln Ser Ser Ser Lys Phe Phe Ala Gly Gly
 1825 1830 1835 1840
 Pro Pro Ala Ser Lys Phe Trp Ser Leu Gly Glu Lys Pro Gln Ile Leu
 1845 1850 1855
 Thr Lys Ser Pro Gln Thr Val Ser Val Thr Ala Glu Thr Asp Thr Val
 1860 1865 1870
 Phe Pro Cys Glu Ala Thr Gly Lys Pro Lys Pro Phe Val Thr Trp Thr
 1875 1880 1885
 Lys Val Ser Thr Gly Ala Leu Met Thr Pro Asn Thr Arg Ile Gln Arg
 1890 1895 1900
 Phe Glu Val Leu Lys Asn Gly Thr Leu Val Ile Arg Lys Val Gln Val
 1905 1910 1915 1920
 Gln Asp Arg Gly Gln Tyr Met Cys Thr Ala Ser Asn Leu His Gly Leu
 1925 1930 1935
 Asp Arg Met Val Val Leu Leu Ser Val Thr Val Gln Gln Pro Gln Ile
 1940 1945 1950
 Leu Ala Ser His Tyr Gln Asp Val Thr Val Tyr Leu Gly Asp Thr Ile
 1955 1960 1965
 Ala Met Glu Cys Leu Ala Lys Gly Thr Pro Ala Pro Gln Ile Ser Trp
 1970 1975 1980
 Ile Phe Pro Asp Arg Arg Val Trp Gln Thr Val Ser Pro Val Glu Ser
 1985 1990 1995 2000
 Arg Ile Thr Leu His Glu Asn Arg Thr Leu Ser Ile Lys Glu Ala Ser
 2005 2010 2015
 Phe Ser Asp Arg Gly Val Tyr Lys Cys Val Ala Ser Asn Ala Ala Gly
 2020 2025 2030
 Ala Asp Ser Leu Ala Ile Arg Leu His Val Ala Ala Leu Pro Pro Val
 2035 2040 2045
 Ile His Gln Glu Lys Leu Glu Asn Ile Ser Leu Pro Pro Gly Leu Ser
 2050 2055 2060
 Ile His Ile His Cys Thr Ala Lys Ala Ala Pro Leu Pro Ser Val Arg
 2065 2070 2075 2080
 Trp Val Leu Gly Asp Gly Thr Gln Ile Arg Pro Ser Gln Phe Leu His
 2085 2090 2095
 Gly Asn Leu Phe Val Phe Pro Asn Gly Thr Leu Tyr Ile Arg Asn Leu
 2100 2105 2110
 Ala Pro Lys Asp Ser Gly Arg Tyr Glu Cys Val Ala Ala Asn Leu Val
 2115 2120 2125
 Gly Ser Ala Arg Arg Thr Val Gln Leu Asn Val Gln Arg Ala Ala Ala
 2130 2135 2140
 Asn Ala Arg Ile Thr Gly Thr Ser Pro Arg Arg Thr Asp Val Arg Tyr
 2145 2150 2155 2160
 Gly Gly Thr Leu Lys Leu Asp Cys Ser Ala Ser Gly Asp Pro Trp Pro
 2165 2170 2175
 Arg Ile Leu Trp Arg Leu Pro Ser Lys Arg Met Ile Asp Ala Leu Phe
 2180 2185 2190
 Ser Phe Asp Ser Arg Ile Lys Val Phe Ala Asn Gly Thr Leu Val Val
 2195 2200 2205
 Lys Ser Val Thr Asp Lys Asp Ala Gly Asp Tyr Leu Cys Val Ala Arg
 2210 2215 2220
 Asn Lys Val Gly Asp Asp Tyr Val Val Leu Lys Val Asp Val Val Met

2225	2230	2235	2240
Lys Pro Ala Lys	Ile Glu His Lys Glu Glu Asn Asp His Lys Val Phe		
	2245	2250	2255
Tyr Gly Gly Asp	Leu Lys Val Asp Cys Val Ala Thr Gly Leu Pro Asn		
	2260	2265	2270
Pro Glu Ile Ser Trp	Ser Leu Pro Asp Gly Ser Leu Val Asn Ser Phe		
	2275	2280	2285
Met Gln Ser Asp Asp	Ser Gly Gly Arg Thr Lys Arg Tyr Val Val Phe		
	2290	2295	2300
Asn Asn Gly Thr Leu	Tyr Phe Asn Glu Val Gly Met Arg Glu Glu Gly		
2305	2310	2315	2320
Asp Tyr Thr Cys Phe	Ala Glu Asn Gln Val Gly Lys Asp Glu Met Arg		
	2325	2330	2335
Val Arg Val Lys Val	Val Thr Ala Pro Ala Thr Ile Arg Asn Lys Thr		
	2340	2345	2350
Tyr Leu Ala Val Gln	Val Pro Tyr Gly Asp Val Val Thr Val Ala Cys		
	2355	2360	2365
Glu Ala Lys Gly Glu	Pro Met Pro Lys Val Thr Trp Leu Ser Pro Thr		
	2370	2375	2380
Asn Lys Val Ile Pro	Thr Ser Ser Glu Lys Tyr Gln Ile Tyr Gln Asp		
2385	2390	2395	2400
Gly Thr Leu Leu Ile	Gln Lys Ala Gln Arg Ser Asp Ser Gly Asn Tyr		
	2405	2410	2415
Thr Cys Leu Val Arg	Asn Ser Ala Gly Glu Asp Arg Lys Thr Val Trp		
	2420	2425	2430
Ile His Val Asn Val	Gln Pro Pro Lys Ile Asn Gly Asn Pro Asn Pro		
	2435	2440	2445
Ile Thr Thr Val Arg	Glu Ile Ala Ala Gly Gly Ser Arg Lys Leu Ile		
	2450	2455	2460
Asp Cys Lys Ala Glu	Gly Ile Pro Thr Pro Arg Val Leu Trp Ala Phe		
2465	2470	2475	2480
Pro Glu Gly Val Val	Leu Pro Ala Pro Tyr Tyr Gly Asn Arg Ile Thr		
	2485	2490	2495
Val His Gly Asn Gly	Ser Leu Asp Ile Arg Ser Leu Arg Lys Ser Asp		
	2500	2505	2510
Ser Val Gln Leu Val	Cys Met Ala Arg Asn Glu Gly Gly Glu Ala Arg		
	2515	2520	2525
Leu Ile Val Gln Leu	Thr Val Leu Glu Pro Met Glu Lys Pro Ile Phe		
	2530	2535	2540
His Asp Pro Ile Ser	Glu Lys Ile Thr Ala Met Ala Gly His Thr Ile		
2545	2550	2555	2560
Ser Leu Asn Cys Ser	Ala Ala Gly Thr Pro Thr Pro Ser Leu Val Trp		
	2565	2570	2575
Val Leu Pro Asn Gly	Thr Asp Leu Gln Ser Gly Gln Gln Leu Gln Arg		
	2580	2585	2590
Phe Tyr His Lys Ala	Asp Gly Met Leu His Ile Ser Gly Leu Ser Ser		
	2595	2600	2605
Val Asp Ala Gly Ala	Tyr Arg Cys Val Ala Arg Asn Ala Ala Gly His		
	2610	2615	2620
Thr Glu Arg Leu Val	Ser Leu Lys Val Gly Leu Lys Pro Glu Ala Asn		
2625	2630	2635	2640
Lys Gln Tyr His Asn	Leu Val Ser Ile Ile Asn Gly Glu Thr Leu Lys		
	2645	2650	2655
Leu Pro Cys Thr Pro	Pro Gly Ala Gly Gln Gly Arg Phe Ser Trp Thr		
	2660	2665	2670
Leu Pro Asn Gly Met	His Leu Glu Gly Pro Gln Thr Leu Gly Arg Val		
	2675	2680	2685
Ser Leu Leu Asp Asn	Gly Thr Leu Thr Val Arg Glu Ala Ser Val Phe		
	2690	2695	2700

Asp Arg Gly Thr Tyr Val Cys Arg Met Glu Thr Glu Tyr Gly Pro Ser
 2705 2710 2715 2720
 Val Thr Ser Ile Pro Val Ile Val Ile Ala Tyr Pro Pro Arg Ile Thr
 2725 2730 2735
 Ser Glu Pro Thr Pro Val Ile Tyr Thr Arg Pro Gly Asn Thr Val Lys
 2740 2745 2750
 Leu Asn Cys Met Ala Met Gly Ile Pro Lys Ala Asp Ile Thr Trp Glu
 2755 2760 2765
 Leu Pro Asp Lys Ser His Leu Lys Ala Gly Val Gln Ala Arg Leu Tyr
 2770 2775 2780
 Gly Asn Arg Phe Leu His Pro Gln Gly Ser Leu Thr Ile Gln His Ala
 2785 2790 2795 2800
 Thr Gln Arg Asp Ala Gly Phe Tyr Lys Cys Met Ala Lys Asn Ile Leu
 2805 2810 2815
 Gly Ser Asp Ser Lys Thr Thr Tyr Ile His Val Phe
 2820 2825

<210> 55
 <211> 6763
 <212> DNA
 <213> Homo sapiens

<400> 55
 atggtgctga cgccctctga agagcagtcg ggtccttggg aactgtgcc a gcttctctgt 60
 aagcggggca catgcacatc ttgccagggc gtccctgggtc tgcccaccac atccttcgcc 120
 agtgtgattt gggaggcacc aagaggacct tcccctggag aaggtgtgat gcttgtgcc 180
 cacatggcta ctggtgacac caactctgca accaccatga gcttctcaac aagagctgct 240
 acggagagag ctagggtctac cgatccgaca gatgggggtc gaattctggc ttcggcttcc 300
 tgctgtctgg ttttgagatg ttcccttagc ctttctgagc ctcaacttct tggtcagcag 360
 atgggctgtg attgggtgcc ttcaaggatg gctgccaaat tgggtgtccac agttataatg 420
 gaggtctggt ctggggatgg tggggcagct gcctggggta aggtcacggg gatagagatc 480
 aggaccatct ttgtgaagt ggtggtcagc gcagtggggg gtcagatcgg tcagtgggac 540
 aaaccagaca aattgctggc cttcaaggct gtagatggag tgaaacctca cattctgctg 600
 ggaaaaaagg aagtgcccaa caagcccttg cgtgtgctgt tccggtcctc agatgacagg 660
 ctgtccgttg cgtggaaggc accacgcctg tctggagcca agagtccacg cagatcacgg 720
 ggttttctcc tgggtacgg ggagagtggc cggaagatga attatgttcc actgacaaga 780
 gatgaacgga cacacgaaat taaaaagcta agcacttgc ttggacggaa gcccggcgag 840
 cccacactcc taggcgctct gagagctcct aactctgagg aaggcacagc catgcatttc 900
 ggagcctgga taagcagctc tgtgtctctc agtacctccg aggccagccc cctgggtcca 960
 gttcttgggc tcgcccttca tagtctcaa gaagtgggaa tacccccaga aagaggaaac 1020
 ggaaaaaggg gaaggggagg aggaatgcag aacccccgct ccagccccag gggatgtgtg 1080
 ttcttgagaa atggaagtca gaatctcatc cctcactccc tgggtccacag cctcggaatc 1140
 cgtgtatgtg gtctccctgc agtccatgaa ctctcagggc cggagccaac cagtctacag 1200
 ggctgcccta acaaagcgaa agatttcaga cagtacaccg tgcgctatcg agagaagggg 1260
 gaattggcca ggtgggatta taagcagatc gctaacaggc gtgtgtgat tgagaacctg 1320
 attccagaca ctgtgtatga atttgcagtc cgtatttcac agggtgaaag agatggcaaa 1380
 tggagtacgt cagctctcca aagaacacca gaatctgccc ctaccacagc tcctgaaaac 1440
 ttgaacgtct ggccagtcaa tggcaaacct acagtgtgct ctgcatcttg ggatgcgcta 1500
 ccagagactg aggggaaagt gaaagaatac attctttcat acgccccggc tctcaaacca 1560
 tttggagcaa agtccctcac ctatcctgga gacactactt ctgccctggg ggatgggtctg 1620
 cagcctgggg aacgctatct tttcaaaatc cgggccacaa acaggagagg cctgggacct 1680
 cactccaaag ccttcattgt cgctatgcca acaagcaatt ctttaaaatc tgttgacagc 1740
 agtaaggcgg atgttcagca gaacacggag gacaatggga aaccggaaaa acctgagcct 1800
 tcctcacctt ctcccagagc tccagcttcc tcccaacacc cctctgtgcc tgcttctccc 1860
 caaggagaaa atgccaagga ccttcttctt gacttgaaga acaaaatatt ggctaattgg 1920
 ggggcgcccc gaaaacccca gcttcgcgcc aagaaggcag aggagctgga tcttcagtcg 1980
 acagaaatca ctggggagga ggagctgggt tcccgggagg actcgcccat gtcacctca 2040
 gacacccaag accagaaacg gaccctgagg ccgccaagta gacacggcca ctcggtgggt 2100

gctccccgca	ggactgcagt	gagggccccg	atgccagcgc	tgccccgaag	ggaaggcgta	2160
gataagcctg	gcttttccct	ggccacgcag	ccccgcccag	ggcgcccccc	ctcggcttcg	2220
gcctctcctg	cccaccacgc	gtccaccccag	ggcacctctc	atcgtccttc	cctgcctgcc	2280
agcttgaatg	acaacgactt	ggtggactca	gacgaagatg	agcgcgctgt	gggtccctc	2340
cacccaaggg	gcgccttcgc	ccagccccgg	ccagccctgt	ccccagccg	ccagtccccg	2400
tccagcggtc	tccgcgacag	aagctctgtg	caccccggcg	caaagccagc	ctcgccggcg	2460
cggaggaccc	cccattcagg	ggccgcagag	gaagattcca	gtgcctcagc	cccaccctca	2520
agactttctc	caccccatgg	gggatcatct	cggtgctgc	ccaccagcc	acacctgagc	2580
tctccacttt	ccaagggcgg	gaaggatggt	gaggacgccc	cagccaccaa	ctccaatgcg	2640
ccatcacggt	ccaccatgtc	ctcctcogtc	tcttctcate	tctcgtccag	gacgcaggtc	2700
tctgagggag	cggaggcttc	tgatggtgaa	agccacgggtg	acggcgatag	ggaagacggc	2760
ggaaggcagg	cggaggccac	ggcccagacg	ctgcggggccc	ggcctgcctc	tggacacttc	2820
catttgctca	gacacaaacc	ctttgctgcc	aacgggaggt	ctccaagcag	gttcagcatt	2880
ggcgggggac	ctcggctgca	gccctccagc	tccccacagt	cgactgtgcc	ctcccagagcc	2940
caccccaggg	ttccctctca	ctctgattcc	caccctaagc	ttagctcagg	tatccatgga	3000
gacgaggagg	atgagaagcc	gcttctctgc	acggttgta	atgaccacgt	gccttcctcc	3060
tccaggcagc	ccatctcccg	gggctgggag	gacttaagga	gaagcccgc	gagaggggcc	3120
agcctgcac	ggaaggaacc	catcccagag	aacccccaa	ccacaggggc	agatacacat	3180
cctcagggca	agtaactctc	cctggcctcc	aaggctcagg	atgttcaaca	gagcacagac	3240
gcggacacgg	agggctattc	tcccaaagca	cagccagggg	ccacagaccg	ccacgcgtcc	3300
cctgctcgtc	ctcccgagc	acggtcacag	cagcatccca	gtgttccag	aaggatgaca	3360
cccggccggg	cccagaaca	gcagccccct	cctcccgtcg	ccacgtcca	gcaccacccg	3420
ggaccccaga	gcagagacgc	gggtcgggtca	ccttcccagc	ccaggctctc	actgacccag	3480
gccgggcggc	cccgccccac	gtcgcagggc	cgctcccact	cctcctcgga	cccttacacg	3540
gcgagctcca	gagggatgct	ccccacggcc	ctccagaacc	aggacgagga	tgcccagggc	3600
agctacgacg	acgacagcac	agaagtcgag	gcccaggatg	tgccggcccc	cgcgcacgcc	3660
gcgcgcgcca	aggaggcagc	tgcgtccctt	cccaagcacc	agcaggtgga	gtctcccaca	3720
ggcgaggggg	caggtggcga	ccacaggtcc	cagcgcggac	atgcggcctc	ccccgccagg	3780
cccagccgac	ccggcgcccc	ccagtcccgc	gcccgggtcc	ccagcagggc	agcgcggggg	3840
aagtcggagc	ctccttccaa	gcggcccctg	tcttccaagt	cccagcagtc	ggtctcagcc	3900
gaggacgagg	aggaggagga	cgcggggttt	tttaaaggcg	ggaaagaaga	ccttctgtct	3960
tcctctgtgc	caaagtggcc	ctcttccctc	actcccaggg	gcggcaaaga	cgcgatggg	4020
agcctcgcca	aggaagagag	ggagcctgcc	atcgcgcttg	cccctcgcg	agggagcctg	4080
gctcctgtga	agcgacctct	ccccccacct	ccaggcagct	cccccagggc	ctcccacgtc	4140
ccttcccagc	cgcgcctctg	cagcgtcgcc	accgtgagcc	cgctcgcggg	cacccacccc	4200
tggccgcagt	acaccacgcg	cgccccacct	ggcgacttct	ccaccacccc	gatgctgtcc	4260
ttgcgccaga	ggatgatgca	tgccagattc	cgaataccct	tctcccagca	gcttgccaga	4320
ccctcttaca	gacaaggtta	taatggcaga	ccaaatgtag	aagggaaagt	ccttccctgg	4380
agtaatggaa	aaccgaatgg	acagagaatt	atcaatggcc	ctcaaggaa	aaagtgggtt	4440
gtggaccttg	atcgtgggtt	agtattgaat	gcagaaggaa	ggtacctcca	agattcacat	4500
ggaaatcctc	ttcggattaa	actaggagga	gatggtcgaa	ccattgtaga	tctggaaggg	4560
acccccgtgg	tgagtctctga	cggcctccca	ctctttgggc	aggggcgaca	tggcacacct	4620
ctggccaatg	cccaagataa	gccaattttg	agtcttgag	gaaagccgct	ggtgggcttg	4680
gaggtcatca	aaaaaaccac	ccatccccct	accactacca	tgcagcccac	cactactacg	4740
acgccccctg	ctaccactac	aaccccagg	cccaccactg	ccaccacccg	ccgcacgacc	4800
accaggcgtc	caacaaccac	agtccgaacc	actacgcgga	caaccaccac	caccaccccc	4860
aaaccaccca	ctcccatccc	cacctgtccc	cctgggacct	tggaacggca	cgacgatgat	4920
ggcaacctga	taatgagctc	caatgggatc	ccagagtgtc	acgctgaaga	agatgagttc	4980
tcaggcttgg	agactgacac	tgcagtacct	acggaagagg	cctacgttat	atatgatgaa	5040
gattatgaat	ttgagacgtc	aaggccacca	accaccactg	agccttcgac	cactgctacc	5100
acaccgaggg	tgatcccgaa	ggaaggcgcc	atcagttcct	ttcctgaaga	agaatttgat	5160
ctggctggaa	ggaaacgatt	tggtgctcct	tacgtgacgt	acctaataaa	agacccatca	5220
gccccgtgct	ctctgactga	tgcactggat	cacttccaag	tggacagcct	ggatgaaatc	5280
atccccaatg	acctgaagaa	gagtgatctg	cctccccagc	atgctccccg	caacatcacc	5340
gtggtggccg	tggaaaggtt	ccactcattt	gtcattgtgg	actgggacaa	agccacccca	5400
ggagatgtgg	tcacaggtta	cttggtttac	agtgcacctt	atgaagactt	catcagggaac	5460
aagtgttcca	ctcaagcttc	atcagtaact	cacttgccca	ttgagaacct	aaagcccaac	5520
acgaggtatt	attttaaagt	gcaagcacia	aatcctcatg	gctacggacc	tatcagccct	5580
tcgggtctcat	ttgtcaccga	atcagataat	cctctgcttg	ttgtgaggcc	cccaggcggt	5640


```

gagcctatct ggatcccatt cgctttcaaa catgatccca gctacacgga ctgccatgga 5700
cggcaatatg tgaagcgcac gtggtatcga aagttcgtgg gagttgttct ttgtaattca 5760
ctgaggtata aaatctacct cagtgcacaac ctgaaagata cattctacag cattggagac 5820
agctggggaa gaggtgaaga ccattgccaa tttgtggatt cacaccttga tggagaaca 5880
gggctcagt cctatgtaga agccctccct actattcaag gctactatcg ccagtatcgt 5940
caggagcctg tcaggttttg gaacatcggc ttcggaaccc cctactacta tgtgggctgg 6000
tacgagtgtg ggggtcccat ccctggaaag tggtaatcac aggaccgtca tgctgcaagc 6060
ttgccctgcc cagccccacc aactaagtcg cactaggggc tgtgagcaaa gacagccagc 6120
atgctcagcc ccgctgccct aggtgccagg aaggtcacag atggacactg gccattctgg 6180
tcattctcagt ctggaactca gtcccacttc ttggcctgga caatgaacag gattcagttt 6240
tgctgttaac tttgcttctc tacttttttt tgtttgtttg taatagcaca tcccagagac 6300
atcagaaacc agcaactgat tcagtgatgat ttccagactt tttaggcatg aaattcggac 6360
acttcagtat ttccaggaat agcatatgca cgctgttctt gcttcatgga atgtacatg 6420
ctttctgttt ttctcatttt ggatttctcc aaaactaact gaattttaagc ttcagggtccc 6480
tttgatgca gtagaaagga attattaaaa acaccaccaa agaaaaataaa tatatcctac 6540
ttgaaattta ctctatggac ttaccactg ctagaataaa tgtatcaaat cttattttgta 6600
aattctcaat tttgatatat atatgtatat atgcatatac atatccacac ttgtctgcaa 6660
gaatattgat taaaattgct aaatttgtag ttgttcacca ggaaaaaaaaaa aaaaaaaaaa 6720
aaaagggggc ggccrttccc tttaggaggg ttaattttag cgg 6763

```

<210> 56

<211> 2011

<212> PRT

<213> Homo sapiens

<400> 56

```

Met Val Leu Thr Pro Ser Glu Glu Gln Ser Gly Pro Trp Glu Leu Cys
 1                    5                      10              15
Gln Leu Leu Cys Lys Arg Gly Thr Cys Thr Ser Cys Gln Gly Val Leu
    20                      25              30
Val Leu Pro Thr Thr Ser Phe Ala Ser Val Ile Trp Glu Ala Pro Arg
    35                      40              45
Gly Pro Ser Pro Gly Glu Gly Val Met Leu Val Pro His Met Ala Thr
    50                      55              60
Gly Asp Thr Asn Ser Ala Thr Thr Met Ser Phe Ser Thr Arg Ala Ala
    65                      70              75              80
Thr Glu Arg Ala Arg Ala Thr Asp Pro Thr Asp Gly Val Arg Ile Leu
    85                      90              95
Ala Ser Ala Ser Cys Cys Leu Val Leu Arg Cys Ser Leu Ser Leu Ser
    100                     105              110
Glu Pro His Phe Phe Gly Gln Gln Met Gly Cys Asp Trp Val Pro Ser
    115                     120              125
Arg Met Ala Ala Lys Leu Val Ser Thr Val Ile Met Glu Ala Gly Ala
    130                     135              140
Gly Asp Gly Gly Ala Ala Ala Trp Gly Lys Val Thr Gly Ile Glu Ile
    145                     150              155              160
Arg Thr Ile Phe Val Lys Leu Val Val Ser Ala Val Gly Cys Gln Ile
    165                     170              175
Gly Gln Trp Asp Lys Pro Asp Lys Leu Arg Leu Phe Lys Ala Val Asp
    180                     185              190
Gly Val Lys Pro His Ile Leu Leu Gly Lys Lys Glu Val Pro Asn Lys
    195                     200              205
Pro Leu Arg Val Arg Val Arg Ser Ser Asp Asp Arg Leu Ser Val Ala
    210                     215              220
Trp Lys Ala Pro Arg Leu Ser Gly Ala Lys Ser Pro Arg Arg Ser Arg
    225                     230              235              240
Gly Phe Leu Leu Gly Tyr Gly Glu Ser Gly Arg Lys Met Asn Tyr Val
    245                     250              255
Pro Leu Thr Arg Asp Glu Arg Thr His Glu Ile Lys Lys Leu Glu His

```

[illegible]

Pro Ser Ala Ser Ala Ser Pro Ala His His Ala Ser Thr Gln Gly Thr
 740 745 750
 Ser His Arg Pro Ser Leu Pro Ala Ser Leu Asn Asp Asn Asp Leu Val
 755 760 765
 Asp Ser Asp Glu Asp Glu Arg Ala Val Gly Ser Leu His Pro Lys Gly
 770 775 780
 Ala Phe Ala Gln Pro Arg Pro Ala Leu Ser Pro Ser Arg Gln Ser Pro
 785 790 795 800
 Ser Ser Val Leu Arg Asp Arg Ser Ser Val His Pro Gly Ala Lys Pro
 805 810 815
 Ala Ser Pro Ala Arg Arg Thr Pro His Ser Gly Ala Ala Glu Glu Asp
 820 825 830
 Ser Ser Ala Ser Ala Pro Pro Ser Arg Leu Ser Pro Pro His Gly Gly
 835 840 845
 Ser Ser Arg Leu Leu Pro Thr Gln Pro His Leu Ser Ser Pro Leu Ser
 850 855 860
 Lys Gly Gly Lys Asp Gly Glu Asp Ala Pro Ala Thr Asn Ser Asn Ala
 865 870 875 880
 Pro Ser Arg Ser Thr Met Ser Ser Ser Val Ser Ser His Leu Ser Ser
 885 890 895
 Arg Thr Gln Val Ser Glu Gly Ala Glu Ala Ser Asp Gly Glu Ser His
 900 905 910
 Gly Asp Gly Asp Arg Glu Asp Gly Gly Arg Gln Ala Glu Ala Thr Ala
 915 920 925
 Gln Thr Leu Arg Ala Arg Pro Ala Ser Gly His Phe His Leu Leu Arg
 930 935 940
 His Lys Pro Phe Ala Ala Asn Gly Arg Ser Pro Ser Arg Phe Ser Ile
 945 950 955 960
 Gly Arg Gly Pro Arg Leu Gln Pro Ser Ser Ser Pro Gln Ser Thr Val
 965 970 975
 Pro Ser Arg Ala His Pro Arg Val Pro Ser His Ser Asp Ser His Pro
 980 985 990
 Lys Leu Ser Ser Gly Ile His Gly Asp Glu Glu Asp Glu Lys Pro Leu
 995 1000 1005
 Pro Ala Thr Val Val Asn Asp His Val Pro Ser Ser Ser Arg Gln Pro
 1010 1015 1020
 Ile Ser Arg Gly Trp Glu Asp Leu Arg Arg Ser Pro Gln Arg Gly Ala
 1025 1030 1035 1040
 Ser Leu His Arg Lys Glu Pro Ile Pro Glu Asn Pro Lys Ser Thr Gly
 1045 1050 1055
 Ala Asp Thr His Pro Gln Gly Lys Tyr Ser Ser Leu Ala Ser Lys Ala
 1060 1065 1070
 Gln Asp Val Gln Gln Ser Thr Asp Ala Asp Thr Glu Gly His Ser Pro
 1075 1080 1085
 Lys Ala Gln Pro Gly Ser Thr Asp Arg His Ala Ser Pro Ala Arg Pro
 1090 1095 1100
 Pro Ala Ala Arg Ser Gln Gln His Pro Ser Val Pro Arg Arg Met Thr
 1105 1110 1115 1120
 Pro Gly Arg Ala Pro Glu Gln Gln Pro Pro Pro Pro Val Ala Thr Ser
 1125 1130 1135
 Gln His His Pro Gly Pro Gln Ser Arg Asp Ala Gly Arg Ser Pro Ser
 1140 1145 1150
 Gln Pro Arg Leu Ser Leu Thr Gln Ala Gly Arg Pro Arg Pro Thr Ser
 1155 1160 1165
 Gln Gly Arg Ser His Ser Ser Ser Asp Pro Tyr Thr Ala Ser Ser Arg
 1170 1175 1180
 Gly Met Leu Pro Thr Ala Leu Gln Asn Gln Asp Glu Asp Ala Gln Gly
 1185 1190 1195 1200
 Ser Tyr Asp Asp Asp Ser Thr Glu Val Glu Ala Gln Asp Val Arg Ala

	1205		1210		1215
Pro	Ala	His	Ala	Ala	Arg
	1220		1225		1230
His	Gln	Gln	Val	Glu	Ser
	1235		1240		1245
Arg	Ser	Gln	Arg	Gly	His
	1250		1255		1260
Gly	Gly	Pro	Gln	Ser	Arg
	1265		1270		1275
Lys	Ser	Glu	Pro	Pro	Ser
	1285		1290		1295
Ser	Val	Ser	Ala	Glu	Asp
	1300		1305		1310
Gly	Gly	Lys	Glu	Asp	Leu
	1315		1320		1325
Ser	Ser	Thr	Pro	Arg	Gly
	1330		1335		1340
Glu	Glu	Arg	Glu	Pro	Ala
	1345		1350		1355
Ala	Pro	Val	Lys	Arg	Pro
	1365		1370		1375
Ala	Ser	His	Val	Pro	Ser
	1380		1385		1390
Ser	Pro	Val	Ala	Gly	Thr
	1395		1400		1405
Pro	Pro	Gly	Asp	Phe	Ser
	1410		1415		1420
Met	Met	His	Ala	Arg	Phe
	1425		1430		1435
Pro	Ser	Tyr	Arg	Gln	Gly
	1445		1450		1455
Val	Leu	Pro	Gly	Ser	Asn
	1460		1465		1470
Gly	Pro	Gln	Gly	Thr	Lys
	1475		1480		1485
Leu	Asn	Ala	Glu	Gly	Arg
	1490		1495		1500
Arg	Ile	Lys	Leu	Gly	Gly
	1505		1510		1515
Thr	Pro	Val	Val	Ser	Pro
	1525		1530		1535
His	Gly	Thr	Pro	Leu	Ala
	1540		1545		1550
Gly	Gly	Lys	Pro	Leu	Val
	1555		1560		1565
Pro	Pro	Thr	Thr	Thr	Met
	1570		1575		1580
Thr	Thr	Thr	Thr	Pro	Arg
	1585		1590		1595
Thr	Arg	Arg	Pro	Thr	Thr
	1605		1610		1615
Thr	Thr	Thr	Pro	Lys	Pro
	1620		1625		1630
Thr	Leu	Glu	Arg	His	Asp
	1635		1640		1645
Gly	Ile	Pro	Glu	Cys	Tyr
	1650		1655		1660
Thr	Asp	Thr	Ala	Val	Pro
	1665		1670		1675
					1680

Asp Tyr Glu Phe Glu Thr Ser Arg Pro Pro Thr Thr Thr Glu Pro Ser
 1685 1690 1695
 Thr Thr Ala Thr Thr Pro Arg Val Ile Pro Glu Glu Gly Ala Ile Ser
 1700 1705 1710
 Ser Phe Pro Glu Glu Glu Phe Asp Leu Ala Gly Arg Lys Arg Phe Val
 1715 1720 1725
 Ala Pro Tyr Val Thr Tyr Leu Asn Lys Asp Pro Ser Ala Pro Cys Ser
 1730 1735 1740
 Leu Thr Asp Ala Leu Asp His Phe Gln Val Asp Ser Leu Asp Glu Ile
 1745 1750 1755 1760
 Ile Pro Asn Asp Leu Lys Lys Ser Asp Leu Pro Pro Gln His Ala Pro
 1765 1770 1775
 Arg Asn Ile Thr Val Val Ala Val Glu Gly Cys His Ser Phe Val Ile
 1780 1785 1790
 Val Asp Trp Asp Lys Ala Thr Pro Gly Asp Val Val Thr Gly Tyr Leu
 1795 1800 1805
 Val Tyr Ser Ala Ser Tyr Glu Asp Phe Ile Arg Asn Lys Trp Ser Thr
 1810 1815 1820
 Gln Ala Ser Ser Val Thr His Leu Pro Ile Glu Asn Leu Lys Pro Asn
 1825 1830 1835 1840
 Thr Arg Tyr Tyr Phe Lys Val Gln Ala Gln Asn Pro His Gly Tyr Gly
 1845 1850 1855
 Pro Ile Ser Pro Ser Val Ser Phe Val Thr Glu Ser Asp Asn Pro Leu
 1860 1865 1870
 Leu Val Val Arg Pro Pro Gly Gly Glu Pro Ile Trp Ile Pro Phe Ala
 1875 1880 1885
 Phe Lys His Asp Pro Ser Tyr Thr Asp Cys His Gly Arg Gln Tyr Val
 1890 1895 1900
 Lys Arg Thr Trp Tyr Arg Lys Phe Val Gly Val Val Leu Cys Asn Ser
 1905 1910 1915 1920
 Leu Arg Tyr Lys Ile Tyr Leu Ser Asp Asn Leu Lys Asp Thr Phe Tyr
 1925 1930 1935
 Ser Ile Gly Asp Ser Trp Gly Arg Gly Glu Asp His Cys Gln Phe Val
 1940 1945 1950
 Asp Ser His Leu Asp Gly Arg Thr Gly Pro Gln Ser Tyr Val Glu Ala
 1955 1960 1965
 Leu Pro Thr Ile Gln Gly Tyr Tyr Arg Gln Tyr Arg Gln Glu Pro Val
 1970 1975 1980
 Arg Phe Gly Asn Ile Gly Phe Gly Thr Pro Tyr Tyr Tyr Val Gly Trp
 1985 1990 1995 2000
 Tyr Glu Cys Gly Val Ser Ile Pro Gly Lys Trp
 2005 2010

<210> 57

<211> 1441

<212> DNA

<213> Homo sapiens

<400> 57

gtcgaccac gcgctcgccc ttacatcctc ctaggaccgc gtcggtagtc gtcgccccag 60
 cccgcgggg ggcgagcgcc cgagccgcgg ccctcgagac gggaccgaga gcatcatggg 120
 cagcactgtc ccgcgctccg cctccgtgct gcttctgctg ctgctcctgc gccgggccga 180
 gcagccctgc ggggcccagc tcaccttoga gctgccggac aacgccaagc agtgcttcca 240
 cgaggaggtg gagcagggcg tgaagtctc cctggattac caggatcatca ctggaggcca 300
 ctacgatgtt gactgctatg tagaggaccc ccagggggaac accatctaca gagaaacgaa 360
 gaagcagtag gacagcttca cgtaccgggc tgaagtcaag ggcgtttatc agttttgctt 420
 cagtaatgag ttttcacct tctctcaca gaccgtctac tttgactttc aagtgggcga 480
 tgagcctccc attctccag acatggggaa cagggtcaca gctctcacc agatggagtc 540

```

cgctgcgtg accatccatg aggctctgaa aacggtgatt gactcccaga cgcattaccg 600
gctgcgggag gcccaggacc gggcccagc ggaagacctt aatagccgag tctcttactg 660
gtctgttggc gagacgattg ccctgttcgt ggtcagcttc agtcagggtgc tactgttgaa 720
aagcttcttc acagaaaaac gacccatcag cagggcagtc cactcctagc cccggcatcc 780
tgctctaggg cccctcatgc cccaggctgg agcagctctc ctaggtcaca gcctgctggg 840
ctgggtcgcg tagcccaggg tggaggcaga acgatgctgc tgtggtagcc ctttgccctt 900
catgcccacg cttgattctt gcacctcagc agctgaaggt ctcagagacc agtaatcaga 960
aggcatccga ctgcattaag tgtgcagcgc tgaaaagaca tttaacaacta ggccagggat 1020
tagccactgt gggagggtgg acaggcaatg gttcagtggc ctggctgttg gcaggaaatc 1080
caagtgccca ggcctcttgg gcagcttagg gccctgcctc tgtttcatga tgcattgggtc 1140
atttgtcttg ggtgtcctat cccatatgga gaagaaaggg gctctaagtt ctggctcttc 1200
tttctttggg gttctctgta cctgaggaaa ccaggccctg ggtgactttg cagatctgct 1260
caccctcgtg gagcaacagt gtcagccatg caagcaggac agaattggtga ctgggtgccc 1320
ttggtgagct gtgtatttcc tagaagtaga aaactgtggg aaactgtggc taataaaaaac 1380
taagtgtgag cgtcaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa agggcggccg 1440
c

```

<210> 58
 <211> 217
 <212> PRT
 <213> Homo sapiens

```

<400> 58
Met Gly Ser Thr Val Pro Arg Ser Ala Ser Val Leu Leu Leu Leu Leu
 1          5          10          15
Leu Leu Arg Arg Ala Glu Gln Pro Cys Gly Ala Glu Leu Thr Phe Glu
 20          25          30
Leu Pro Asp Asn Ala Lys Gln Cys Phe His Glu Glu Val Glu Gln Gly
 35          40          45
Val Lys Phe Ser Leu Asp Tyr Gln Val Ile Thr Gly Gly His Tyr Asp
 50          55          60
Val Asp Cys Tyr Val Glu Asp Pro Gln Gly Asn Thr Ile Tyr Arg Glu
 65          70          75          80
Thr Lys Lys Gln Tyr Asp Ser Phe Thr Tyr Arg Ala Glu Val Lys Gly
 85          90          95
Val Tyr Gln Phe Cys Phe Ser Asn Glu Phe Ser Thr Phe Ser His Lys
100          105          110
Thr Val Tyr Phe Asp Phe Gln Val Gly Asp Glu Pro Pro Ile Leu Pro
115          120          125
Asp Met Gly Asn Arg Val Thr Ala Leu Thr Gln Met Glu Ser Ala Cys
130          135          140
Val Thr Ile His Glu Ala Leu Lys Thr Val Ile Asp Ser Gln Thr His
145          150          155          160
Tyr Arg Leu Arg Glu Ala Gln Asp Arg Ala Arg Ala Glu Asp Leu Asn
165          170          175
Ser Arg Val Ser Tyr Trp Ser Val Gly Glu Thr Ile Ala Leu Phe Val
180          185          190
Val Ser Phe Ser Gln Val Leu Leu Lys Ser Phe Phe Thr Glu Lys
195          200          205
Arg Pro Ile Ser Arg Ala Val His Ser
210          215

```

<210> 59
 <211> 2316
 <212> DNA
 <213> Homo sapiens

<400> 59

```

ccacgcgtcc ggtctccccc agcactgagg agctcgcttg ctgccctctt gcgcgcggga 60
agcagcacca agttcacggc caacgccttg gcactagggc ccagaatggc tacaacagtc 120
cctgatgggt gccgcaatgg cctgaaatcc aagtactaca gactttgtga taaggctgaa 180
gcttggggca tcgtcctaga aacggtggcc acagccgggg ttgtgacctc ggtggccttc 240
atgctcactc tcccgatect cgtctgcaag gtgcaggact ccaacaggcg aaaaatgctg 300
cctactcagt ttctcttctt cctgggtgtg ttgggcatct ttggcctcac ctctgccttc 360
atcatcggac tggacgggag cacaggcccc acaogcttct tcctctttgg gatcctcttt 420
tccatctgct tctcctgcct gctggctcat gctgtcagtc tgaccaagct cgtccggggg 480
aggaagcccc ttctcctggt ggtgattctg ggtctggccg tgggcttcag cctagtccag 540
gatgttatcg ctattgaata tattgtcctg accatgaata ggaccaacgt caatgtcttt 600
tctgagcttt ccgctcctcg tcgcaatgaa gactttgtcc tcctgtcac ctacgtcctc 660
ttcttgatgg cgtgacctt cctcatgtcc tccttcacct tctgtggttc cttcacgggc 720
tggaagagac atggggccca catctacctc acgatgctcc tctccattgc catctgggtg 780
gcttgatca cctgctcat gcttctgac tttagaccga ggtgggatga caccatcctc 840
agctccgctt tggctgccaa tggctgggtg ttctgtttgg cttatgttag tcccagagtt 900
tggctgctca caaagcaacg aaaccccatg gattatcctg ttgaggatgc tttctgtaaa 960
cctcaactcg tgaagaagag ctatgggtg gagaacagag cctactctca agaggaaatc 1020
actcaagggt ttgaagagac aggggacacg ctctatgccc cctattccac acattttcag 1080
ctgcagaacc agcctcccca aaaggaattc tccatccac gggcccacgc ttggccgagc 1140
ccttacaag actatgaagt aaagaaagag ggcagctaac tctgtcctga agagtgggac 1200
aaatgcagcc gggcggcaga tctagcggga gctcaaagg atgtggcgca aatctgagtc 1260
ttctgagaaa actgtacaag aactacggg aacagtttgc ctccctcca gcctcaacca 1320
caattcttcc atgtggggc tgatgtgggc tagtaagact ccagttctta gaggcgctgt 1380
agtatttttt tttttttgtc tcatcctttg gatacttctt ttaagtggga gtctcaggca 1440
actcaagttt agacccttac tctttttgtt tgttttttga aacaggatct tgctctgtca 1500
cccaggcttg agtgagtg tgcgacaca gccagtgca gcctcgacca cctgtgtca 1560
agcaatcctc ccactcctat ctcccaaagt gctgggatga caggcgtgag ccacagctcc 1620
cagcctaggg ccttaattctt gctgttattt tccatggact aaaggtctg tcatctgagc 1680
tcacgctggc tcacacagct ctaggggcct gctcctctaa ctacagtggt gttttgtgag 1740
gctctgtggc ccagagcaga cctgcatatc tgagcaaaaa tagcaaaagc ctctctcagc 1800
ccactggcct gaatctacac tggaagccaa cttgctggca cccccgtcc ccaacccttc 1860
ttgctgggt aggagaggct aaagatcacc ctaaatttac tcatctctct agtgctgcct 1920
cacattgggc ctcagcagct ccccagcacc aattcacagg tcacccctct cttcttgac 1980
tgtccccaaa cttgctgtca attccgagat ctaatctccc cctacgctct gccaggaatt 2040
ctttcagacc tcaactagcac aagcccgtt gctcctgtc aggagaattt gtagatcatt 2100
ctcacttcaa attcctggg ctgatacttc tctcatcttg caccccaacc tctgtaata 2160
gatttaccgc atttacggc gcatctgtga agtgggcatg gtctccta at ggaggagtgt 2220
tcattgtata ataagttatt cacctgagta tgcaataaag atgtggtggc cactctttca 2280
tggtggtggc agcaaaaaaa aaaaaaaaaa aaaaaa 2316

```

<210> 60

<211> 357

<212> PRT

<213> Homo sapiens

<400> 60

```

Met Ala Thr Thr Val Pro Asp Gly Cys Arg Asn Gly Leu Lys Ser Lys
 1           5           10           15
Tyr Tyr Arg Leu Cys Asp Lys Ala Glu Ala Trp Gly Ile Val Leu Glu
          20           25           30
Thr Val Ala Thr Ala Gly Val Val Thr Ser Val Ala Phe Met Leu Thr
          35           40           45
Leu Pro Ile Leu Val Cys Lys Val Gln Asp Ser Asn Arg Arg Lys Met
          50           55           60
Leu Pro Thr Gln Phe Leu Phe Leu Leu Gly Val Leu Gly Ile Phe Gly
          65           70           75           80
Leu Thr Phe Ala Phe Ile Ile Gly Leu Asp Gly Ser Thr Gly Pro Thr
          85           90           95
Arg Phe Phe Leu Phe Gly Ile Leu Phe Ser Ile Cys Phe Ser Cys Leu

```

100	105	110
Leu Ala His Ala Val Ser Leu Thr	Lys Leu Val Arg Gly Arg Lys Pro	
115	120	125
Leu Ser Leu Leu Val Ile Leu Gly	Leu Ala Val Gly Phe Ser Leu Val	
130	135	140
Gln Asp Val Ile Ala Ile Glu Tyr Ile Val Leu Thr	Met Asn Arg Thr	
145	150	155
Asn Val Asn Val Phe Ser Glu Leu Ser Ala Pro	Arg Arg Asn Glu Asp	
165	170	175
Phe Val Leu Leu Leu Thr Tyr Val Leu Phe Leu Met	Ala Leu Thr Phe	
180	185	190
Leu Met Ser Ser Phe Thr Phe Cys Gly Ser Phe Thr	Gly Trp Lys Arg	
195	200	205
His Gly Ala His Ile Tyr Leu Thr Met Leu Leu Ser	Ile Ala Ile Trp	
210	215	220
Val Ala Trp Ile Thr Leu Leu Met Leu Pro Asp	Phe Asp Arg Arg Trp	
225	230	235
Asp Asp Thr Ile Leu Ser Ser Ala Leu Ala Ala	Asn Gly Trp Val Phe	
245	250	255
Leu Leu Ala Tyr Val Ser Pro Glu Phe Trp Leu Leu Thr	Lys Gln Arg	
260	265	270
Asn Pro Met Asp Tyr Pro Val Glu Asp Ala Phe Cys	Lys Pro Gln Leu	
275	280	285
Val Lys Lys Ser Tyr Gly Val Glu Asn Arg Ala Tyr	Ser Gln Glu Glu	
290	295	300
Ile Thr Gln Gly Phe Glu Glu Thr Gly Asp Thr Leu Tyr	Ala Pro Tyr	
305	310	315
Ser Thr His Phe Gln Leu Gln Asn Gln Pro Pro	Gln Lys Glu Phe Ser	
325	330	335
Ile Pro Arg Ala His Ala Trp Pro Ser Pro Tyr Lys	Asp Tyr Glu Val	
340	345	350
Lys Lys Glu Gly Ser		
355		

<210> 61

<211> 4651

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 2270, 3639, 3724, 4265, 4638, 4644, 4645, 4647, 4649, 4650, 4651

<223> n = A,T,C or G

<400> 61

```

tttttttagtt ttacctagtt ttatttgtct atttgagtat tgtccttgaa tttaaaattt 60
ttttcagccc caactgatac acacacatat acatacataa cacatgtgtg tgtgtgtagc 120
ttacagagtg tttataggaa actgattttg tatacttttg ctactttggt gtaagttcta 180
gttttttttc ttttattatt aaactagtgc acgacatcaa tgctatatga ttggtgtttc 240
gttgacctag aaataatgca tgccatcttc ttttcacagc tgtgtgccaa ccacgatgca 300
aacatggtga atgtatcggg ccaaacaagt gcaagtgtca tcctgggttat gctggaaaaa 360
ccttctaact cgtgtgaaga cgagcacatc ccagctcctc ttgaccaagg cagtgaacag 420
cctcttttcc aacctctgga tcaccaagcc acaagtttgc cttcaaggga tctaaatgag 480
tgtggcctga agccccggcc ctgtaagcac aggtgcatga acacttacgg cagctacaag 540
tgctactgtc tcaacggata tatgtctatg ccggatggtt cctgctcaag tgccctgacc 600
tgctccatgg caaactgtca gtatggctgt gatgttgta aaggacaaat acggtgacc 660
tgcccatccc ctggcctgca cctggctcct gatgggagga cctgtgtaga tgttgatgaa 720

```


tgtgctacag	gaagagcctc	ctgccctaga	tttaggcaat	gtgtcaacac	ttttgggagc	780
tacatctgca	agtgtcataa	aggcttcgat	ctcatgcata	ttggaggcaa	atatcaatgt	840
catgacatag	acgaatgctc	acttggtcag	tatcagtgca	gcagctttgc	tcgatgttat	900
aacgtacgtg	ggtcctacaa	gtgcaaagt	aaagaaggat	accaggggtga	tggactgact	960
tgtgtgtata	tcccaaaagt	tatgattgaa	ccttcagggtc	caattcatgt	accaaaggga	1020
aatggtacca	ttttaaagg	tgacacagga	aataataatt	ggattcctga	tgttgggaagt	1080
acttgggtggc	ctccgaagac	accatatatt	cctcctatca	ttaccaacag	gcctacttct	1140
aagccaacaa	caagacctac	accaaagcca	acaccaattc	ctactccacc	accaccacca	1200
cccctgccaa	cagagctcag	aacacctcta	ccacctacaa	ccccagaaag	gccaaccacc	1260
ggactgacaa	ctatagcacc	agctgccagt	acacctccag	gagggattac	agttgacaac	1320
agggtacaga	cagaccctca	gaaaccacaga	ggagatgtgt	tcattccacg	gcaaccttca	1380
aatgacttgt	ttgaaatatt	tgaaatagaa	agaggagtca	gtgcagacga	tgaagcaaag	1440
gatgatccag	gtgtttctggt	acacagttgt	aattttgacc	atggactttg	tggatggatc	1500
agggagaaa	acaatgactt	gcactgggaa	ccaatcaggg	accagcagag	tggacaatat	1560
ctgacagtgt	cggcagccaa	agccccagg	ggaaaagctg	cacgcttggt	gctacctctc	1620
ggccgcctca	tgcattcagg	ggacctgtgc	ctgtcattca	ggcacaaggt	gacggggctg	1680
cactctggca	cactccaggt	gtttgtgaga	aaacacggtg	cccacggagc	agccctgtgg	1740
ggaagaaatg	gtggccatgg	ctggaggcaa	acacagatca	ccttgccagg	ggctgacatc	1800
aagagcgtcg	tcttcaaagg	tgaaaaaagg	cgtggtcaca	ctggggagat	tggattagat	1860
gatgtgagct	tgaaaaaagg	ccactgctct	gaagaacgct	aacaactcca	gaactaacia	1920
tgaactccta	tgttgctcta	tcctcttttt	ccaattctca	tcttctctcc	tcttctccct	1980
tttatcaggc	ctaggagaag	agtgggtcag	tgggtcagaa	ggaagtctat	ttggtgacct	2040
aggtttttct	ggcctgcttt	tgtgcaatcc	caatgaacag	tgataccctc	cttgaaatac	2100
aggggcatcg	cagacacatc	aaagccatct	gtgggtgttg	ccttccatcc	tgtgtctctt	2160
tcaggaaggc	attcagcatg	cgtgagccat	accatcctcc	atcctgatta	caagggtgctc	2220
cttgtagcaa	attatgagag	tgagttacgg	gagcagtttt	taaaagaaan	tctttkcar	2280
kggstwtrow	gtwttkkgty	cggkgttgkm	cccawgrgkr	gkwttgrrct	tccttgrra	2340
wawrawrwac	aawagkgctk	gkgaaawwra	mwatmcccty	ttcmtyttaa	rwawrwtgtg	2400
gccygmccys	aamatytkwy	ttttaygtgs	crkctcmtyt	twttaaaawa	arggtgtgta	2460
acatatcaag	atacatttat	ttttatctgt	tttttttttt	cctgttaaag	acaattatgt	2520
agagtgggca	cgtaatccct	ccttagtagt	attgtgtttt	gtgtaaagt	gctattgata	2580
ttaaagtattt	acatgttcca	aatattttaca	gactctagtt	gcaaggtaaa	gggcagcttg	2640
tgatctcaaa	aaaatacatg	gtgaaatgtc	atccagttcc	atgaccttat	attggcagca	2700
gtaggaaatt	ggcagaagtg	ttgggttgtg	gtaacggagt	gatgaatttt	tttttaattg	2760
ccttgagttt	gatctctgca	aaggatagga	aaccttttagg	aagacaagaa	actgcagtta	2820
atttagaact	gtcactgttt	caagttacac	tttaaaacca	cagcttttac	catcataaca	2880
tggctctggg	aatatgtagg	aagcttttag	aaagttttgg	ttgattcaga	aaaaggatcc	2940
tgttcagag	tgagaggaag	cataggggga	aactccattg	gaacagattt	tcacacaacg	3000
ttttaaattg	atataagttt	aggcagttgt	agttcataac	ttatgttgct	catgttgtgc	3060
tgtgtcagga	tgggatagga	agcaagtccc	atgcttagag	gcatgggatg	tgttggaaacg	3120
ggatttacac	acactggagg	agcagggcaa	gttggaattc	taagatccat	gaacccccaa	3180
ctgtatttcc	tccctgcata	ttttaccaat	atattaaaaa	acaatgtaac	ttttaaaagg	3240
catcattcct	gaggtttgtc	tttaatttctg	attaagtaat	cagaatattt	tctgctattt	3300
ttgccaggaa	tcacaaagat	gattaaaggg	ttggaaaaaa	agatctatga	tggaaaatta	3360
aaggaaactgg	gattattgag	cctggagaag	agaagactga	ggggcaaacc	attgatgggt	3420
ttcaagtata	tgaaggggtg	gcacagagag	ggtggcgacc	agctgttctc	catatgccac	3480
taagaataga	acaagaggaa	actggcttag	actagagtat	aaggagcat	ttcttggcag	3540
gggccattgt	tagaataactt	cataaaaaaa	gaagtgtgaa	aatctcagta	tctctctctc	3600
tttctaaaaa	attagataaa	aatttgtcta	tttaagatng	gttaaagatg	ttcttaccba	3660
aggaaaagta	acaaattata	gaatttccca	aaagatgttt	tgatcctact	agtagtatgc	3720
agtnagaaat	ctttagaact	aaataatttg	gacaaggctt	aatttaggca	tttccctctt	3780
gacctcctaa	tggagaggga	ttgaaagggg	aagagcccac	caaagtctga	gctcactgaa	3840
atatctctcc	cttatggcaa	tcctagcagt	attaaagaaa	aaaggaaact	atttattcca	3900
aatgagagta	tgatggacag	atattttagt	atctcagtaa	tgtcctagt	tggcggtgggt	3960
ttcaatggt	tcttcatggt	aaaggtataa	gcctttcatt	tgttcaatgg	atgatgtttc	4020
ggattttttt	tttttaagag	atccttcaag	gaacacagtt	cagagagatt	ttcatcgggt	4080
gcattctctc	tgttctgtgt	gtgacaagtt	atcttggctg	ctgagaaaga	gtgccctgcc	4140
ccacacgggc	agacctttcc	ttcacctcat	cagtatgatt	cagtttctct	tatcaattgg	4200
actctcccag	gttccacaga	acagtaatat	tttttgaaca	ataggtaaca	tagaagggtct	4260

```

tctgntcatt taacctggta aaggcagggc tggaggggga aaataaatca ttaagccttt 4320
gagtaacggc agaatatatg gctgtagatc catttttaat gggttcatttc ctttatgggc 4380
atataactgc acagctgaag atgaaagggg aaaataaatg aaaattttac ttttcgatgc 4440
caatgataca ttgcaactaaa ctgatggaag aagttatcca aagtactgta taacatcttg 4500
tttattattt aatgttttct aaaataaaaa atgttagtgg ttttcctaat ggcctaataa 4560
aaacaattat ttgtaaataa aaacactgtt agtaataaaa aaaaaaaaaa aaaaaaaaaa 4620
aarrrrmmra ammmmaanc cccnntngnn n 4651

```

<210> 62

<211> 560

<212> PRT

<213> Homo sapiens

<400> 62

```

Met Leu Tyr Asp Trp Cys Phe Val Asp Leu Glu Ile Met His Ala Ile
 1          5          10          15
Phe Phe Ser Gln Leu Cys Ala Asn His Asp Ala Asn Met Val Asn Val
 20          25          30
Ser Gly Gln Thr Ser Ala Ser Val Ile Leu Val Met Leu Glu Lys Pro
 35          40          45
Ser Asn Ser Cys Glu Asp Glu His Ile Pro Ala Pro Leu Asp Gln Gly
 50          55          60
Ser Glu Gln Pro Leu Phe Gln Pro Leu Asp His Gln Ala Thr Ser Leu
 65          70          75          80
Pro Ser Arg Asp Leu Asn Glu Cys Gly Leu Lys Pro Arg Pro Cys Lys
 85          90          95
His Arg Cys Met Asn Thr Tyr Gly Ser Tyr Lys Cys Tyr Cys Leu Asn
 100         105         110
Gly Tyr Met Leu Met Pro Asp Gly Ser Cys Ser Ser Ala Leu Thr Cys
 115         120         125
Ser Met Ala Asn Cys Gln Tyr Gly Cys Asp Val Val Lys Gly Gln Ile
 130         135         140
Arg Cys Gln Cys Pro Ser Pro Gly Leu His Leu Ala Pro Asp Gly Arg
 145         150         155         160
Thr Cys Val Asp Val Asp Glu Cys Ala Thr Gly Arg Ala Ser Cys Pro
 165         170         175
Arg Phe Arg Gln Cys Val Asn Thr Phe Gly Ser Tyr Ile Cys Lys Cys
 180         185         190
His Lys Gly Phe Asp Leu Met His Ile Gly Gly Lys Tyr Gln Cys His
 195         200         205
Asp Ile Asp Glu Cys Ser Leu Gly Gln Tyr Gln Cys Ser Ser Phe Ala
 210         215         220
Arg Cys Tyr Asn Val Arg Gly Ser Tyr Lys Cys Lys Cys Lys Glu Gly
 225         230         235         240
Tyr Gln Gly Asp Gly Leu Thr Cys Val Tyr Ile Pro Lys Val Met Ile
 245         250         255
Glu Pro Ser Gly Pro Ile His Val Pro Lys Gly Asn Gly Thr Ile Leu
 260         265         270
Lys Gly Asp Thr Gly Asn Asn Asn Trp Ile Pro Asp Val Gly Ser Thr
 275         280         285
Trp Trp Pro Pro Lys Thr Pro Tyr Ile Pro Pro Ile Ile Thr Asn Arg
 290         295         300
Pro Thr Ser Lys Pro Thr Thr Arg Pro Thr Pro Lys Pro Thr Pro Ile
 305         310         315         320
Pro Thr Pro Pro Pro Pro Pro Pro Leu Pro Thr Glu Leu Arg Thr Pro
 325         330         335
Leu Pro Pro Thr Thr Pro Glu Arg Pro Thr Thr Gly Leu Thr Thr Ile
 340         345         350
Ala Pro Ala Ala Ser Thr Pro Pro Gly Gly Ile Thr Val Asp Asn Arg

```

355	360	365
Val Gln Thr Asp Pro Gln Lys Pro Arg Gly Asp	Val Phe Ile Pro Arg	
370	375	380
Gln Pro Ser Asn Asp Leu Phe Glu Ile Phe Glu	Ile Glu Arg Gly Val	
385	390	395
Ser Ala Asp Asp Glu Ala Lys Asp Asp Pro Gly	Val Leu Val His Ser	400
	405	410
Cys Asn Phe Asp His Gly Leu Cys Gly Trp Ile	Arg Glu Lys Asp Asn	415
	420	425
Asp Leu His Trp Glu Pro Ile Arg Asp Pro Ala	Gly Gly Gln Tyr Leu	430
	435	440
Thr Val Ser Ala Ala Lys Ala Pro Gly Gly Lys	Ala Ala Arg Leu Val	445
	450	455
Leu Pro Leu Gly Arg Leu Met His Ser Gly Asp	Leu Cys Leu Ser Phe	460
465	470	475
Arg His Lys Val Thr Gly Leu His Ser Gly Thr	Leu Gln Val Phe Val	480
	485	490
Arg Lys His Gly Ala His Gly Ala Ala Leu Trp	Gly Arg Asn Gly Gly	495
	500	505
His Gly Trp Arg Gln Thr Gln Ile Thr Leu Arg	Gly Ala Asp Ile Lys	510
	515	520
Ser Val Val Phe Lys Gly Glu Lys Arg Arg Gly	His Thr Gly Glu Ile	525
	530	535
Gly Leu Asp Asp Val Ser Leu Lys Lys Gly His	Cys Ser Glu Glu Arg	540
545	550	555
		560

<210> 63

<211> 4461

<212> DNA

<213> Homo sapiens

<400> 63

```

cgaccccgcg tccgggggca ttgcgtggtg gaaagttgcg tgcggcagag aaccgaaggt 60
gcagcgccac agcccagggg acggtgtgtc tgggagaaga cgctgcccct gcgtcgggac 120
ccgccagcgc gcgggcaccg cggggcccgg gacgacgccc cctcctgcgg cgtggactcc 180
gtcagtggcc caccaagaag gaggaggaat atggaatcca agggggccag ttcctgccgt 240
ctgctcttct gcctcttgat ctccgccacc gtcttcaggc caggccttgg atgggtatact 300
gtaaatccag catatggaga taccattatc ataccttgcc gacttgacgt acctcagaat 360
ctcatgtttg gcaaattgaa atatgaaaag cccgatggct cccagttatt tattgccttc 420
agatcctcta caaagaaaag tgtgcagtac gacgatgtac cagaatacaa agacagattg 480
aacctctcag aaaactacac tttgtctatc agtaatgcaa ggatcagtga tgaaaagaga 540
tttgtgtgca tgctagtaac tgaggacaac gtgtttgagg cacctacaat agtcaagggtg 600
ttcaagcaac catctaaacc tgaaattgta agcaaagcac tgtttctcga aacagagcag 660
ctaaaaaagt tgggtgactg catttcagaa gacagttatc cagatggcaa tatcacatgg 720
tacaggaatg gaaaagtgtc acatcccctt gaaggagcgg tggtcataat ttttaaaaag 780
gaaatggacc cagtgaacta gctctatacc atgacttcca ccctggagta caagacaacc 840
aaggctgaca tacaatgcc attcacctgc tcggtgacat attatggacc atctggccag 900
aaaacaattc attctgaaca ggcagtattt gatatttact atcctacaga gcaggtgaca 960
atacaagtgc tgccaccaa aaatgccatc aaagaagggg ataacatcac tcttaaatgc 1020
ttagggaatg gcaaccctcc ccagaggaa tttttgtttt acttaccagg acagcccgaa 1080
ggaataagaa gctcaaatac ttacacactg atggatgtga ggcgcaatgc aacaggagac 1140
tacaagtgtt ccctgataga caaaaaaagc atgattgctt caacagccat cacagttcac 1200
tatttggtt tgtccttaaa cccaagtgga gaagtgacta gacagattgg tgatgcccta 1260
cccgtgtcat gcacaatatc tgctagcagg aatgcaactg tggatatggat gaaagataac 1320
atcaggcttc gatctagccc gtcatcttct agtcttcatt atcaggatgc tggaaactat 1380
gtctgcgaaa ctgctctgca ggaggttgaa ggactaaaga aaagagagtc attgactctc 1440
attgtagaag gcaaacctca aataaaaatg acaaagaaaa ctgatcccgaggactatct 1500
aaaacaataa tctgccatgt ggaaggtttt ccaaagccag ccattcagtg gacaattact 1560

```

```

ggcagtggaa ggcgcataaa ccaaacagag gaatctcctt atattaatgg caggtattat 1620
agtaaaatta tcatttcctc tgaagagaat gttacattaa cttgcacagc agaaaaccaa 1680
ctggagagaa cagtaaaactc cttgaatgtc tctgctataa gtattccaga acacgatgag 1740
gcagacgaga taagtgatga aaacagagaa aagggtgaatg accaggcaaa actaattgtg 1800
ggaatcggtg ttggtctcct ccttgctgcc cttggttgctg gtgtcgtcta ctggctgtac 1860
atgaagaagt caaagactgc atcaaaacat gtaaacagg acctcggtaa tatggaagaa 1920
aacaaaaagt tagaagaaaa caatcacaaa actgaagcct aagagagaaa ctgtcctagt 1980
tgtccagaga taaaaatcat atagaccaat tgaagcatga acgtggattg tatttaagac 2040
ataaacaaaag acattgacag caattcatgg ttcaagtatt aagcagttca ttctaccaag 2100
ctgtcacagg ttttcagaga attatctcaa gtaaaacaaa tgaaatttaa ttacaaacaa 2160
taagaacaag ttttggcagc catgataata ggtcatatgt tgtgtttggt tcaatttttt 2220
ttccgtaaat gtctgcactg aggatttctt tttggtttgc cttttatgta aattttttac 2280
gtagctattt ttatacactg taagctttgt tctgggagtt gctgttaatc tgatgtataa 2340
tgtaatgttt ttatttcaat tgtttatatg gataatctga gcaggtaacat ttctgattct 2400
gattgctatc agcaatgccc caaactttct cataagcacc taaaacccaa aggtggcagc 2460
ttgtgaagat tggggacact catattgccc taattaaaaa ctgtgatttt tatcacagg 2520
gaggggaggg cgagagtcag actgatatag accataggag ccgactcttt gatatgccac 2580
cagcgaactc tcagaaataa atcacagatg catatagaca cacatacata atggtactcc 2640
caaactgaca attttaccta ttctgaaaaa gacataaaac agaatttggt agcacttacc 2700
tctacagaca cctgctaata aattattttt tgtcaaaaga aaaaacacaa gcatgtgtga 2760
gagacagttt ggaaaaatca tggtaacat tcccattttc atagatcaca atgtaaatca 2820
ctataattac aaattggtgt taaatccttt gggttatcca ctgccttaaa attataccta 2880
tttcatgttt aaaaagatat caatcagaat tggagttttt aacagtggtc attatcaaag 2940
ctgtgttatt ttccacagaa tatagaatat atattttttt cgtgtgtgtt tttgttaact 3000
accctacaga tattgaatgc accctgagat aatttagtgt ttttaactga tacataattt 3060
atcaagcagt acatgaaagt gtaataataa aatgtctatg tatctttagt tacattcaaa 3120
tttctaactt tataaacatg ttttatgctt gaggaatttt ttaaggtggt agtataaatg 3180
gaaacttttt gaagtagacc ggatatgggc tacttgtgac tagactttta aactttgtct 3240
tttcaagcag aagcctggtt tctgggagaa cactgcacag cgatttcttt cccaggattt 3300
acacaacttt aaagggaaga taaatgaaca tcagatttct aggtatagaa ctatgttatt 3360
gaaaggaaaa ggaaaactgg tgtttgtttc ttagactcat gaaataaaaa attatgaagg 3420
caatgaaaaa taaattgaaa attaaagtca gatgagaata ggaataatac tttgccactt 3480
ctgcattatt tagaaacata cgttattgta catttgtaaa ccatttactg tctgggcaat 3540
agtgactccg ttttaataaaa gcttccgtag tgcattggta tggattaaat gcataaaaaa 3600
ttcttagact cgatgctgta taaaatatta tgggaaaaaa aagaaaatac gttattttgc 3660
ctctaaactt ttattgaagt tttatttggc aggaaaaaaa attgaatctt ggtcaacatt 3720
taaaacaaag taaaagggga aaaaccaaag ttatttggtt tgcattgcta agccattctg 3780
ttatctctgt aaatactgtg atttcttttt tattttctct ttagaatttt gttaaagaaa 3840
ttctaaaatt tttaaacacc tgctctccac aataaatcac aaacactaaa ataaaattac 3900
ttccatataa atattatttt ctcttttggg gtgggagatc aaaggtttaa agtctaactt 3960
ctaagatata tttgcagaaa gaagcaacat gacaatagag agagttatgc tacaattatt 4020
tcttggtttc cacttgcaat ggttaattaa gtccaaaaac agctgtcaga acctcgagag 4080
cagaacatga gaaactcaga gctctggacc gaaagcagaa agtttgccag gaaaaaaaaa 4140
gacaacatta ttaccatcga ttcagtgcct ggataaagag gaaagcttac ttgtttaatg 4200
gcagccacat gcacgaagat gctaagaaga aaaagaattc caaatcctca acttttgagg 4260
tttcggctct ccaatttaac tctttggcaa caggaaacag gttttgcaag ttcaaggttc 4320
actccctata tgtgattata ggaattgttt gtggaaatgg attaacatac ccgtctatgc 4380
ctaaaaagata ataaaactga aatatgtctt caaaaaaaaa aaaaaaaaaa aaaaaaaaaa 4440
aaaaaaaaaa gggcgggccgc t 4461

```

<210> 64

<211> 583

<212> PRT

<213> Homo sapiens

<400> 64

```

Met Glu Ser Lys Gly Ala Ser Ser Cys Arg Leu Leu Phe Cys Leu Leu
1           5           10          15
Ile Ser Ala Thr Val Phe Arg Pro Gly Leu Gly Trp Tyr Thr Val Asn

```


Ser Leu Asn Val Ser Ala Ile Ser Ile Pro Glu His Asp Glu Ala Asp
 500 505 510
 Glu Ile Ser Asp Glu Asn Arg Glu Lys Val Asn Asp Gln Ala Lys Leu
 515 520 525
 Ile Val Gly Ile Val Val Gly Leu Leu Leu Ala Ala Leu Val Ala Gly
 530 535 540
 Val Val Tyr Trp Leu Tyr Met Lys Lys Ser Lys Thr Ala Ser Lys His
 545 550 555 560
 Val Asn Lys Asp Leu Gly Asn Met Glu Glu Asn Lys Lys Leu Glu Glu
 565 570 575
 Asn Asn His Lys Thr Glu Ala
 580

<210> 65

<211> 2174

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 1910, 1941

<223> n = A,T,C or G

<400> 65

```

agcaccacgc gtccgtgaag atggagacca acgagtctac ggagggatcg cggtcgcggt 60
cgcggtgaga gccgcagctc tggctgcagg cataagggga cgaggaaggt cagctgactt 120
cctctgctgc gcttttgaca gccatgtcgt gtttgctttc tttcagatct ttagacatac 180
agcccagctc cgaaggactg gggcccactt cggaaccggt tccttcttca gatgacagtc 240
ccaggtcggc cctggcagct gcaaccgcag cagctgcagc ggctgcacat gctgctgcag 300
ctactgcagc cttcaccact gccaaagcag ctgcattatc tacaaagacc ccagcgccct 360
gttctgagtt catggagccg tcctctgacc ccagccttct tggggagccc tgtgcggggac 420
ccggctttac ccacaatata gcccatggga gtcttggtt tgagcccgtc tatgtttcct 480
gtattgctca ggacacttgc actacaactg accatagttc taatcctggc cctgttccag 540
gctctagctc tgggcctggt cttggttcca gctcaggtgc tggccatggc tctggctctg 600
gctctggtcc tggctgtggc tctgtccctg gctctggctc tggctcctgt cctggctctg 660
gtcctggcca tggctctggc tctcatcctg gtcctgcctc tgggcctggt ccagacactg 720
gccctgactc tgagctcagc ccctgtattc ctccagggtt cagaaacctg gtggcagatc 780
gggtccctaa ctatacctcc tggagtcagc actgcccctg ggagccccag aaacaaccac 840
cttgggaatt ttgcaagtc ttagaaccgg gtgcccagg actatggaaa cccccagaca 900
ttaaagggaa gcttatggtt tgctatgaaa ctttgccacg gggccagtgc ctctctaca 960
actgggagga agaggtatta aagttttggc ctgctccctt ttcttgaagg ctgccctcag 1020
tttcttaggg gaggcagtag ttacatgag ggtgggtacc agaagggata ttatagtcac 1080
tcaacttggg atccacagag agccaccaac cacctggatc aagtcccaag catgcaggat 1140
ggctctgaga gttttttctt ccgacacgga caccggggac tgctgactat gcaactaaag 1200
tcacccatgc cctccagcac caccagaaa gactcgtacc agccaccagg aaacgtctat 1260
tggccacttc gagggaagcg tgaagccatg ctggagatgc tcctgcagca tcagatcttg 1320
taagggtatt ggtaaagggt aagagggtat gggaggagaa aaattgggtg agaatggcct 1380
tgacacccct cgggctacat agtaaaggag tgcaggcaga acaggaaccc acaaggaagc 1440
tcttcgaggt tgagtctgtg acacaccatg actaccgaat ggagctggca caagcaggga 1500
ctcctgcccc aacaaagggt agaaccacc ccccatcccc cgccacttgc accagctggg 1560
ctctgacagg ctgtggccaa gtaccaagcc cagaggttga gagagagggc tgaaggccag 1620
gagttactca gtaccctccc tcacagcctc acgactaccg ccaggagcaa cctgagacct 1680
tctggataca gagggcacca cagctgccgg tgtgtgaggg tgactaggtg ttgggggcag 1740
agcggggcag gaaaggtagg gcagagttgt tttgttcttg cttggggaga gtgggatcca 1800
tcctcatcct ggcactcctc cagggtgtca gtaacatcag gacattggac acaccattcc 1860
ggaagaactg cagcttctca acaccagta cccttgtctc tggggaaacn ttttgcccta 1920
tgaacctgag aattaccctt naccaattgg gagaaaatat cttcccttcc ctgtcccgga 1980
ggaaggctgg gtggtggagg ggggagaatg actcctttct gaggggtgag gaggggaagt 2040

```

gggtatggaa tatggaatct atttctgtct gcactagaga ggtcgggagg aagttaattc 2100
 tcactgymct tgaagaggct ttacataaag gggttctctc craaaaaaaaa rawaraaaaa 2160
 aaaagggcgg ccgs 2174

<210> 66

<211> 287

<212> PRT

<213> Homo sapiens

<400> 66

Met	Ser	Cys	Leu	Leu	Ser	Phe	Arg	Ser	Leu	Asp	Ile	Gln	Pro	Ser	Ser
1				5					10					15	
Glu	Gly	Leu	Gly	Pro	Thr	Ser	Glu	Pro	Phe	Pro	Ser	Ser	Asp	Asp	Ser
		20						25					30		
Pro	Arg	Ser	Ala	Leu	Ala	Ala	Ala	Thr	Ala	Ala	Ala	Ala	Ala	Ala	Ala
		35					40					45			
Ser	Ala	Ala	Ala	Ala	Thr	Ala	Ala	Phe	Thr	Thr	Ala	Lys	Ala	Ala	Ala
	50					55				60					
Leu	Ser	Thr	Lys	Thr	Pro	Ala	Pro	Cys	Ser	Glu	Phe	Met	Glu	Pro	Ser
65					70					75				80	
Ser	Asp	Pro	Ser	Leu	Leu	Gly	Glu	Pro	Cys	Ala	Gly	Pro	Gly	Phe	Thr
				85				90						95	
His	Asn	Ile	Ala	His	Gly	Ser	Leu	Gly	Phe	Glu	Pro	Val	Tyr	Val	Ser
			100					105					110		
Cys	Ile	Ala	Gln	Asp	Thr	Cys	Thr	Thr	Thr	Asp	His	Ser	Ser	Asn	Pro
		115					120					125			
Gly	Pro	Val	Pro	Gly	Ser	Ser	Ser	Gly	Pro	Val	Leu	Gly	Ser	Ser	Ser
		130					135				140				
Gly	Ala	Gly	His	Gly	Ser	Gly	Ser	Gly	Ser	Gly	Pro	Gly	Cys	Gly	Ser
145					150					155					160
Val	Pro	Gly	Ser	Gly	Ser	Gly	Pro	Gly	Pro	Gly	Ser	Gly	Pro	Gly	His
				165				170						175	
Gly	Ser	Gly	Ser	His	Pro	Gly	Pro	Ala	Ser	Gly	Pro	Gly	Pro	Asp	Thr
			180					185					190		
Gly	Pro	Asp	Ser	Glu	Leu	Ser	Pro	Cys	Ile	Pro	Pro	Gly	Phe	Arg	Asn
		195					200					205			
Leu	Val	Ala	Asp	Arg	Val	Pro	Asn	Tyr	Thr	Ser	Trp	Ser	Gln	His	Cys
	210					215					220				
Pro	Trp	Glu	Pro	Gln	Lys	Gln	Pro	Pro	Trp	Glu	Phe	Leu	Gln	Val	Leu
225					230					235					240
Glu	Pro	Gly	Ala	Arg	Gly	Leu	Trp	Lys	Pro	Pro	Asp	Ile	Lys	Gly	Lys
				245				250						255	
Leu	Met	Val	Cys	Tyr	Glu	Thr	Leu	Pro	Arg	Gly	Gln	Cys	Leu	Leu	Tyr
			260					265					270		
Asn	Trp	Glu	Glu	Val	Leu	Lys	Phe	Trp	Pro	Ala	Pro	Phe	Ser		
		275				280						285			

<210> 67

<211> 4305

<212> DNA

<213> Homo sapiens

<400> 67

cccttaataa gatttgccac gtacactcga gccatcgcca gtgtccttga gccgcgggtg 60
 acggtggctc tcgctgctcg cgccccctcc tcccgcgggg ggagcctgat gccacgttcc 120
 ctatgaatta ttatcgccg gcctaaaaat accccgaact tcacagcccg agtgaccctc 180
 cgggtggacat ggggtggggc ctggggccgg cctgttgct cacctcgctc ttcggtgect 240
 gggcagggct gggtcgggg cagggcgagc agggcatgac ggtggccgtg gtgttttagca 300

gctcagggcc	gccccagggc	cagttccgtg	cccgccctac	ccccagagc	ttcctggacc	360
tacccttgga	gatccagccg	ctcacagttg	gggtcaacac	caccaacccc	agcagcctcc	420
tcaccagat	ctgcggcctc	ctgggtgctg	cccacgtcca	cggcattgtc	tttgaggaca	480
acgtggacac	cgaggcgggtg	gcccagatcc	ttgacttcat	ctcctcccag	acccatgtgc	540
ccatcctcag	catcagcggg	ggctctgctg	tggtccctac	ccccaaggag	ccgggctccg	600
ccttcctgca	gctgggcgtg	tccttgagc	agcagctgca	ggtgctgttc	aaggtgctgg	660
aagagtacga	ctggagcgcc	ttcgccgtca	tcaccagcct	gcacccgggc	cacgcgtctc	720
tcctggaggg	cgtgcgcgcc	gtcgccgacg	ccagccacgt	gagttggcgg	ctgctggacg	780
tggtcacgct	ggagctgggc	ccgggagggc	cgcgcgcgcg	cacgcagcgc	ctgctgcgcc	840
agctcgacgc	gcccgtgttt	gtggcctact	gctcgcgca	ggaggccgag	gtgctcttcg	900
ccgaggcggc	gcaggccggg	ctgggtgggc	ccggccacgt	gtggctgggtg	cccaacctgg	960
cgctgggcag	caccgatgcg	ccccccgcca	ccttccccgt	gggcctcatc	agcgtcgtca	1020
ccgagagctg	gcgcctcagc	ctgcgccaga	aggtgcgcga	cggcgtggcc	attctggccc	1080
tgggcgcccc	cagctactgg	cgccagcatg	gaacctgtcc	agccccggcc	ggggactgcc	1140
gtgttcaccc	tgggcccgtc	agccctgccc	gggaggcctt	ctacaggcac	ctactgaatg	1200
tcacctggga	gggcgagac	ttctccttca	gccctgggtg	gtacctgttc	cagcccacca	1260
tgggtgtgat	cgccctcaac	cggcacccgc	tctggagat	ggtggggcgc	tgggagcatg	1320
gcgtcctata	catgaagtac	cctgtgtggc	ctcgctacag	tgcctctctg	cagcccgtgg	1380
tggacagtgc	gcacctgacg	gtggccacgc	tggaagagag	gccctttgtc	atcgtggaga	1440
gccccgaccc	tggcacagga	ggctgcgtcc	ccaacaccgt	gccctgccgc	aggcagagca	1500
accacacctt	cagcagcggg	gacgtggccc	cctacaccaa	gctctgttgt	aagggattct	1560
gcatcgacat	cctcaagaag	ctggccagag	tggtcaaatt	ctcctacgac	ctgtacctgg	1620
tgaccaacgg	caagcatggc	aagcgggtgc	gcggcgatg	gaacggcatg	attggggagg	1680
tgtactacaa	gcgggcagac	atggccatcg	gctccctcac	catcaatgag	gaacgctccg	1740
agatcgtaga	cttctctgta	ccctttgtgg	agacgggcat	cagtgtgatg	gtggctcgca	1800
gcaatggcac	cgtctccccc	tcggccttct	tggagccata	tagccctgca	gtgtgggtga	1860
tgatgtttgt	catgtgcctc	actgtgtggg	ccatcaccgt	cttcattgtc	gagtacttca	1920
gccctgtcag	ctacaaccag	aacctcacca	gaggcaagaa	gtccgggggc	ccagctttca	1980
ctatcgccaa	gtccgtgtgg	ctgctgtggg	cgctgggtctt	caacaactca	gtgcccacgc	2040
agaacccgcg	gggcaccacc	agcaagatca	tggttctggg	ctgggccttc	tttgcgtgca	2100
tcttctcgc	cagctacacg	gccaacctgg	ccgccttcat	gatccaagag	caatacatcg	2160
acactgtgtc	gggcctcagt	gacaagaagt	ttcagcggcc	tcaagatcag	taccacacct	2220
tccgcttcgg	cacggtgccc	aacggcagca	cggagcggaa	catccgcagt	aactaccgtg	2280
acatgcacac	ccacatggtc	aagttcaacc	agcgtcgggt	ggaggacgcg	ctcaccagcc	2340
tcaagatggg	gaagctggat	gccttcatct	atgatgctgc	tgtctcaaac	tacatggcag	2400
gcaaggacga	gggctgcaag	ctggtcacca	tgggtctggg	caaggtcttt	gctaccactg	2460
gctacggcat	cgccatgcag	aaggactccc	actggaagcg	ggccatagac	ctggcgctct	2520
tgcagttcct	gggggacgga	gagacacaga	aactggagac	agtgtggctc	tcagggatct	2580
gccagaatga	gaagaacgag	gtgatgagca	gcaagctgga	catcgacaac	atggcaggcg	2640
tcttctacat	gctgctgggtg	gccatggggc	tggccctgct	ggtcttcgcc	tgggagcacc	2700
tggctactctg	gaagctgcgc	cactcggtgc	ccaactcatc	ccagctggac	ttcctgctgg	2760
cttccagcag	gggcattctac	agctgcttca	gcgggggtgca	gagcctcgcc	agcccaccgc	2820
ggcaggccag	cccggacctc	acggccagct	cggcccaggc	cagcgtgctc	aagatgctgc	2880
aggcagcccg	cgacatggtg	accacggcgg	gcgtaagcag	ctccctggac	cgcgccactc	2940
gcaccatcga	gaattggggg	ggcgccggcc	gtgcgcccc	accgtccccc	tggccgaccc	3000
cgcggtctgg	ccccagccca	tgcttgcccc	cccccgaccc	gccccagag	ccgagcccca	3060
cgggctgggg	accgcagac	gggggtcgcg	cggcgcttgt	gcgcagggct	ccgcagcccc	3120
cgggcggccc	cccgacggcg	gggcccggcc	tgtccgacgt	ctcccgagtg	tcgcgcggcc	3180
cagcctggga	ggcgcggtgg	ccggtgcgga	ccgggcaactg	cgggaggcac	ctctcggcct	3240
ccgagcggcc	cctgtcgccc	gcgcgctgtc	actacagctc	ctttcctcga	gccgaccgat	3300
ccggccggccc	cttctctccg	ctcttcccgg	agcccccgga	gctggaggac	ctgccgctgc	3360
tcggctccgga	gcagctggcc	cggcgggagg	ccctgctgca	cgcggcctgg	gcccggggct	3420
cgcgcccgcg	tcacgcttcc	ctgcccagct	ccgtggccga	ggccttcgct	cggcccagct	3480
cgtgcgccgc	tgggtgcacc	ggccccgcct	gcgcgcggcc	cgacggccac	tcggcctgca	3540
ggcgcttggc	gcaggcgacg	tcgatgtgct	tgccgatcta	ccgggaggcc	tgccaggagg	3600
gcgagcaggc	aggggcccc	gcctggcagc	acagacagca	cgtctgcctg	cacgcccacg	3660
cccacctgcc	attttgtctg	ggggctgtct	gtcctcacct	tccacctgt	gccagccacg	3720
gctcctggct	ctccggggcc	tgggggcctc	tggggcacag	gggcaggact	ctggggctgg	3780
gcacaggcta	cagagacagt	gggggactgg	acgagatcag	cagtgtagcc	cgtgggacgc	3840


```

aaggcttccc gggaccctgc acctggagac ggatctccag tctggagtca gaagtgtgag 3900
ttatcagcca ctccaggctcc gagccagctg gattctctgc ctgccactgt caggggtaag 3960
cggcaggcag gattgggctt ttctggcttc taccatgaaa tcctggccat gggaccccag 4020
tgacagatga tgtcttccat ggtcatcagt gacctcagta gcctcaaata atgggtgaggg 4080
ctgggctttt gctgtctctt tctcacgcag agttctgcca ggaggggtgtg ctgtgggggt 4140
cagactcttg aggtctctcc ttcctggggg ctagccagtt actggtcatg gctgctgtgg 4200
gcatggaggc tggaaacttg ggttgaggca gggccatccc gatccttgct ctacctggct 4260
agagtttctt ctcacagag cactgggaca ttaaaccaac ctttt 4305

```

<210> 68

<211> 1236

<212> PRT

<213> Homo sapiens

<400> 68

```

Met Gly Gly Ala Leu Gly Pro Ala Leu Leu Leu Thr Ser Leu Phe Gly
 1          5          10          15
Ala Trp Ala Gly Leu Gly Pro Gly Gln Gly Glu Gln Gly Met Thr Val
 20          25          30
Ala Val Val Phe Ser Ser Ser Gly Pro Pro Gln Ala Gln Phe Arg Ala
 35          40          45
Arg Leu Thr Pro Gln Ser Phe Leu Asp Leu Pro Leu Glu Ile Gln Pro
 50          55          60
Leu Thr Val Gly Val Asn Thr Thr Asn Pro Ser Ser Leu Leu Thr Gln
 65          70          75          80
Ile Cys Gly Leu Leu Gly Ala Ala His Val His Gly Ile Val Phe Glu
 85          90          95
Asp Asn Val Asp Thr Glu Ala Val Ala Gln Ile Leu Asp Phe Ile Ser
100          105          110
Ser Gln Thr His Val Pro Ile Leu Ser Ile Ser Gly Gly Ser Ala Val
115          120          125
Val Leu Thr Pro Lys Glu Pro Gly Ser Ala Phe Leu Gln Leu Gly Val
130          135          140
Ser Leu Glu Gln Gln Leu Gln Val Leu Phe Lys Val Leu Glu Glu Tyr
145          150          155          160
Asp Trp Ser Ala Phe Ala Val Ile Thr Ser Leu His Pro Gly His Ala
165          170          175
Leu Phe Leu Glu Gly Val Arg Ala Val Ala Asp Ala Ser His Val Ser
180          185          190
Trp Arg Leu Leu Asp Val Val Thr Leu Glu Leu Gly Pro Gly Gly Pro
195          200          205
Arg Ala Arg Thr Gln Arg Leu Leu Arg Gln Leu Asp Ala Pro Val Phe
210          215          220
Val Ala Tyr Cys Ser Arg Glu Glu Ala Glu Val Leu Phe Ala Glu Ala
225          230          235          240
Ala Gln Ala Gly Leu Val Gly Pro Gly His Val Trp Leu Val Pro Asn
245          250          255
Leu Ala Leu Gly Ser Thr Asp Ala Pro Pro Ala Thr Phe Pro Val Gly
260          265          270
Leu Ile Ser Val Val Thr Glu Ser Trp Arg Leu Ser Leu Arg Gln Lys
275          280          285
Val Arg Asp Gly Val Ala Ile Leu Ala Leu Gly Ala His Ser Tyr Trp
290          295          300
Arg Gln His Gly Thr Leu Pro Ala Pro Ala Gly Asp Cys Arg Val His
305          310          315          320
Pro Gly Pro Val Ser Pro Ala Arg Glu Ala Phe Tyr Arg His Leu Leu
325          330          335
Asn Val Thr Trp Glu Gly Arg Asp Phe Ser Phe Ser Pro Gly Gly Tyr
340          345          350

```

Leu Val Gln Pro Thr Met Val Val Ile Ala Leu Asn Arg His Arg Leu
 355 360 365
 Trp Glu Met Val Gly Arg Trp Glu His Gly Val Leu Tyr Met Lys Tyr
 370 375 380
 Pro Val Trp Pro Arg Tyr Ser Ala Ser Leu Gln Pro Val Val Asp Ser
 385 390 395 400
 Arg His Leu Thr Val Ala Thr Leu Glu Glu Arg Pro Phe Val Ile Val
 405 410 415
 Glu Ser Pro Asp Pro Gly Thr Gly Gly Cys Val Pro Asn Thr Val Pro
 420 425 430
 Cys Arg Arg Gln Ser Asn His Thr Phe Ser Ser Gly Asp Val Ala Pro
 435 440 445
 Tyr Thr Lys Leu Cys Cys Lys Gly Phe Cys Ile Asp Ile Leu Lys Lys
 450 455 460
 Leu Ala Arg Val Val Lys Phe Ser Tyr Asp Leu Tyr Leu Val Thr Asn
 465 470 475 480
 Gly Lys His Gly Lys Arg Val Arg Gly Val Trp Asn Gly Met Ile Gly
 485 490 495
 Glu Val Tyr Tyr Lys Arg Ala Asp Met Ala Ile Gly Ser Leu Thr Ile
 500 505 510
 Asn Glu Glu Arg Ser Glu Ile Val Asp Phe Ser Val Pro Phe Val Glu
 515 520 525
 Thr Gly Ile Ser Val Met Val Ala Arg Ser Asn Gly Thr Val Ser Pro
 530 535 540
 Ser Ala Phe Leu Glu Pro Tyr Ser Pro Ala Val Trp Val Met Met Phe
 545 550 555 560
 Val Met Cys Leu Thr Val Val Ala Ile Thr Val Phe Met Phe Glu Tyr
 565 570 575
 Phe Ser Pro Val Ser Tyr Asn Gln Asn Leu Thr Arg Gly Lys Lys Ser
 580 585 590
 Gly Gly Pro Ala Phe Thr Ile Gly Lys Ser Val Trp Leu Leu Trp Ala
 595 600 605
 Leu Val Phe Asn Asn Ser Val Pro Ile Glu Asn Pro Arg Gly Thr Thr
 610 615 620
 Ser Lys Ile Met Val Leu Val Trp Ala Phe Phe Ala Val Ile Phe Leu
 625 630 635 640
 Ala Ser Tyr Thr Ala Asn Leu Ala Ala Phe Met Ile Gln Glu Gln Tyr
 645 650 655
 Ile Asp Thr Val Ser Gly Leu Ser Asp Lys Lys Phe Gln Arg Pro Gln
 660 665 670
 Asp Gln Tyr Pro Pro Phe Arg Phe Gly Thr Val Pro Asn Gly Ser Thr
 675 680 685
 Glu Arg Asn Ile Arg Ser Asn Tyr Arg Asp Met His Thr His Met Val
 690 695 700
 Lys Phe Asn Gln Arg Ser Val Glu Asp Ala Leu Thr Ser Leu Lys Met
 705 710 715 720
 Gly Lys Leu Asp Ala Phe Ile Tyr Asp Ala Val Leu Asn Tyr Met
 725 730 735
 Ala Gly Lys Asp Glu Gly Cys Lys Leu Val Thr Ile Gly Ser Gly Lys
 740 745 750
 Val Phe Ala Thr Thr Gly Tyr Gly Ile Ala Met Gln Lys Asp Ser His
 755 760 765
 Trp Lys Arg Ala Ile Asp Leu Ala Leu Leu Gln Phe Leu Gly Asp Gly
 770 775 780
 Glu Thr Gln Lys Leu Glu Thr Val Trp Leu Ser Gly Ile Cys Gln Asn
 785 790 795 800
 Glu Lys Asn Glu Val Met Ser Ser Lys Leu Asp Ile Asp Asn Met Ala
 805 810 815
 Gly Val Phe Tyr Met Leu Leu Val Ala Met Gly Leu Ala Leu Leu Val

820										825					830							
Phe	Ala	Trp	Glu	His	Leu	Val	Tyr	Trp	Lys	Leu	Arg	His	Ser	Val	Pro							
835										840					845							
Asn	Ser	Ser	Gln	Leu	Asp	Phe	Leu	Leu	Ala	Phe	Ser	Arg	Gly	Ile	Tyr							
850										855					860							
Ser	Cys	Phe	Ser	Gly	Val	Gln	Ser	Leu	Ala	Ser	Pro	Pro	Arg	Gln	Ala							
865										870					875							
Ser	Pro	Asp	Leu	Thr	Ala	Ser	Ser	Ala	Gln	Ala	Ser	Val	Leu	Lys	Met							
885										890					895							
Leu	Gln	Ala	Ala	Arg	Asp	Met	Val	Thr	Thr	Ala	Gly	Val	Ser	Ser	Ser							
900										905					910							
Leu	Asp	Arg	Ala	Thr	Arg	Thr	Ile	Glu	Asn	Trp	Gly	Gly	Gly	Arg	Arg							
915										920					925							
Ala	Pro	Pro	Pro	Ser	Pro	Cys	Pro	Thr	Pro	Arg	Ser	Gly	Pro	Ser	Pro							
930										935					940							
Cys	Leu	Pro	Thr	Pro	Asp	Pro	Pro	Pro	Glu	Pro	Ser	Pro	Thr	Gly	Trp							
945										950					955							
Gly	Pro	Pro	Asp	Gly	Gly	Arg	Ala	Ala	Leu	Val	Arg	Arg	Ala	Pro	Gln							
965										970					975							
Pro	Pro	Gly	Arg	Pro	Pro	Thr	Pro	Gly	Pro	Pro	Leu	Ser	Asp	Val	Ser							
980										985					990							
Arg	Val	Ser	Arg	Arg	Pro	Ala	Trp	Glu	Ala	Arg	Trp	Pro	Val	Arg	Thr							
995										1000					1005							
Gly	His	Cys	Gly	Arg	His	Leu	Ser	Ala	Ser	Glu	Arg	Pro	Leu	Ser	Pro							
1010										1015					1020							
Ala	Arg	Cys	His	Tyr	Ser	Ser	Phe	Pro	Arg	Ala	Asp	Arg	Ser	Gly	Arg							
1025										1030					1035							
Pro	Phe	Leu	Pro	Leu	Phe	Pro	Glu	Pro	Pro	Glu	Leu	Glu	Asp	Leu	Pro							
1045										1050					1055							
Leu	Leu	Gly	Pro	Glu	Gln	Leu	Ala	Arg	Arg	Glu	Ala	Leu	Leu	His	Ala							
1060										1065					1070							
Ala	Trp	Ala	Arg	Gly	Ser	Arg	Pro	Arg	His	Ala	Ser	Leu	Pro	Ser	Ser							
1075										1080					1085							
Val	Ala	Glu	Ala	Phe	Ala	Arg	Pro	Ser	Ser	Leu	Pro	Ala	Gly	Cys	Thr							
1090										1095					1100							
Gly	Pro	Ala	Cys	Ala	Arg	Pro	Asp	Gly	His	Ser	Ala	Cys	Arg	Arg	Leu							
1105										1110					1115							
Ala	Gln	Ala	Gln	Ser	Met	Cys	Leu	Pro	Ile	Tyr	Arg	Glu	Ala	Cys	Gln							
1125										1130					1135							
Glu	Gly	Glu	Gln	Ala	Gly	Ala	Pro	Ala	Trp	Gln	His	Arg	Gln	His	Val							
1140										1145					1150							
Cys	Leu	His	Ala	His	Ala	His	Leu	Pro	Phe	Cys	Trp	Gly	Ala	Val	Cys							
1155										1160					1165							
Pro	His	Leu	Pro	Pro	Cys	Ala	Ser	His	Gly	Ser	Trp	Leu	Ser	Gly	Ala							
1170										1175					1180							
Trp	Gly	Pro	Leu	Gly	His	Arg	Gly	Arg	Thr	Leu	Gly	Leu	Gly	Thr	Gly							
1185										1190					1195							
Tyr	Arg	Asp	Ser	Gly	Gly	Leu	Asp	Glu	Ile	Ser	Ser	Val	Ala	Arg	Gly							
1205										1210					1215							
Thr	Gln	Gly	Phe	Pro	Gly	Pro	Cys	Thr	Trp	Arg	Arg	Ile	Ser	Ser	Leu							
1220										1225					1230							
Glu	Ser	Glu	Val																			
1235																						

<210> 69

<211> 1725

<212> DNA

<213> Homo sapiens

<400> 69

```

gtcgacccac gcgctccggct ggaaggaact ggtctgctca cacttgctgg cttgcgcata 60
aggactggct ttatctcctg actcacgggtg caaagggtgca ctctgcgaac gttaagtccg 120
tccccagcgc ttggaatcct acggcccccac cagccggatc ccctcagcct tccaggctcct 180
caactcccg cggacgctgaa caatggcctc catggggcta caggtaatgg gcatcgcgct 240
ggcgtctctg ggctggctgg ccgtcatgct gtgctgcgcg ctgcccattg ggcgcgtgac 300
ggccttcata ggcagcaaca ttgtcacctc gcagaccatc tgggagggcc tatggatgaa 360
ctgcgtgggtg cagagcaccg gccagatgca gtgcaagggtg tacgactcgc tgctggcact 420
gccgcaggac ctgcaggcgg cccgcgccct cgtcatcatc agcatcatcg tggctgctct 480
ggcgtgctg ctgtccgtgg tggggggcaa gtgtaccaac tgccctggagg atgaaagcgc 540
caaggccaag accatgatcg tggcggcgt ggtgttctct ttggccggcc ttatggtgat 600
agtgcgggtg tccctggacg cccacaacat catccaagac ttctacaatc cgctgggtggc 660
ctccggggcag aagcggggaga tgggtgcctc gctctacgtc ggctggggcc cctccggcct 720
gctgctcctt ggcggggggc tgctttgctg caactgtcca ccccgcacag acaagcctta 780
ctccgccaag tattctgctg ccgctctgct tgctgccagc aactacgtgt aagggtgccac 840
ggctccactg tgttctcttc tgctttgttc ttccctggac tgagctcagc gcaggctgtg 900
accccaggag ggccctgccca cgggccactg gctgctgggg actggggact gggcagagac 960
tgagccaggc aggaaggcag cagccttcag cctctctggc ccaactcggac aacttcccaa 1020
ggccgcctcc tgctagcaag aacagagtcc accctcctct ggatattggg gagggacgga 1080
agtgcagggt tgtggtggtg gagggtggag ctggcttctg ctggccagga tggcttaacc 1140
ctgacttttg gatctgcctg catcggtgtt ggccactgtc cccatttaca ttttccccac 1200
tctgtctgcc tgcattcctc ctgttgccgg taggccttga tatcactct gggactgtgc 1260
cttgctcacc gaaacccgcg cccaggagta tggctgaggc cttgcccacc cacctgcctg 1320
ggaagtgcag agtggtatgga cgggtttaga ggggaggggc gaaggtgctg taaacagggt 1380
tgggcagtgg tgggggaggg gccagagag gcggctcagg ttgcccagct ctgtggcctc 1440
aggactctct gcctcaccg cttcagccca gggcccctgg agactgatcc cctctgagtc 1500
ctctgcccct tccaaggaca ctaatgagcc tgggaggggt gcaggagga ggggacagct 1560
tcacccttgg aagtcctggg gtttttctc ttcttcttt gtggtttctg ttttgtaatt 1620
taagaagagc tattcatcac tgtaattatt attattttct acaataaatg ggacctgtgc 1680
acaggaggaa aaaaaaaaaa aaaaaaaaaa aaaaagggag gccgc 1725

```

<210> 70

<211> 206

<212> PRT

<213> Homo sapiens

<400> 70

```

Met Gly Leu Gln Val Met Gly Ile Ala Leu Ala Val Leu Gly Trp Leu
 1             5             10            15
Ala Val Met Leu Cys Cys Ala Leu Pro Met Trp Arg Val Thr Ala Phe
 20            25            30
Ile Gly Ser Asn Ile Val Thr Ser Gln Thr Ile Trp Glu Gly Leu Trp
 35            40            45
Met Asn Cys Val Val Gln Ser Thr Gly Gln Met Gln Cys Lys Val Tyr
 50            55            60
Asp Ser Leu Leu Ala Leu Pro Gln Asp Leu Gln Ala Ala Arg Ala Leu
 65            70            75            80
Val Ile Ile Ser Ile Ile Val Ala Ala Leu Gly Val Leu Leu Ser Val
 85            90            95
Val Gly Gly Lys Cys Thr Asn Cys Leu Glu Asp Glu Ser Ala Lys Ala
100           105           110
Lys Thr Met Ile Val Ala Gly Val Val Phe Leu Leu Ala Gly Leu Met
115           120           125
Val Ile Val Pro Val Ser Trp Thr Ala His Asn Ile Ile Gln Asp Phe
130           135           140
Tyr Asn Pro Leu Val Ala Ser Gly Gln Lys Arg Glu Met Gly Ala Ser
145           150           155           160
Leu Tyr Val Gly Trp Ala Ala Ser Gly Leu Leu Leu Leu Gly Gly Gly

```

<400> 71						
gtcgaccac	gcgtccggt	accgccgct	tctattctcc	gaagccggcg	accgcccac	60
ctctccctc	cctcccgcc	gttctctctg	cccacagcgc	cggccagagc	gagctagaca	120
agggcacgcg	gggcctcgcc	tagacccgag	aagactgcgg	gcgcgcgcaa	gcggcggcgt	180
ggaagctgtg	agcgccccc	tcccgagggt	ctccgcgcgc	tcccggtga	atcagctccc	240
ggccgacttt	aggattcttc	tggattttaa	atTTTTtctt	tttaaaaaaa	cttgacgga	300
taaaagatgt	gccatggcag	gatagcacca	aagagcacct	cagtgtttgc	cgtggcctcc	360
gtgggacatg	gagtgttct	tccgtagtgc	atcctttgca	ccctgcttgg	agacggactt	420
gcttcogtgt	gccccctacc	accgtagcca	gagaatggtg	gctacatctg	ccacccccgt	480
ccctgcagag	acccccctgac	agcaggcagt	gtcatcgaat	acctgtgtgc	tgaaggctac	540
atgttgaagg	gcgattacaa	atacctgacg	tgtagaagt	gcgagtggaa	accagccatg	600
gagattagct	gccgtctcaa	cgaggataaa	gacaccacac	catcacttgg	ggtccccacg	660
ctgtctatag	tggcttctac	tgccagctcc	gtggcgctca	ttctctctct	cgtggtgctg	720
tttgtgctgc	tgcagccaaa	gctgaagtct	ttccatcata	gcaggcgtga	ccagggggtg	780
tctggggacc	aggtctccat	catggtggat	ggagtccagg	ttgcactacc	atcatacgag	840
gaggtctgtat	atggcagttc	tggctactgt	gtgccacctg	ctgaccccag	agtacagatt	900
gtgctgtcat	aagggtcttg	gcccagtggt	aggagcgtgc	caagggagca	acagctgccg	960
gaccaaaagg	ctctgctctc	tgcagtgaga	gaagatgagg	ccccaggcca	gtctggacta	1020
tgtgaagcct	ggggctctcg	ggcctcagga	actgtgatgg	tgcatacagg	aaccacctct	1080
tcctgggttg	ccggctcagg	gaaccgccaa	ctggcacaca	aagaaactgc	agattcagag	1140
aacagtgaca	tacaaagcct	tttatccctc	acgtcagagg	agtacacaga	tgatattcca	1200
ctgttgaaag	aagcatgagg	gcagcggcca	gcctttctct	tctgcgaggt	tctctcagcc	1260
cttctccct	ctccctgtgg	gattgagcac	cctgtactct	ccagccacct	tacctggata	1320
cctgagctgc	cacctgtgta	tctgtgtatc	tctgagggcc	ctataggccc	accttgcctg	1380
aaactcaagc	aagattctct	ccatctgcct	gttggacagc	tggaggagct	ggctctttgc	1440
ctgccccecg	cttcccatct	gtcagagaca	tatttgaatg	tgtctgatac	aacctccct	1500
tttctaagc	ctctgggtcc	ctccagcca	gctctttggc	ggcagcccc	accagctcct	1560
gtgggcctga	gtgctgctgt	gtttacttgt	gcctttcccc	cacctgtcc	agtttcctctg	1620
tcatgcagac	ttgttgctgt	ccacaagcct	tagtggtgc	actgetgcc	cctgccacac	1680
agggggcccg	gcctgggtct	gtcctgtttc	ctttgagggt	tgccctact	gccctttgca	1740
ggaacagatc	caggtgtgag	agctcttgag	tcaagagtgg	cagaagtggc	tctaattggg	1800
gtgagagtgt	agtccctggg	cttgccctgg	gttgaccctg	gtggcatatt	tccttggtctg	1860
aggatggaag	atttgagaaa	tcatgtccat	gctggcccag	gacccagcca	tctggcccaa	1920
aggcacaagc	tcctggccct	gttgagtga	gagtttccaa	gaagcatcca	gaagatccca	1980
agggagagaa	ggaaaatggc	tgataatgat	tgtctttcta	atatgcaagt	tctcaattcc	2040
tacttccagc	atcggccttc	ctggccttgt	cttttttttg	tttccctgga	gtataattggg	2100
aagtgtcatg	ctgcctcctg	ggttttatcc	cagatagctc	tggctttctt	gtgccccaca	2160
ggggcctggg	gcagggaagg	gacttgctga	gatgccatgg	agtgccatc	tggctactgg	2220
cagtctgggc	aggttgcccc	tttctgggtt	tgtggtgacg	gaggggaggc	cgagaggcac	2280
agaccaagtc	cccgggtggc	tgcaggcagc	tccagcccgg	tcttgaggat	cctcctcacc	2340
atggtcacgt	gccttagtaa	ctgtgccag	gaagtggcct	gctgcttgct	gtgctgctgc	2400
ttttcctact	tctgcccttc	cctgccaccc	ctcgcatgtc	acagctgaca	agcaattcct	2460
tgtcttcct	ggccccctgg	gggaagggct	gagaaacagt	ccgtgtgcac	cccaacctta	2520
atggcctgat	gtgggcagag	gggttgagg	cagctgtggg	tacaggggcc	tgggggagga	2580
gcccactgag	gaggggcgct	ctcccatagc	catctgttga	atgctaacta	ggctgggggtg	2640
gacgaactct	gccaaactgct	gtcatcttag	aagatagatg	cagcagtaag	gaatgtttgt	2700
tttgcttttt	tctgaaattt	tctgaagcac	tgtggctggg	aaacttcgaa	gcggaccctg	2760

```

tgctgcatgt ctgctcctcc cctgagcctg tctgcttggg ggtggtaaaa ataaaaatcc 2820
cagtttattt tcagtacctt acctaacagg gttggctcca ggcgtgggtg gcctagaaga 2880
tgaggggagt ggtcttctcc cagcctttta cctcttggcc tcctgcctcc gcgcttacac 2940
acgcacttta ccacccggtc attcctctggc ctcttgctgc cacttgtagt cttccttcct 3000
tctctcagg gtaagggcag tgctgctgt gctgttggc cactcccaca cttccccctcc 3060
cccaggagcc ctcatctgct gtgctgagtc caggaaagca tagttaggta gggagctggt 3120
tggagaaggt gctagaacta gaaggcagat gagactagca tggggccacc tggaggctg 3180
tcctaatgg cccagtgcc cttacctcac ccacagcagt gcccttgtct tcctccaaaa 3240
cagaaagcag tgacaaaagg gggaggggtg gtaatctgaa gtctcactgc tgagccttca 3300
gcttttattt ttcactgttt caaaaccgcg attctattct agaattggtt ttaaaatgga 3360
agatcttacc tttttctatc ttgttactct ggggttttgt cccctaaga gattgcactt 3420
tttgtttggg gtttattcag ctgcatagat gaccagcttg atccctggtg aaatgaaaag 3480
ccttcttct cctgaagcct ctttccgccc tgccctccac taacaacact gaggagcaca 3540
agcccaggct tgcccacctg gtaggaaagg aagaaattag aacaatgga gccttggtc 3600
ccctctgctc tctccccctc cttcttgcga ctggcttga tgaggccac tcccagagg 3660
ctcctgggcc tgtgagtga ggagctcac tccccctcac tgctgaagtc tgtgacagct 3720
tcttctcca gttatgtct tcttccaaag caatttctta accatcagcc atgtgctgct 3780
atttctaggg cttctgggct ttgtccctta ctgagagatt agggactcca cagctgcctt 3840
gaggtagggt ctggctgaga gacaagggtg gcagcagggtg gcaggctgtt aaaagacagg 3900
ctgctgagg agcctggagc aggtggaac aggtggaaga aaccggccac agcctgctt 3960
taccgggctc acctctaggg cattccagca agaggctgat gcaggagaat ggccagcacc 4020
aaaggacatt taaaagagtt tttgggtttt tttgtttgtt tgttgttggg gtttgtttt 4080
ttttttttt ttttttggca cacttgagct gactcagtg aggtttaata tcctggtgac 4140
ttgagtcac attctaata ctttcaagg ccagaatatg gtgaaaatca cttaaaatat 4200
ccgtcccttc catgccttag tttagcagg aggtctctatc ttttgccatt tctgtatttt 4260
atgtgctgtg ttcccgtttc actgggtatg aactgtgaâa tcgactgaat cctggccact 4320
ttatgagttt ttttgggttt ataaggcatt tcaatgtaca ttctataaat acaagcactc 4380
catttgcaaa cagatcttaa gctaataatt tctttcccat tcatcttgcc ctccccctcc 4440
tcccgccagc tttaaagttc agtgagaga ccagatggca attcagacaa aggtatactc 4500
ttcctgcttc atgggtggtg gcacgggaat agatagccct tagcccttcc cctcccagtc 4560
ccagctgagc cctcagacca cttgcttccc acataacaat gtcgctcca tttccgagga 4620
acatccttgc gtagagaatg aaatatgctg caatcatttc tgcatcctta ctctcacc 4680
ccaaagaaaa aaaaaaggcc tagcagggaa gcagcatgca ggcttcacag cttaatgcca 4740
aggacagcga gtgaggctgg gagcttctct tgggcctgct gggctctgtca gctctcgga 4800
tagggacagt ccttactggt gcccacagg gggacttga gaataatttg cttggcatat 4860
gttggctg atgggtgtag ttgctggtc ctagagagg aaaagggtgc agggccagct 4920
ttgctgggaa atggctctta atttccagtt gaaaccctag tagaattgtg aatgaaaacc 4980
tcaaggttga gcccctctgc caagcagcag agctagtaga aggggatgca ggggcaaac 5040
actcagttgc caagcaagga ggagagatgt acgtgggctg tgtggcagtc cccacaccct 5100
gccctggctt cttcaggtta tcgcaccact atggaatcct ttgcagaatg gtactcatat 5160
aatggtttaa aacaacacat tcataattga ctctgtgcag gatgtcactc aatcagttt 5220
ggtttgcttt attttatttt atatatatat ttttgggtat cctgtacatt gcagtgggtg 5280
tgaagatagt attttaatat ttgtacaaag ttttaattaa ttttaattgt tctatgtata 5340
taactgcatt tctaaataat taaaaaaaag ttcttatgaa aaaaaaaaaa aaaaaaaaaa 5400
ggcgccgcg 5410

```

<210> 72

<211> 303

<212> PRT

<213> Homo sapiens

<400> 72

```

Met Cys His Gly Arg Ile Ala Pro Lys Ser Thr Ser Val Phe Ala Val
 1           5           10           15
Ala Ser Val Gly His Gly Val Phe Leu Pro Leu Val Ile Leu Cys Thr
          20           25           30
Leu Leu Gly Asp Gly Leu Ala Ser Val Cys Pro Leu Pro Pro Glu Pro
          35           40           45
Glu Asn Gly Gly Tyr Ile Cys His Pro Arg Pro Cys Arg Asp Pro Leu

```

50	55	60
Thr Ala Gly Ser Val	Ile Glu Tyr Leu Cys	Ala Glu Gly Tyr Met Leu
65	70	75
Lys Gly Asp Tyr Lys	Tyr Leu Thr Cys Lys	Asn Gly Glu Trp Lys Pro
85	90	95
Ala Met Glu Ile Ser	Cys Arg Leu Asn	Glu Asp Lys Asp Thr His Thr
100	105	110
Ser Leu Gly Val Pro	Thr Leu Ser Ile	Val Ala Ser Thr Ala Ser Ser
115	120	125
Val Ala Leu Ile Leu	Leu Leu Val Val	Leu Phe Val Leu Leu Gln Pro
130	135	140
Lys Leu Lys Ser Phe	His His Ser Arg	Arg Asp Gln Gly Val Ser Gly
145	150	155
Asp Gln Val Ser Ile	Met Val Asp Gly	Val Gln Val Ala Leu Pro Ser
165	170	175
Tyr Glu Glu Ala Val	Tyr Gly Ser Ser	Gly His Cys Val Pro Pro Ala
180	185	190
Asp Pro Arg Val Gln	Ile Val Leu Ser	Glu Gly Ser Gly Pro Ser Gly
195	200	205
Arg Ser Val Pro Arg	Glu Gln Gln Leu	Pro Asp Gln Gly Ala Cys Ser
210	215	220
Ser Ala Gly Gly Glu	Asp Glu Ala Pro	Gly Gln Ser Gly Leu Cys Glu
225	230	235
Ala Trp Gly Ser Arg	Ala Ser Glu Thr	Val Met Val His Gln Ala Thr
245	250	255
Thr Ser Ser Trp Val	Ala Gly Ser Gly	Asn Arg Gln Leu Ala His Lys
260	265	270
Glu Thr Ala Asp Ser	Glu Asn Ser Asp	Ile Gln Ser Leu Leu Ser Leu
275	280	285
Thr Ser Glu Glu Tyr	Thr Asp Asp Ile	Pro Leu Leu Lys Glu Ala
290	295	300

<210> 73

<211> 4392

<212> DNA

<213> Homo sapiens

<400> 73

```

gtcgaccac gcgtccgggc cgtccaggct agcggcggcc cgcaggcggc ggggagaaaag 60
actctctcac ctggtcttgc ggctgtggcc accgccggcc aggggtgtgg agggcgtgct 120
gccgagacg tccgccgggc tctgcagttc cgccgggggt cgggcagcta tggagcccg 180
gccacggcg cctcctccg gcgccccggg actggcggg gtcggggaga cgccgtcagc 240
cgctgcgctg gccgcagcca ggggtggaact gcccggcag gctgtgccct cggtgccgga 300
ggatgctgcg ccgcgagcc gggacggcgg cggggtccgc gatgagggcc ccgcggcggc 360
cggggacggg ctgggcagac ccttggggcc caccgccagc cagagccgtt tccaggtgga 420
cctggtttcc gagaacgccg ggcggggccg tgctgcggcg gcggcggcg cggcggcagc 480
ggcggcggct ggtgctgggg cggggggcaa gcagacccc gcggacgggg aagccagcgg 540
cgagagcgag ccggctaaag gcagcgagga agccaaggc cgcttccgcg tgaacttcgt 600
ggaccagct gcctcctcgt cggtgaaga cagcctgtca gatgctgccg gggtcggagt 660
cgacgggccc aacgtgagct tccagaacgg cggggacacg gtgctgagcg agggcagcag 720
cctgcactcc ggcggcggcg gcggcagtg gcaccaccag cactactatt atgataccca 780
caccaacacc tactacctgc gcacctcgg ccacaacacc atggacgctg tgcccaggat 840
cgatcactac cggcacacag ccgcgcagct gggcgagaag ctgctccggc ctagcctggc 900
ggagctccac gacgagctgg aaaaggaacc ttttgaggat ggctttgcaa atggggaaga 960
aagtactcca accagagatg ctgtggtcac gtatactgca gaaagtaaag gagtcgtgaa 1020
gtttggctgg atcaagggtg tattagtacg ttgtatgta aacatttggg gtgtgatgct 1080
tttcattgga ttgtcatgga ttgtgggtca agctggaata ggtctatcag tccttgtaat 1140
aatgatggcc actgtttgtga caactatcac aggattgtct acttcagcaa tagcaactaa 1200

```

```

tggatttgta agaggaggag gagcatatta tttaatatct agaagtctag ggccagaatt 1260
tgggtggtgca attggtctaa tcttcgcctt tgccaacgct gttgcagttg ctatgtatgt 1320
gggttgattt gcagaaaccg tgggtggagt gcttaaggaa cattccatac ttatgataga 1380
tgaaatcaat gatatccgaa ttattggagc cattacagtc gtgattcttt taggtatctc 1440
agtagctgga atggagtggg aagcaaaagc tcagattggt cttttggtga tcctacttct 1500
tgctattggt gatttcgtca taggaacatt tatccactg gagagcaaga agccaaaagg 1560
gttttttggt tataaatctg aaatatttaa tgagaacttt gggcccgatt ttcgagagga 1620
agagactttc ttttctgtat ttgccatctt ttttcctgct gcaactggta ttctggctgg 1680
agcaaatatc tcaggtgatc ttgcagatcc tcagtcagcc atacccaaag gaacactcct 1740
agccatttta attactacat tggtttacgt aggaattgca gtatctgtag gttcttgtgt 1800
tgttcgagat gccactggaa acgttaatga cactatcgta acagagctaa caaactgtac 1860
ttctgcagcc tgcaaatata actttgattt tcatcttgt gaaagcagtc ctgttccta 1920
tggcctaata aacaacttcc aggtaatgag tatggtgtca ggatttacac cactaatttc 1980
tgcaggtata ttttcagcca ctctttcttc agcattagca tccctagtga gtgctcccaa 2040
aatatttcag gctctatgta aggacaacat ctacccagct ttccagatgt ttgctaaagg 2100
ttatgggaaa aataatgaac ctcttcgtgg ctacacttta acattcttaa ttgcacttgg 2160
attcatctta attgctgaac tgaatgttat tgcaccaatt atctcaaact tcttccttgc 2220
atcatatgca ttgatcaatt ttcagatatt ccattgcatca cttgcaaaat ctccaggatg 2280
gcgtcctgca ttcaataact acaacatgtg gatatacatt cttggagcaa ttctttgttg 2340
catagtaatg ttcgtcatta actggtgggc tgcattgcta acatatgtga tagtccttgg 2400
gctgtatatt tatgttacct acaaaaaacc agatgtgaat tggggatcct ctacacaagc 2460
cctgacttac ctgaatgcac tgcagcattc aattcgtctt tctggagtgg aagaccacgt 2520
gaaaaacttt aggccacagt gtcttgttat gacagggtgt ccaaactcac gtccagcttt 2580
acttcatctt gttcatgatt tcacaaaaaa tgttggtttg atgatctgtg gccatgtaca 2640
tatgggtcct cgaagacaag ccatgaaaag gatgtccatc gatcaagcca aatatcagcg 2700
atggcttatt aagaacaaaa tgaaggcatt ttatgtctca gtacatgcag atgacttgag 2760
agaaggtgca cagtatttga tgcaggctgc tggcttgggt cgtatgaagc caaacacact 2820
tgtccttggg ttttaagaaa attggttgca agcagatatg agggatgtgg atatgtatat 2880
aaacttattt catgatgctt ttgacataca atatggagta gtggttattc gcctaaaaga 2940
aggctctggat atatctcatc ttcaaggaca agaagaatta ttgtcatcac aagagaaatc 3000
tcctggcacc aaggatgtgg tagtaagtgt ggaatatagt aaaaagtccg atttagatac 3060
ttccaaacca ctcagtgaat aaccaattac acacaaagtt gaggaagagg atggcaagac 3120
tgcaactcaa ccactgttga aaaaagaatc caaaggccct attgtgcctt taaatgtagc 3180
tgacaaaaag cttcttgaag ctagtacaca gtttcagaaa aaacaaggaa agaatactat 3240
tgatgtctgg tggctttttg atgatggagg tttgacctta ttgatacctt accttctgac 3300
gaccaagaaa aatggaagaa actgtaagat cagagtattc attggtggaa agataaacag 3360
aatagaccat gaccggagag cgatggctac tttgcttagc aagttccgga tagacttttc 3420
tgatatcatg gttctaggag atatcaatac caaaccaaag aaagaaaata ttatagcttt 3480
tgaggaaatc attgagccat acagacttca tgaagatgat aaagagcaag atattgcaga 3540
taaaatgaaa gaagatgaac catggcgaat aacagataat gagcttgaac tttataagac 3600
caagacatac cggcagatca ggttaaatga gttattaaag gaacattcaa gcacagctaa 3660
tattattgtc atgagtctcc cagttgcacg aaaaggtgct gtgtctagtg ctctctacat 3720
ggcatggtta gaagctctat ctaaggacct accaccaatc ctccatagttc gtgggaatca 3780
tcagagtgtc cttaccttct attcataaat gttctataca gtggacagcc ctccagaatg 3840
gtacttcagt gcctagtgtg gtaactgaaa tcttcaatga cacattaaca tcacaatggc 3900
gaatggtgac ttttctttca cgatttcatt aatttgaaag cacacaggaa agttgctcca 3960
ttgataacgt gtatggagac ttcggtttta gtcaattcca tatctcaatc ttaatggtga 4020
ttcttctctg ttgaactgaa gtttgtgaga gtagttttcc tttgctactt gaatagcaat 4080
aaaagcgtgt taactttttg attgatgaaa gaagtacaaa aagcctttag ccttgagggtg 4140
ccttctgaaa ttaaccaaatt ttcatccata tatectcttt tataaactta tagaatgtca 4200
aamwwwrmmw wmaamwrwww wwawwwmwar wmwmmwmmam wwwaaaaamaa aawraamact 4260
gcttgtcttc ttccattgac catttagtgt tgagtactgt atgtgttttg ttaattctat 4320
aaaggtatct gttagatatt aaaggtgaga attagggcag gttaatcaaa aatgggggag 4380
gggaaatggt aa 4392

```

<210> 74

<211> 1212

<212> PRT

<213> Homo sapiens

<400> 74

```

Met Glu Pro Arg Pro Thr Ala Pro Ser Ser Gly Ala Pro Gly Leu Ala
 1      5      10      15
Gly Val Gly Glu Thr Pro Ser Ala Ala Leu Ala Ala Ala Arg Val
 20      25      30
Glu Leu Pro Gly Thr Ala Val Pro Ser Val Pro Glu Asp Ala Ala Pro
 35      40      45
Ala Ser Arg Asp Gly Gly Gly Val Arg Asp Glu Gly Pro Ala Ala Ala
 50      55      60
Gly Asp Gly Leu Gly Arg Pro Leu Gly Pro Thr Pro Ser Gln Ser Arg
 65      70      75      80
Phe Gln Val Asp Leu Val Ser Glu Asn Ala Gly Arg Ala Ala Ala Ala
 85      90      95
Ala Ala Ala Ala Ala Ala Ala Ala Ala Ala Gly Ala Gly Ala Gly
 100     105     110
Ala Lys Gln Thr Pro Ala Asp Gly Glu Ala Ser Gly Glu Ser Glu Pro
 115     120     125
Ala Lys Gly Ser Glu Glu Ala Lys Gly Arg Phe Arg Val Asn Phe Val
 130     135     140
Asp Pro Ala Ala Ser Ser Ser Ala Glu Asp Ser Leu Ser Asp Ala Ala
 145     150     155     160
Gly Val Gly Val Asp Gly Pro Asn Val Ser Phe Gln Asn Gly Gly Asp
 165     170     175
Thr Val Leu Ser Glu Gly Ser Ser Leu His Ser Gly Gly Gly Gly Gly
 180     185     190
Ser Gly His Gln His Tyr Tyr Tyr Asp Thr His Thr Asn Thr Tyr
 195     200     205
Tyr Leu Arg Thr Phe Gly His Asn Thr Met Asp Ala Val Pro Arg Ile
 210     215     220
Asp His Tyr Arg His Thr Ala Ala Gln Leu Gly Glu Lys Leu Leu Arg
 225     230     235     240
Pro Ser Leu Ala Glu Leu His Asp Glu Leu Glu Lys Glu Pro Phe Glu
 245     250     255
Asp Gly Phe Ala Asn Gly Glu Glu Ser Thr Pro Thr Arg Asp Ala Val
 260     265     270
Val Thr Tyr Thr Ala Glu Ser Lys Gly Val Val Lys Phe Gly Trp Ile
 275     280     285
Lys Gly Val Leu Val Arg Cys Met Leu Asn Ile Trp Gly Val Met Leu
 290     295     300
Phe Ile Arg Leu Ser Trp Ile Val Gly Gln Ala Gly Ile Gly Leu Ser
 305     310     315     320
Val Leu Val Ile Met Met Ala Thr Val Val Thr Thr Ile Thr Gly Leu
 325     330     335
Ser Thr Ser Ala Ile Ala Thr Asn Gly Phe Val Arg Gly Gly Gly Ala
 340     345     350
Tyr Tyr Leu Ile Ser Arg Ser Leu Gly Pro Glu Phe Gly Gly Ala Ile
 355     360     365
Gly Leu Ile Phe Ala Phe Ala Asn Ala Val Ala Val Ala Met Tyr Val
 370     375     380
Val Gly Phe Ala Glu Thr Val Val Glu Leu Leu Lys Glu His Ser Ile
 385     390     395     400
Leu Met Ile Asp Glu Ile Asn Asp Ile Arg Ile Ile Gly Ala Ile Thr
 405     410     415
Val Val Ile Leu Leu Gly Ile Ser Val Ala Gly Met Glu Trp Glu Ala
 420     425     430
Lys Ala Gln Ile Val Leu Leu Val Ile Leu Leu Leu Ala Ile Gly Asp
 435     440     445
Phe Val Ile Gly Thr Phe Ile Pro Leu Glu Ser Lys Lys Pro Lys Gly

```

450						455						460					
Phe	Phe	Gly	Tyr	Lys	Ser	Glu	Ile	Phe	Asn	Glu	Asn	Phe	Gly	Pro	Asp		
465						470					475				480		
Phe	Arg	Glu	Glu	Glu	Thr	Phe	Phe	Ser	Val	Phe	Ala	Ile	Phe	Phe	Pro		
				485					490					495			
Ala	Ala	Thr	Gly	Ile	Leu	Ala	Gly	Ala	Asn	Ile	Ser	Gly	Asp	Leu	Ala		
			500					505					510				
Asp	Pro	Gln	Ser	Ala	Ile	Pro	Lys	Gly	Thr	Leu	Leu	Ala	Ile	Leu	Ile		
		515					520					525					
Thr	Thr	Leu	Val	Tyr	Val	Gly	Ile	Ala	Val	Ser	Val	Gly	Ser	Cys	Val		
		530				535					540						
Val	Arg	Asp	Ala	Thr	Gly	Asn	Val	Asn	Asp	Thr	Ile	Val	Thr	Glu	Leu		
545					550				555						560		
Thr	Asn	Cys	Thr	Ser	Ala	Ala	Cys	Lys	Leu	Asn	Phe	Asp	Phe	Ser	Ser		
			565					570						575			
Cys	Glu	Ser	Ser	Pro	Cys	Ser	Tyr	Gly	Leu	Met	Asn	Asn	Phe	Gln	Val		
			580					585					590				
Met	Ser	Met	Val	Ser	Gly	Phe	Thr	Pro	Leu	Ile	Ser	Ala	Gly	Ile	Phe		
		595				600						605					
Ser	Ala	Thr	Leu	Ser	Ser	Ala	Leu	Ala	Ser	Leu	Val	Ser	Ala	Pro	Lys		
	610					615					620						
Ile	Phe	Gln	Ala	Leu	Cys	Lys	Asp	Asn	Ile	Tyr	Pro	Ala	Phe	Gln	Met		
625				630					635					640			
Phe	Ala	Lys	Gly	Tyr	Gly	Lys	Asn	Asn	Glu	Pro	Leu	Arg	Gly	Tyr	Ile		
			645					650						655			
Leu	Thr	Phe	Leu	Ile	Ala	Leu	Gly	Phe	Ile	Leu	Ile	Ala	Glu	Leu	Asn		
			660					665					670				
Val	Ile	Ala	Pro	Ile	Ile	Ser	Asn	Phe	Phe	Leu	Ala	Ser	Tyr	Ala	Leu		
		675					680					685					
Ile	Asn	Phe	Ser	Val	Phe	His	Ala	Ser	Leu	Ala	Lys	Ser	Pro	Gly	Trp		
	690				695						700						
Arg	Pro	Ala	Phe	Lys	Tyr	Tyr	Asn	Met	Trp	Ile	Ser	Leu	Leu	Gly	Ala		
705				710						715				720			
Ile	Leu	Cys	Cys	Ile	Val	Met	Phe	Val	Ile	Asn	Trp	Trp	Ala	Ala	Leu		
			725					730						735			
Leu	Thr	Tyr	Val	Ile	Val	Leu	Gly	Leu	Tyr	Ile	Tyr	Val	Thr	Tyr	Lys		
			740					745					750				
Lys	Pro	Asp	Val	Asn	Trp	Gly	Ser	Ser	Thr	Gln	Ala	Leu	Thr	Tyr	Leu		
		755				760						765					
Asn	Ala	Leu	Gln	His	Ser	Ile	Arg	Leu	Ser	Gly	Val	Glu	Asp	His	Val		
	770					775					780						
Lys	Asn	Phe	Arg	Pro	Gln	Cys	Leu	Val	Met	Thr	Gly	Ala	Pro	Asn	Ser		
785				790					795					800			
Arg	Pro	Ala	Leu	Leu	His	Leu	Val	His	Asp	Phe	Thr	Lys	Asn	Val	Gly		
			805					810						815			
Leu	Met	Ile	Cys	Gly	His	Val	His	Met	Gly	Pro	Arg	Arg	Gln	Ala	Met		
			820					825					830				
Lys	Glu	Met	Ser	Ile	Asp	Gln	Ala	Lys	Tyr	Gln	Arg	Trp	Leu	Ile	Lys		
		835				840						845					
Asn	Lys	Met	Lys	Ala	Phe	Tyr	Ala	Pro	Val	His	Ala	Asp	Asp	Leu	Arg		
	850					855					860						
Glu	Gly	Ala	Gln	Tyr	Leu	Met	Gln	Ala	Ala	Gly	Leu	Gly	Arg	Met	Lys		
865				870						875				880			
Pro	Asn	Thr	Leu	Val	Leu	Gly	Phe	Lys	Lys	Asp	Trp	Leu	Gln	Ala	Asp		
			885					890						895			
Met	Arg	Asp	Val	Asp	Met	Tyr	Ile	Asn	Leu	Phe	His	Asp	Ala	Phe	Asp		
		900						905					910				
Ile	Gln	Tyr	Gly	Val	Val	Val	Ile	Arg	Leu	Lys	Glu	Gly	Leu	Asp	Ile		
		915				920						925					

Ser His Leu Gln Gly Gln Glu Glu Leu Leu Ser Ser Gln Glu Lys Ser
 930 935 940
 Pro Gly Thr Lys Asp Val Val Val Ser Val Glu Tyr Ser Lys Lys Ser
 945 950 955 960
 Asp Leu Asp Thr Ser Lys Pro Leu Ser Glu Lys Pro Ile Thr His Lys
 965 970 975
 Val Glu Glu Glu Asp Gly Lys Thr Ala Thr Gln Pro Leu Leu Lys Lys
 980 985 990
 Glu Ser Lys Gly Pro Ile Val Pro Leu Asn Val Ala Asp Gln Lys Leu
 995 1000 1005
 Leu Glu Ala Ser Thr Gln Phe Gln Lys Lys Gln Gly Lys Asn Thr Ile
 1010 1015 1020
 Asp Val Trp Trp Leu Phe Asp Asp Gly Gly Leu Thr Leu Leu Ile Pro
 1025 1030 1035 1040
 Tyr Leu Leu Thr Thr Lys Lys Lys Trp Lys Asp Cys Lys Ile Arg Val
 1045 1050 1055
 Phe Ile Gly Gly Lys Ile Asn Arg Ile Asp His Asp Arg Arg Ala Met
 1060 1065 1070
 Ala Thr Leu Leu Ser Lys Phe Arg Ile Asp Phe Ser Asp Ile Met Val
 1075 1080 1085
 Leu Gly Asp Ile Asn Thr Lys Pro Lys Lys Glu Asn Ile Ile Ala Phe
 1090 1095 1100
 Glu Glu Ile Ile Glu Pro Tyr Arg Leu His Glu Asp Asp Lys Glu Gln
 1105 1110 1115 1120
 Asp Ile Ala Asp Lys Met Lys Glu Asp Glu Pro Trp Arg Ile Thr Asp
 1125 1130 1135
 Asn Glu Leu Glu Leu Tyr Lys Thr Lys Thr Tyr Arg Gln Ile Arg Leu
 1140 1145 1150
 Asn Glu Leu Leu Lys Glu His Ser Ser Thr Ala Asn Ile Ile Val Met
 1155 1160 1165
 Ser Leu Pro Val Ala Arg Lys Gly Ala Val Ser Ser Ala Leu Tyr Met
 1170 1175 1180
 Ala Trp Leu Glu Ala Leu Ser Lys Asp Leu Pro Pro Ile Leu Leu Val
 1185 1190 1195 1200
 Arg Gly Asn His Gln Ser Val Leu Thr Phe Tyr Ser
 1205 1210

<210> 75

<211> 2778

<212> DNA

<213> Homo sapiens

<400> 75

gtcgacccac gcgtccggca agaagctgac gggtcgcctc atgctggccg tgggaggagc 60
 agtgcttggc tccctgcagt ttggctacaa cactggagtc atcaatgcc cccagaaggt 120
 gatcgaggag ttctacaacc agacatgggt ccaccgctat ggggagagca tcttgcccac 180
 cacgctcacc acgctctggt ccctctcagt ggccatcttt tctgttgggg gcatgattgg 240
 ctcccttctct gtgggccttt tcgttaaccg ctttggccgg cggaattcaa tgctgatgat 300
 gaacctgctg gccttcgtgt ccgccgtgct catgggcttc tcgaaactgg gcaagtcctt 360
 tgagatgctg atcctggggc gcttcatcat cggtgtgtac tgcggcctga ccacaggctt 420
 cgtgcccatt tatgtgggtg aagtgtcacc cacagccctt cgtggggccc tgggcaccct 480
 gcaccagctg ggcacgtctg tcggcatcct catcgcccag gtgttcggcc tggactccat 540
 catgggcaac aaggacctgt ggcccctgct gctgagcatc atcttcatcc cggccctgct 600
 gcagtgcata gtgctgccct tctgccccga gagtccccgc ttctgtctca tcaaccgcaa 660
 cgaggagaac cgggccaaga gtgtgctaaa gaagctgcgc gggacagctg acgtgaccca 720
 tgacctgcag gagatgaagg aagagagtcg gcagatgatg cgggagaaga aggtcaccat 780
 cctggagctg ttccgctccc ccgcctaccg ccagcccata ctcacgctg tgggtgctga 840
 gctgtccag cagctgtctg gcatcaacgc tgtcttctat tactccacga gcatcttcga 900

```

gaaggcgggg gtgcagcagc ctgtgtatgc caccattggc tccggtatcg tcaacacggc 960
cttcactgtc gtgtcgctgt ttgtggtgga gcgagcaggc cggcggaccc tgcacctcat 1020
aggcctcgct ggcatggcgg gttgtgccat actcatgacc atcgcgctag cactgctgga 1080
gcagctaccc tggatgtcct atctgagcat cgtggccatc tttggctttg tggccttctt 1140
tgaagtgggt cctggcccca tcccatggtt catcgtggct gaactcttca gccagggtcc 1200
acgtccagct gccattgccg ttgcaggctt ctccaactgg acctcaaatt tcattgtggg 1260
catgtgcttc cagtatgtgg agcaactgtg tggtccttac gtcttcatca tcttactgt 1320
gctcctgggt ctgttcttca tcttcaccta cttcaaagtt cctgagacta aaggccggag 1380
cttcgatgag atcgcttccg gcttccggca ggggggagcc agccaaagtg acaagacacc 1440
cgaggagctg ttccatcccc tgggggctga ttcccaagtg tgagtgcgcc cagatcacca 1500
gcccggcctg ctcccagcag ccctaaggat ctctcaggag cacaggcagc tggatgagac 1560
ttccaaacct gacagatgtc agccgagccg ggcttggggc tcttttctcc agccagcaat 1620
gatgtccaga agaattattca ggacttaacg gctccaggat ttttaacaaa gcaagactgt 1680
tgctcaaate tattcagaca agcaacaggt ttataaattt ttttattact gattttgtta 1740
tttttatatc agcctgagtc tctgtgccc acatcccagg cttcaccttg aatggttcca 1800
tgcctgaggg tggagactaa gccctgtcga gacacttgcc ttcttcaccc agctaactctg 1860
tagggtagga cctatgtcct aaggacacac taatcgaact atgaactaca aagcttctat 1920
cccaggaggt ggctatggcc acccgttctg ctggcctgga tctccccact ctagggttca 1980
ggctccatta ggatttgccc cttcccatct cttcctaccc aaccactcaa attaatcttt 2040
ctttacctga gaccagttgg gagcactgga gtgcagggag gagaggggaa gggccagtct 2100
gggctgccgg gttctagtct cttttgcact gagggccaca ctattaccat gagaagaggg 2160
cctgtgggag cctgcaaact cactgtctaa gaagacatgg agactcctgc cctgttgtgt 2220
atagatgcaa gatatttata tatatttttg gttgtcaata ttaaatacag aactaagtt 2280
atagtatate tggacaagcc aacttgtaaa tacaccacct cactcctgtt acttacctaa 2340
acagatataa atggctggtt tttagaaaca tggttttgaa atgcttgttg attgagggta 2400
ggaggtttgg atgggagtga gacagaagta agtggggttg caaccactgc aacggcttag 2460
acttcgactc aggatccagt cccttacacg tacctctcat cagtgtcttc ttgtcaaaa 2520
atctgtttga tccctgttac ccagagaata tatacattct ttatcttgac attcaaggca 2580
tttctatcac atatttgata gttggtgttc aaaaaaacac tagttttgtg ccagccgtga 2640
tgctcaggct tgaatgcat tattttgaat gtgaagtaaa tactgtacct ttattggaca 2700
ggctcaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2760
aaaaaaaaag gcggccgc
2778

```

<210> 76

<211> 480

<212> PRT

<213> Homo sapiens

<400> 76

```

Met Leu Ala Val Gly Gly Ala Val Leu Gly Ser Leu Gln Phe Gly Tyr
1      5      10      15
Asn Thr Gly Val Ile Asn Ala Pro Gln Lys Val Ile Glu Glu Phe Tyr
20     25     30
Asn Gln Thr Trp Val His Arg Tyr Gly Glu Ser Ile Leu Pro Thr Thr
35     40     45
Leu Thr Thr Leu Trp Ser Leu Ser Val Ala Ile Phe Ser Val Gly Gly
50     55     60
Met Ile Gly Ser Phe Ser Val Gly Leu Phe Val Asn Arg Phe Gly Arg
65     70     75     80
Arg Asn Ser Met Leu Met Met Asn Leu Leu Ala Phe Val Ser Ala Val
85     90     95
Leu Met Gly Phe Ser Lys Leu Gly Lys Ser Phe Glu Met Leu Ile Leu
100    105    110
Gly Arg Phe Ile Ile Gly Val Tyr Cys Gly Leu Thr Thr Gly Phe Val
115    120    125
Pro Met Tyr Val Gly Glu Val Ser Pro Thr Ala Leu Arg Gly Ala Leu
130    135    140
Gly Thr Leu His Gln Leu Gly Ile Val Val Gly Ile Leu Ile Ala Gln
145    150    155    160

```

Val Phe Gly Leu Asp Ser Ile Met Gly Asn Lys Asp Leu Trp Pro Leu
 165 170 175
 Leu Leu Ser Ile Ile Phe Ile Pro Ala Leu Leu Gln Cys Ile Val Leu
 180 185 190
 Pro Phe Cys Pro Glu Ser Pro Arg Phe Leu Leu Ile Asn Arg Asn Glu
 195 200 205
 Glu Asn Arg Ala Lys Ser Val Leu Lys Lys Leu Arg Gly Thr Ala Asp
 210 215 220
 Val Thr His Asp Leu Gln Glu Met Lys Glu Glu Ser Arg Gln Met Met
 225 230 235 240
 Arg Glu Lys Lys Val Thr Ile Leu Glu Leu Phe Arg Ser Pro Ala Tyr
 245 250 255
 Arg Gln Pro Ile Leu Ile Ala Val Val Leu Gln Leu Ser Gln Gln Leu
 260 265 270
 Ser Gly Ile Asn Ala Val Phe Tyr Tyr Ser Thr Ser Ile Phe Glu Lys
 275 280 285
 Ala Gly Val Gln Gln Pro Val Tyr Ala Thr Ile Gly Ser Gly Ile Val
 290 295 300
 Asn Thr Ala Phe Thr Val Val Ser Leu Phe Val Val Glu Arg Ala Gly
 305 310 315 320
 Arg Arg Thr Leu His Leu Ile Gly Leu Ala Gly Met Ala Gly Cys Ala
 325 330 335
 Ile Leu Met Thr Ile Ala Leu Ala Leu Leu Glu Gln Leu Pro Trp Met
 340 345 350
 Ser Tyr Leu Ser Ile Val Ala Ile Phe Gly Phe Val Ala Phe Phe Glu
 355 360 365
 Val Gly Pro Gly Pro Ile Pro Trp Phe Ile Val Ala Glu Leu Phe Ser
 370 375 380
 Gln Gly Pro Arg Pro Ala Ala Ile Ala Val Ala Gly Phe Ser Asn Trp
 385 390 395 400
 Thr Ser Asn Phe Ile Val Gly Met Cys Phe Gln Tyr Val Glu Gln Leu
 405 410 415
 Cys Gly Pro Tyr Val Phe Ile Ile Phe Thr Val Leu Leu Val Leu Phe
 420 425 430
 Phe Ile Phe Thr Tyr Phe Lys Val Pro Glu Thr Lys Gly Arg Thr Phe
 435 440 445
 Asp Glu Ile Ala Ser Gly Phe Arg Gln Gly Gly Ala Ser Gln Ser Asp
 450 455 460
 Lys Thr Pro Glu Glu Leu Phe His Pro Leu Gly Ala Asp Ser Gln Val
 465 470 475 480

<210> 77

<211> 2473

<212> DNA

<213> Homo sapiens

<400> 77

gtcgaccac gcgtccgcgc gaggcgcggg gagcctggga ccaggagcga gagccgccta 60
 cctgcagccg ccgcccacgg cacggcagcc accatggcgc tctgtctgtg cttcgtgctc 120
 ctgtgcggag tagtgattt cgccagaagt ttgagtatca ctactcctga agagatgatt 180
 gaaaaagcca aaggggaaac tgcctatctg ccatgcaaatttaccttag tcccgaagac 240
 cagggaccgc tggacatcga gtggctgata tcaccagctg ataatacaga ggtggatcaa 300
 gtgattattt tatattctgg agacaaaatt tatgatgact actatccaga tctgaaaggc 360
 cgagtacatt ttacgagtaa tgatctcaaa tctgggtgatg catcaataaa tgtaacgaat 420
 ttacaactgt cagatattgg cacatatcag tgcaaagtga aaaaagctcc tgggtgttgca 480
 aataagaaga ttcattctgg agttcttgg aaagccttcag gtgcgagatg ttacgttgat 540
 ggatctgaag aaattggaag tgactttaag ataaaatgtg aaccaaaaga aggttcactt 600
 ccattacagt atgagtggca aaaattgtct gactcacaga aaatgcccac ttcattggtta 660

```

gcagaaatga cttcatctgt tatatctgta aaaaatgcct cttctgagta ctctgggaca 720
tacagctgta cagtcagaaa cagagtgggc tctgatcagt gcctgttgcg tctaaacggt 780
gtccctcctt caaataaagc tggactaatt gcaggagcca ttataggaac tttgcttgct 840
ctagcgctca ttggtcttat catcttttgc tgtcgtaaaa agcgcagaga agaaaaatat 900
gaaaaggaag ttcatacaga tatcaggga gatgtgccac ctccaaagag ccgtacgtcc 960
actgccagaa gctacatcgg cagtaatcat tcatcctgg ggtccatgtc tcttccaac 1020
atggaaggat attccaagac tcagtataac caagtaccaa gtgaagactt tgaacgcac 1080
cctcagagtc cgactctccc acctgctaag gtagctgccc ctaatctaag tcgaatgggt 1140
gcgattcctg tgatgattcc agcacagagc aaggatgggt ctatagtata gagcctccat 1200
atgtctcatc tgtgctctcc gtgttccttt ctttttttg atatatgaaa acctattctg 1260
gtctaaattg tgttactagc ctcaaaatac atcaaaaaat aagttaatca ggaactgtac 1320
ggaatatatt tttaaaaatt tttgtttggt tatatcaaaa tagttacagg cactaaagtt 1380
agtaaagaaa agtttaccat ctgaaaaagc tggattttct ttaagagggt gattataaag 1440
ttttctaaat ttatcagtac ctaagtaaga tgtagcgctt tgaatatgaa atcatagggtg 1500
aagacatggg tgaacttact tgcataccaa gttgatactt gaataaccat ctgaaagtgg 1560
tacttgatca tttttaccat tatttttagg atgtgtatct catttattta tggcccacca 1620
gtctccccc aattagtaca gaaatatcca tgacaaaatt acttacgtat gtttgtactt 1680
ggttttacag ctcctttgaa aactctgtgt ttggaatatc tctaaaaaca tagaaaacac 1740
tacagtgggt tagaaattac taattttact tctaagtcac tcataaacct tgtctatgaa 1800
atgacttctt aaatatttag ttgatagact gctacaggta atagggactt agcaagctct 1860
tttatatgct aaaggagcat ctatcagatt aagttagaac atttgctgtc agccacatat 1920
tgagatgaca ctagggtgcaa tagcagggat agattttggt ggtgagtagt ctcatgcctt 1980
gagatctgtg gtggtcttca aaatggtggc cagccagatc aaggatgtag tatctcatag 2040
ttcccagggt atatttttct tattagaaaa atattataac tcatttggtg tttgacactt 2100
atagattgaa atttcctaatt ttattctaaa ttttaagtgg ttctttgggt ccagtgcctt 2160
atgttgttgt tgtttttgga tgggtgtaca tattatatgt tctagaaaca tgtaatccta 2220
aatttaccct cttgaatata atccctggat gatatttttt atcataaatg cagaataatc 2280
aaatacattt taagcaagtt aagtgtcctc catcaattct gtattccaga cttgggagga 2340
tgtacagttg ctggtgtgtg atcaaacatg tctctgtgta gttccagcaa atcaagctga 2400
gctttgaaaa agtttgtctt agttttgtga aggtgattta ttcttaaaaa aaaaaaaaaa 2460
aaaggcgggc cgc 2473

```

<210> 78

<211> 365

<212> PRT

<213> Homo sapiens

<400> 78

```

Met Ala Leu Leu Leu Cys Phe Val Leu Leu Cys Gly Val Val Asp Phe
 1             5             10             15
Ala Arg Ser Leu Ser Ile Thr Thr Pro Glu Glu Met Ile Glu Lys Ala
 20             25             30
Lys Gly Glu Thr Ala Tyr Leu Pro Cys Lys Phe Thr Leu Ser Pro Glu
 35             40             45
Asp Gln Gly Pro Leu Asp Ile Glu Trp Leu Ile Ser Pro Ala Asp Asn
 50             55             60
Gln Lys Val Asp Gln Val Ile Ile Leu Tyr Ser Gly Asp Lys Ile Tyr
 65             70             75             80
Asp Asp Tyr Tyr Pro Asp Leu Lys Gly Arg Val His Phe Thr Ser Asn
 85             90             95
Asp Leu Lys Ser Gly Asp Ala Ser Ile Asn Val Thr Asn Leu Gln Leu
 100            105            110
Ser Asp Ile Gly Thr Tyr Gln Cys Lys Val Lys Lys Ala Pro Gly Val
 115            120            125
Ala Asn Lys Lys Ile His Leu Val Val Leu Val Lys Pro Ser Gly Ala
 130            135            140
Arg Cys Tyr Val Asp Gly Ser Glu Glu Ile Gly Ser Asp Phe Lys Ile
 145            150            155            160
Lys Cys Glu Pro Lys Glu Gly Ser Leu Pro Leu Gln Tyr Glu Trp Gln

```

				165					170					175	
Lys	Leu	Ser	Asp	Ser	Gln	Lys	Met	Pro	Thr	Ser	Trp	Leu	Ala	Glu	Met
			180					185					190		
Thr	Ser	Ser	Val	Ile	Ser	Val	Lys	Asn	Ala	Ser	Ser	Glu	Tyr	Ser	Gly
		195					200					205			
Thr	Tyr	Ser	Cys	Thr	Val	Arg	Asn	Arg	Val	Gly	Ser	Asp	Gln	Cys	Leu
	210					215					220				
Leu	Arg	Leu	Asn	Val	Val	Pro	Pro	Ser	Asn	Lys	Ala	Gly	Leu	Ile	Ala
225					230					235					240
Gly	Ala	Ile	Ile	Gly	Thr	Leu	Leu	Ala	Leu	Ala	Leu	Ile	Gly	Leu	Ile
				245					250					255	
Ile	Phe	Cys	Cys	Arg	Lys	Lys	Arg	Arg	Glu	Glu	Lys	Tyr	Glu	Lys	Glu
		260						265					270		
Val	His	His	Asp	Ile	Arg	Glu	Asp	Val	Pro	Pro	Pro	Lys	Ser	Arg	Thr
	275						280					285			
Ser	Thr	Ala	Arg	Ser	Tyr	Ile	Gly	Ser	Asn	His	Ser	Ser	Leu	Gly	Ser
	290					295					300				
Met	Ser	Pro	Ser	Asn	Met	Glu	Gly	Tyr	Ser	Lys	Thr	Gln	Tyr	Asn	Gln
305					310					315					320
Val	Pro	Ser	Glu	Asp	Phe	Glu	Arg	Thr	Pro	Gln	Ser	Pro	Thr	Leu	Pro
				325					330					335	
Pro	Ala	Lys	Val	Ala	Ala	Pro	Asn	Leu	Ser	Arg	Met	Gly	Ala	Ile	Pro
		340						345					350		
Val	Met	Ile	Pro	Ala	Gln	Ser	Lys	Asp	Gly	Ser	Ile	Val			
	355						360					365			

<210> 79

<211> 1588

<212> DNA

<213> Homo sapiens

<400> 79

```

gtcgacccac ggcgtccggca gcagcagcca ggtgtggcag tgacagggag gtgtgaatga 60
ggcaggatga actggacagg tttgtacacc ttgctcagtg gcgtgaaccg gcattctact 120
gccattggcc gagtatggct ctccggtcatc ttcatcttca gaatcatggg gctgggtggtg 180
ggtgcagaga gtgtgtgggg tgatgagaaa tcttcccttca tctgcaaacac actccagcct 240
ggctgcaaca gcgttttgcta tgaccaattc tcccccatct cccatgtgcg gctgtgggtcc 300
ctgcagctca tctagtttc caccacagct ctctcgtgg ccatgcacgt ggctcaccag 360
caacacatag agaagaaaat gctacggctt gagggccatg gggacccctt acacctggag 420
gaggtgaaga ggcacaaggt ccacatctca gggacactgt ggtggacctt tgtcatcagc 480
gtggtgttcc ggctgtgtt tgaggccgtc ttcatgtatg tcttttatct gctctaccct 540
ggctatgcca tgggtgcggt ggtcaagtgc gacgtctacc cctgccccaa cacagtggac 600
tgcttcgtgt cccgccccac cgagaaaacc gtcttcaccg tcttcatgct agctgcctct 660
ggcatctgca tcatctctca tgtggccgag gtggtgtacc tcatcatccg ggctgtgcc 720
cgccgagccc agcgcgcgtc caatccacct tcccgcaagg gctcgggctt cggccaccgc 780
ctctcacctg aatacaagca gaatgagatc aacaagctgc tgagttagca ggtgggtcc 840
ctgaaagaca tactgcgccg cagccctggc accggggtg ggctggctga aaagagcgac 900
cgctgctcgg cctgtgtatg ccacatacca ggcaacctcc catcccaccc ccgacctgc 960
cctgggcgag cccctccttc tccctgccc gtgcacaggc ctctgcctgc tggggattac 1020
tcgatcaaaa ccttctctcc ctggctactt cccttctcc cggggccttc cttttgagga 1080
gctggagggg tggggagcta gaggccacct atgccagtgc tcaagggttac tgggagtgtg 1140
ggctgcctt gttgcctgca cccttccctc tccctctcc ctctctctgg gaccttggg 1200
tacaagagat gggatgctcc gacagcgtct ccaattatga aactaatctt aacctgtgc 1260
tgtcagatac cctgtttctg gagtacatc agtgaggagg gatgtgggta agaggagcag 1320
agggcagggg tgctgtggac atgtgggtg agaaggagg gtggccagca ctagtaaagg 1380
aggaatagtg cttgtgtgcc acaaggaaaa ggaggaggtg tctgggtga gggagttagg 1440
gagagagaag caggcagata agttggagca ggggttggtc aaggccacct ctgcctctag 1500
tcccaaggc ctctctctgc ctgaaatggt acacattaaa caggatttta cagtaaatga 1560

```

aaaaaaaaa aaaaaaaagg gcggccgc

1588

<210> 80

<211> 283

<212> PRT

<213> Homo sapiens

<400> 80

Met	Asn	Trp	Thr	Gly	Leu	Tyr	Thr	Leu	Leu	Ser	Gly	Val	Asn	Arg	His
1				5				10					15		
Ser	Thr	Ala	Ile	Gly	Arg	Val	Trp	Leu	Ser	Val	Ile	Phe	Ile	Phe	Arg
			20					25				30			
Ile	Met	Val	Leu	Val	Val	Ala	Ala	Glu	Ser	Val	Trp	Gly	Asp	Glu	Lys
		35				40						45			
Ser	Ser	Phe	Ile	Cys	Asn	Thr	Leu	Gln	Pro	Gly	Cys	Asn	Ser	Val	Cys
50					55					60					
Tyr	Asp	Gln	Phe	Phe	Pro	Ile	Ser	His	Val	Arg	Leu	Trp	Ser	Leu	Gln
65					70				75					80	
Leu	Ile	Leu	Val	Ser	Thr	Pro	Ala	Leu	Leu	Val	Ala	Met	His	Val	Ala
			85					90					95		
His	Gln	Gln	His	Ile	Glu	Lys	Lys	Met	Leu	Arg	Leu	Glu	Gly	His	Gly
			100					105					110		
Asp	Pro	Leu	His	Leu	Glu	Glu	Val	Lys	Arg	His	Lys	Val	His	Ile	Ser
		115					120					125			
Gly	Thr	Leu	Trp	Trp	Thr	Tyr	Val	Ile	Ser	Val	Val	Phe	Arg	Leu	Leu
	130					135					140				
Phe	Glu	Ala	Val	Phe	Met	Tyr	Val	Phe	Tyr	Leu	Leu	Tyr	Pro	Gly	Tyr
145					150				155					160	
Ala	Met	Val	Arg	Leu	Val	Lys	Cys	Asp	Val	Tyr	Pro	Cys	Pro	Asn	Thr
			165					170						175	
Val	Asp	Cys	Phe	Val	Ser	Arg	Pro	Thr	Glu	Lys	Thr	Val	Phe	Thr	Val
		180						185					190		
Phe	Met	Leu	Ala	Ala	Ser	Gly	Ile	Cys	Ile	Ile	Leu	Asn	Val	Ala	Glu
	195					200					205				
Val	Val	Tyr	Leu	Ile	Ile	Arg	Ala	Cys	Ala	Arg	Arg	Ala	Gln	Arg	Arg
	210					215					220				
Ser	Asn	Pro	Pro	Ser	Arg	Lys	Gly	Ser	Gly	Phe	Gly	His	Arg	Leu	Ser
225					230				235					240	
Pro	Glu	Tyr	Lys	Gln	Asn	Glu	Ile	Asn	Lys	Leu	Leu	Ser	Glu	Gln	Asp
			245					250					255		
Gly	Ser	Leu	Lys	Asp	Ile	Leu	Arg	Arg	Ser	Pro	Gly	Thr	Gly	Ala	Gly
		260					265						270		
Leu	Ala	Glu	Lys	Ser	Asp	Arg	Cys	Ser	Ala	Cys					
		275					280								

<210> 81

<211> 3337

<212> DNA

<213> Homo sapiens

<400> 81

gtcgacccac	gcgtccggag	ccagctctcc	cgagcccgtg	accttcgcat	cccaagagct	60
gcagtttcag	ccgcgacagc	aagaacggca	gagccggcga	ccgcggcggc	ggcggcggcg	120
gaggcaggag	cagcctgggc	gggtcgcagg	gtctccgcgg	gcgcaggaag	gcgagcagag	180
atatactctg	agagccaagc	aaagaacatt	aaggaaggaa	ggaggaatga	ggctggatac	240
ggtgcagtga	aaaaggcact	tccaagagtg	gggcactcac	tacgcacaga	ctcgacggtg	300
ccatcagcat	gagaacttac	cgctacttct	tgctgctctt	ttgggtgggc	cagccctacc	360
caactctctc	aactccacta	tcaaagagga	ctagtgggtt	cccagcaaag	aaaagggccc	420


```

tggagctctc tggaaacagc aaaaatgagc tgaaccgttc aaaaaggagc tggatgtgga 480
atcagttctt tctcctggag gaatacacag gatccgatta tcagtatgtg ggcaagttac 540
attcagacca ggatagagga gatggatcac ttaaatatat cctttcagga gatggagcag 600
gagatctctt cattattaat gaaaacacag gcgacataca ggccaccaag aggctggaca 660
gggaagaaaa acccgtttac atccttcgag ctcaagctat aaacagaagg acagggagac 720
ccgtggagcc cgagtctgaa ttcacatca agatccatga catcaatgac aatgaacca 780
tattcaccaa tgggttttac acagccactg tccctgaaat gtctgatgtc ggtacatttg 840
ttgtccaagt cactgcgacg gatgcagatg atccaacata tgggaacagt gctaaagttg 900
tctacagtat tctacagggg cagccctatt tttcagttga atcagaaaca ggtattatca 960
agacagcttt gctcaacatg gatcgagaaa acagggagca gtaccaagtg gtgattcaag 1020
ccaaggatat gggcgccag atgggaggat tatctgggac caccaccgtg aacatcacac 1080
tgactgatgt caacgacaac cctccccgat tccccagag tacataccag tttaaaactc 1140
ctgaatcttc tccaccggg acaccaattg gcagaatcaa agccagcgac gctgatgtgg 1200
gagaaaaatgc tgaatttgag tacagcatca cagacggtga ggggctggat atgtttgatg 1260
tcatcaccga ccaggaaacc caggaaggga ttataactgt caaaaagctc ttggactttg 1320
aaaagaagaa agtgtatacc cttaaagtgg aagcctccaa tccttatgtt gagccacgat 1380
ttctctactt ggggcctttc aaagattcag ccacggttag aattgtggtg gaggatgtag 1440
atgagccacc tgtcttcagc aaactggcct acatcttaca aataagagaa gatgctcaga 1500
taaacaccac aataggctcc gtcacagccc aagatccaga tgctgccagg aatcctgtca 1560
agtactctgt agatcgacac acagatatgg acagaatatt caacattgat tctggaaatg 1620
gttcgatttt tacatcgaaa ctcttgacc gagaaacact gctatggcac aacattacag 1680
tgatagcaac agagatcaat aatccaaagc aaagtagtgc agtacctcta tatattaaag 1740
ttctagatgt caatgacaac gcccagaat ttgctgagtt ctatgaaact tttgtctgtg 1800
aaaaagcaaa ggcagatcag ttgattcaga ccctgcatgc tgttgacaag gatgaccctt 1860
atagtggaca ccaatttttcg ttttccttg cccctgaagc agccagtggc tcaaacttta 1920
ccattcaaga caacaaagac aacacggcgg gaatcttaac tcggaaaaat ggctataata 1980
gacacgagat gagcacctat ctcttgctg tggctcattc agacaacgac taccagttc 2040
aaagcagcac tgggacagtg actgtccggg tctgtgcatg tgaccaccac gggaacatgc 2100
aatcctgcca tgcggaggcg ctcatccacc ccacgggact gagcacgggg gctctgggtg 2160
ccatccttct gtgcatcggt atcctactag tgacagtggg gctgtttgca gctctgaggc 2220
ggcagcgaaa aaaagagcct ttgatcattt ccaaagagga catcagagat aacattgtca 2280
gttacaacga cgaaggtggg ggagaggagg acaccagggc tttgatatac ggcaccctga 2340
ggaatcctga agccatagag gacaacaaat tacgaaggga cattgtgcc gaagccctt 2400
tctaccccg acggactcca acagctcgcg acaacaccga tgtcagagat ttcattaacc 2460
aaaggttaaa ggaaaatgac acggacccca ctgcccggc atacgactcc ttggccactt 2520
acgcctatga aggcactggc tccgtggcgg attccctgag ctcgctggag tcagtacca 2580
cggatgcaga tcaagactat gattacctta gtgactggg acctcgattc aaaaagcttg 2640
cagatatgta tggaggagtg gacagtgaca aagactccta atctgttgc ttttctatt 2700
tccaatacga cactgaaata tgtgaagtgg ctattttctt atatttatcc actactccgt 2760
gaaggcttct ctgttctacc cgttccaaaa gccaatggct gcagtccgtg tggatccaat 2820
gttagagact ttttctagt acacttttat gagcttccaa ggggcaaatt tttattttt 2880
agtgcacca gttaaccaag tcagcccaac aggcaggtgc cggaggggag gacagggaa 2940
agtatttcca ctgtttctca gggcagcgtg cccgcttccg ctgtcctggt gttttactac 3000
actccatgtc aggtcagcca actgcctaa ctgtacattt cacaggctaa tgggataaag 3060
gactgtgctt taaagataaa aatatcatca tagtaaaaga aatgagggca tatcggtca 3120
caaagagata aactacatag ggggtgttat ttgtgtcaca aagaatttaa aataacactt 3180
gcccagcta tttgttcttc aagaactttc tctgcatca actactattc aaaacctcaa 3240
atccacccat atgttaaaat tctcattact cttaaaggaat agaagcaaat taaacggtaa 3300
catccaaaag caaaaaaaaa aaaaaaaggg cggccgc 3337

```

<210> 82

<211> 790

<212> PRT

<213> Homo sapiens

<400> 82

```

Met Arg Thr Tyr Arg Tyr Phe Leu Leu Leu Phe Trp Val Gly Gln Pro
 1             5             10            15
Tyr Pro Thr Leu Ser Thr Pro Leu Ser Lys Arg Thr Ser Gly Phe Pro

```

			20					25				30			
Ala	Lys	Lys	Arg	Ala	Leu	Glu	Leu	Ser	Gly	Asn	Ser	Lys	Asn	Glu	Leu
		35					40					45			
Asn	Arg	Ser	Lys	Arg	Ser	Trp	Met	Trp	Asn	Gln	Phe	Phe	Leu	Leu	Glu
	50					55				60					
Glu	Tyr	Thr	Gly	Ser	Asp	Tyr	Gln	Tyr	Val	Gly	Lys	Leu	His	Ser	Asp
65					70					75					80
Gln	Asp	Arg	Gly	Asp	Gly	Ser	Leu	Lys	Tyr	Ile	Leu	Ser	Gly	Asp	Gly
				85					90					95	
Ala	Gly	Asp	Leu	Phe	Ile	Ile	Asn	Glu	Asn	Thr	Gly	Asp	Ile	Gln	Ala
			100					105					110		
Thr	Lys	Arg	Leu	Asp	Arg	Glu	Glu	Lys	Pro	Val	Tyr	Ile	Leu	Arg	Ala
		115					120					125			
Gln	Ala	Ile	Asn	Arg	Arg	Thr	Gly	Arg	Pro	Val	Glu	Pro	Glu	Ser	Glu
	130					135					140				
Phe	Ile	Ile	Lys	Ile	His	Asp	Ile	Asn	Asp	Asn	Glu	Pro	Ile	Phe	Thr
145					150					155					160
Lys	Glu	Val	Tyr	Thr	Ala	Thr	Val	Pro	Glu	Met	Ser	Asp	Val	Gly	Thr
					165				170					175	
Phe	Val	Val	Gln	Val	Thr	Ala	Thr	Asp	Ala	Asp	Asp	Pro	Thr	Tyr	Gly
			180					185					190		
Asn	Ser	Ala	Lys	Val	Val	Tyr	Ser	Ile	Leu	Gln	Gly	Gln	Pro	Tyr	Phe
		195					200					205			
Ser	Val	Glu	Ser	Glu	Thr	Gly	Ile	Ile	Lys	Thr	Ala	Leu	Leu	Asn	Met
	210					215					220				
Asp	Arg	Glu	Asn	Arg	Glu	Gln	Tyr	Gln	Val	Val	Ile	Gln	Ala	Lys	Asp
225					230					235					240
Met	Gly	Gly	Gln	Met	Gly	Gly	Leu	Ser	Gly	Thr	Thr	Thr	Val	Asn	Ile
				245					250					255	
Thr	Leu	Thr	Asp	Val	Asn	Asp	Asn	Pro	Pro	Arg	Phe	Pro	Gln	Ser	Thr
			260					265					270		
Tyr	Gln	Phe	Lys	Thr	Pro	Glu	Ser	Ser	Pro	Pro	Gly	Thr	Pro	Ile	Gly
		275					280					285			
Arg	Ile	Lys	Ala	Ser	Asp	Ala	Asp	Val	Gly	Glu	Asn	Ala	Glu	Ile	Glu
	290					295					300				
Tyr	Ser	Ile	Thr	Asp	Gly	Glu	Gly	Leu	Asp	Met	Phe	Asp	Val	Ile	Thr
305					310					315					320
Asp	Gln	Glu	Thr	Gln	Glu	Gly	Ile	Ile	Thr	Val	Lys	Lys	Leu	Leu	Asp
				325					330					335	
Phe	Glu	Lys	Lys	Lys	Val	Tyr	Thr	Leu	Lys	Val	Glu	Ala	Ser	Asn	Pro
			340					345					350		
Tyr	Val	Glu	Pro	Arg	Phe	Leu	Tyr	Leu	Gly	Pro	Phe	Lys	Asp	Ser	Ala
		355					360					365			
Thr	Val	Arg	Ile	Val	Val	Glu	Asp	Val	Asp	Glu	Pro	Pro	Val	Phe	Ser
		370				375			</						

Cys Glu Lys Ala Lys Ala Asp Gln Leu Ile Gln Thr Leu His Ala Val
 500 505 510
 Asp Lys Asp Asp Pro Tyr Ser Gly His Gln Phe Ser Phe Ser Leu Ala
 515 520 525
 Pro Glu Ala Ala Ser Gly Ser Asn Phe Thr Ile Gln Asp Asn Lys Asp
 530 535 540
 Asn Thr Ala Gly Ile Leu Thr Arg Lys Asn Gly Tyr Asn Arg His Glu
 545 550 555 560
 Met Ser Thr Tyr Leu Leu Pro Val Val Ile Ser Asp Asn Asp Tyr Pro
 565 570 575
 Val Gln Ser Ser Thr Gly Thr Val Thr Val Arg Val Cys Ala Cys Asp
 580 585 590
 His His Gly Asn Met Gln Ser Cys His Ala Glu Ala Leu Ile His Pro
 595 600 605
 Thr Gly Leu Ser Thr Gly Ala Leu Val Ala Ile Leu Leu Cys Ile Val
 610 615 620
 Ile Leu Leu Val Thr Val Val Leu Phe Ala Ala Leu Arg Arg Gln Arg
 625 630 635 640
 Lys Lys Glu Pro Leu Ile Ile Ser Lys Glu Asp Ile Arg Asp Asn Ile
 645 650 655
 Val Ser Tyr Asn Asp Glu Gly Gly Gly Glu Glu Asp Thr Gln Ala Phe
 660 665 670
 Asp Ile Gly Thr Leu Arg Asn Pro Glu Ala Ile Glu Asp Asn Lys Leu
 675 680 685
 Arg Arg Asp Ile Val Pro Glu Ala Leu Phe Leu Pro Arg Arg Thr Pro
 690 695 700
 Thr Ala Arg Asp Asn Thr Asp Val Arg Asp Phe Ile Asn Gln Arg Leu
 705 710 715 720
 Lys Glu Asn Asp Thr Asp Pro Thr Ala Pro Pro Tyr Asp Ser Leu Ala
 725 730 735
 Thr Tyr Ala Tyr Glu Gly Thr Gly Ser Val Ala Asp Ser Leu Ser Ser
 740 745 750
 Leu Glu Ser Val Thr Thr Asp Ala Asp Gln Asp Tyr Asp Tyr Leu Ser
 755 760 765
 Asp Trp Gly Pro Arg Phe Lys Lys Leu Ala Asp Met Tyr Gly Gly Val
 770 775 780
 Asp Ser Asp Lys Asp Ser
 785 790

<210> 83

<211> 1070

<212> DNA

<213> Homo sapiens

<400> 83

gtcgacccac gcgtccgctt tgggtgaccg gaaaactcca cctcaagttt tcttttgtgg 60
 ggctgcccc caagtgtcgt ttgttttact gtagggtctc ccgcccggcg cccccagtgt 120
 tttctgaggg cggaatggc caattcgggc ctgcagttgc tgggcttctc catggccctg 180
 ctgggctggg tgggtctggt ggcctgcacc gccatccgc agtggcagat gagctcctat 240
 gcgggtgaca acatcatcac ggcccaggcc atgtacaagg ggctgtggat ggactgcgtc 300
 acgcagagca cggggatgat gagctgcaaa atgtacgact cggtgctcgc cctgtccgcg 360
 gccttgacagg ccactcgagc cctaattggtg gtctccctgg tgctgggctt cctggccatg 420
 ttgtggcca cgatgggcat gaagtgcacg cgctgtgggg gagacgaaa agtgaagaag 480
 gcccgatatag ccattgggtg aggcataatt ttcacgtgg caggctcttg cgccttggtg 540
 gcttgctcct ggtatggcca tcagattgtc acagactttt ataacccttt gatccctacc 600
 aacattaagt atgagtttgg ccctgccatc tttattggct gggcagggtc tgccctagtc 660
 atcctgggag gtgcactgct ctccgtgtcc tgtcctggga atgagagcaa ggctgggtac 720
 cgtgcacccc gctcttacc taagtccaac tcttccaagg agtatgtgtg acctgggata 780

```

tccttgcccc agcctgacag gctatgggag tgtctagatg cctgaaaggg cctggggctg 840
agctcagcct gtgggcaggg tgccggacaa aggcctcctg gtcactctgt ccctgcactc 900
catgtatagt cctcttgggt tgggggtggg ggggtgccgt tgggtgggaga gacaaaaaga 960
gggagagtgt gctttttgta cagtaataaa aaataagtat tgggaagcag gcaaaaaaaa 1020
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa gggcgccgc 1070

```

<210> 84
 <211> 211
 <212> PRT
 <213> Homo sapiens

<400> 84

Met	Ala	Asn	Ser	Gly	Leu	Gln	Leu	Leu	Gly	Phe	Ser	Met	Ala	Leu	Leu
1				5					10					15	
Gly	Trp	Val	Gly	Leu	Val	Ala	Cys	Thr	Ala	Ile	Pro	Gln	Trp	Gln	Met
			20					25					30		
Ser	Ser	Tyr	Ala	Gly	Asp	Asn	Ile	Thr	Ala	Gln	Ala	Met	Tyr	Lys	
		35				40					45				
Gly	Leu	Trp	Met	Asp	Cys	Val	Thr	Gln	Ser	Thr	Gly	Met	Met	Ser	Cys
	50				55					60					
Lys	Met	Tyr	Asp	Ser	Val	Leu	Ala	Leu	Ser	Ala	Ala	Leu	Gln	Ala	Thr
65					70					75				80	
Arg	Ala	Leu	Met	Val	Val	Ser	Leu	Val	Leu	Gly	Phe	Leu	Ala	Met	Phe
				85					90					95	
Val	Ala	Thr	Met	Gly	Met	Lys	Cys	Thr	Arg	Cys	Gly	Gly	Asp	Asp	Lys
			100					105					110		
Val	Lys	Lys	Ala	Arg	Ile	Ala	Met	Gly	Gly	Gly	Ile	Ile	Phe	Ile	Val
	115						120					125			
Ala	Gly	Leu	Ala	Ala	Leu	Val	Ala	Cys	Ser	Trp	Tyr	Gly	His	Gln	Ile
	130					135					140				
Val	Thr	Asp	Phe	Tyr	Asn	Pro	Leu	Ile	Pro	Thr	Asn	Ile	Lys	Tyr	Glu
145					150					155				160	
Phe	Gly	Pro	Ala	Ile	Phe	Ile	Gly	Trp	Ala	Gly	Ser	Ala	Leu	Val	Ile
			165					170					175		
Leu	Gly	Gly	Ala	Leu	Leu	Ser	Cys	Ser	Cys	Pro	Gly	Asn	Glu	Ser	Lys
		180					185					190			
Ala	Gly	Tyr	Arg	Ala	Pro	Arg	Ser	Tyr	Pro	Lys	Ser	Asn	Ser	Ser	Lys
		195					200					205			
Glu	Tyr	Val													
	210														

<210> 85
 <211> 1733
 <212> DNA
 <213> Homo sapiens

<400> 85

```

gtcgacccac gcgctccgctg ggtcctgcct tcgacaccac cccaaggctt cctaccttgc 60
gtgcctggag tctgccccag gggcccttgt cctgggccat ggcccagaag ggggtcctgg 120
ggcctgggca gctgggggct gtggccattc tgccttatct tggattactc cggtcaggga 180
caggagcgga aggggcagaa gtcacctgcg gtgtggcccc ccaagcacgc atcacagggtg 240
gcagcagtgc agtcgccggt cagtggccct ggcaggctcag catcacctat gaaggcgtcc 300
atgtgtgtgg tggctctctc gtgtctgagc agtgggtgct gtcagctgct cactgcttcc 360
ccagcgagca ccacaaggaa gcctatgagg tcaagctggg ggcccaccag ctgactcct 420
actccgagga cgccaaggtc agcaccctga aggacatcat cccccacccc agctacctcc 480
aggagggtc ccagggcgac attgcactcc tccaactcag cagacccatc accttctccc 540
gctacatccg gccatctgc ctccctgcag ccaacgcctc cttcccaaac ggctccact 600
gcactgtcac tggctgggggt catgtggccc cctcagtgcg cctcctgacg cccaagccac 660

```

```

tgcagcaact cgaggtgcct ctgatcagtc gtgagacgtg taactgcctg tacaacatcg 720
acgccaagcc tgaggagccg cactttgtcc aagaggacat ggtgtgtgct ggctatgtgg 780
aggggggcaa ggacgcctgc cagggtgact ctggggggccc actctcctgc cctgtggagg 840
gtctctgtga cctgacgggc attgtgagct ggggagatgc ctgtggggcc cgcaacaggc 900
ctggtgtgta cactctggcc tccagctatg cctcctggat ccaaagcaag gtgacagaac 960
tccagcctcg tgtggtgccc caaaccagg agtcccagcc cgacagcaac ctctgtggca 1020
gccacctggc cttcagctct gcccagccc agggcttgct gagggccatc cttttcctgc 1080
ctctgggctt ggctctgggc ctctctccc catggctcag cgagcactga gctggcccta 1140
cttccaggat ggatgcatca cactcaagga caggagcctg gtccttcctt gatggccttt 1200
ggacccaggg cctgacttga gccactcctt ccttcaggac tctgcgggag gctggggccc 1260
catcttgatc tttgagccca ttcttctggg tgtgcttttt gggaccatca ctgagagtca 1320
ggagttttac tgctgtagc aatggccaga gcctctggcc cctcaccac catggaccag 1380
cccattggcc gagctcctgg ggagctcctg ggacccttgg ctatgaaaat gagccctggc 1440
tcccacctgt ttctggaaga ctgctcccgg ccgcctgcc cagactgatg agcacatctc 1500
tctgccctct ccctgtgttc tgggctgggg ccacctttgt gcagcttcga ggacaggaaa 1560
ggccccaatc ttgccactg gccgctgagc gcccccgagc cctgactcct ggactccgga 1620
ggactgagcc cccaccggaa ctgggctggc gcttgatct ggggtgggag taacagggca 1680
gaaatgatta aaatgtttga gcacaaaaaa aaaaaaaaaa aaagggcggc cgc 1733

```

<210> 86

<211> 343

<212> PRT

<213> Homo sapiens

<400> 86

```

Met Ala Gln Lys Gly Val Leu Gly Pro Gly Gln Leu Gly Ala Val Ala
 1          5          10          15
Ile Leu Leu Tyr Leu Gly Leu Leu Arg Ser Gly Thr Gly Ala Glu Gly
      20          25          30
Ala Glu Ala Pro Cys Gly Val Ala Pro Gln Ala Arg Ile Thr Gly Gly
      35          40          45
Ser Ser Ala Val Ala Gly Gln Trp Pro Trp Gln Val Ser Ile Thr Tyr
      50          55          60
Glu Gly Val His Val Cys Gly Gly Ser Leu Val Ser Glu Gln Trp Val
      65          70          75          80
Leu Ser Ala Ala His Cys Phe Pro Ser Glu His His Lys Glu Ala Tyr
      85          90          95
Glu Val Lys Leu Gly Ala His Gln Leu Asp Ser Tyr Ser Glu Asp Ala
      100          105          110
Lys Val Ser Thr Leu Lys Asp Ile Ile Pro His Pro Ser Tyr Leu Gln
      115          120          125
Glu Gly Ser Gln Gly Asp Ile Ala Leu Leu Gln Leu Ser Arg Pro Ile
      130          135          140
Thr Phe Ser Arg Tyr Ile Arg Pro Ile Cys Leu Pro Ala Ala Asn Ala
      145          150          155          160
Ser Phe Pro Asn Gly Leu His Cys Thr Val Thr Gly Trp Gly His Val
      165          170          175
Ala Pro Ser Val Ser Leu Leu Thr Pro Lys Pro Leu Gln Gln Leu Glu
      180          185          190
Val Pro Leu Ile Ser Arg Glu Thr Cys Asn Cys Leu Tyr Asn Ile Asp
      195          200          205
Ala Lys Pro Glu Glu Pro His Phe Val Gln Glu Asp Met Val Cys Ala
      210          215          220
Gly Tyr Val Glu Gly Gly Lys Asp Ala Cys Gln Gly Asp Ser Gly Gly
      225          230          235          240
Pro Leu Ser Cys Pro Val Glu Gly Leu Trp Tyr Leu Thr Gly Ile Val
      245          250          255
Ser Trp Gly Asp Ala Cys Gly Ala Arg Asn Arg Pro Gly Val Tyr Thr
      260          265          270

```

Leu Ala Ser Ser Tyr Ala Ser Trp Ile Gln Ser Lys Val Thr Glu Leu
 275 280 285
 Gln Pro Arg Val Val Pro Gln Thr Gln Glu Ser Gln Pro Asp Ser Asn
 290 295 300
 Leu Cys Gly Ser His Leu Ala Phe Ser Ser Ala Pro Ala Gln Gly Leu
 305 310 315 320
 Leu Arg Pro Ile Leu Phe Leu Pro Leu Gly Leu Ala Leu Gly Leu Leu
 325 330 335
 Ser Pro Trp Leu Ser Glu His
 340

<210> 87

<211> 4188

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 3457, 3481, 3707, 3716, 3723, 3733, 3736, 3746, 3751, 3828,
 3853, 3857, 3863, 3883, 3890, 4126

<223> n = A,T,C or G

<400> 87

```

ggctccttac ccaccggag actttttttt gaaaggaaac tagggaggga gggagaggga 60
gagagggaga aaacgaagg gagctcgctc atccattgaa gcacagtcca ctatgatctt 120
actcacattc agcactggaa gacggttgga tttcgtgcat cattcggggg tgtttttctt 180
gcaaacccttg ctttggaattt tatgtgctac agtctgcgga acggagcagt atttcaatgt 240
ggaggttttg ttacaaaagt acggtacact tccaccgact gaccccagaa tgtcagtgtc 300
gcgctctgca gagaccatgc agtctgccct agctgccatg cagcagttct atggcattaa 360
catgacagga aaagtggaca gaaacacaat tgactggatg aagaagcccc gatgcggtgt 420
acctgaccag acaagaggta gtcctaaatt tcatattcgt cgaaagcgat atgcattgac 480
aggacagaaa tggcagcaca agcacatcac ttacagtata aagaacgtaa ctccaaaagt 540
aggagaccct gagactcgta aagctattcg ccgtgccttt gatgtgtggc agaatgtaac 600
tcctctgaca tttgaagaag ttccctacag tgaattagaa aatggcaaac gtgatgtgga 660
tataaccatt atttttgcat ctggtttcca tggggacagc tctccctttg atggagaggg 720
aggatttttg gcacatgcct acttccctgg accaggaatt ggaggagata cccattttga 780
ctcagatgag ccattggacac taggaaatcc taatcatgat ggaaatgact tatttcttgt 840
agcagtccat gaactgggac atgctctggg attggagcat tccaatgacc ccactgccat 900
catggctcca ttttaccagt acatggaaac agacaacttc aaactaccta atgatgattt 960
acagggcata cagaagatat atggtccacc tgacaagatt cctccaccta caagacctct 1020
accgacagtg cccccacacc gctctattcc tccggctgac ccaaggaaaa atgacaggcc 1080
aaaacctcct cggcctccaa ccggcagacc ctctatccc ggagccaaac ccaacatctg 1140
tgatgggaac tttaacactc tagctattct tcgtcgtgag atgtttgttt tcaaggacca 1200
gtggttttg cgagtggaga acaacagggt gatggatgga tacccaatgc aaattactta 1260
cttctggcgg ggcttgccct ctagtatcga tgcagtttat gaaaatagcg acgggaattt 1320
tgtgttcttt aaaggttaaca aatattgggt gttcaaggat acaactcttc aacctggtta 1380
ccctcatgac ttgataacct ttggaagtgg aattccccct catggtattg attcagccat 1440
ttggtgggag gacgtcggga aaacctatct cttcaaggga gacagatatt ggagatatag 1500
tgaagaaatg aaaacaatgg accctggcta tcccaagcca atcacagtct ggaaagggat 1560
ccctgaatct cctcaggagg catttgtaaa caaagaaaat ggctttacgt atttctacaa 1620
aggaaaggag tattggaaat tcaacaacca gatactcaag gtagaacctg gatatccaag 1680
atccatcctc aaggatttta tgggctgtga tggaccaaca gacagagtta aagaaggaca 1740
cagcccacca gatgatgtag acattgtcat caaactggac aacacagcca gcactgtgaa 1800
agccatagct attgtcattc cctgcatctt ggccttatgc ctcttctgtat tggtttacac 1860
tgtgttccag ttcaagagga aaggaacacc ccgccacata ctgtactgta aacgctctat 1920
gcaagagtgg gtgtgatgta gggttttttt ttctttcttt cttttgcagg agtttgtggg 1980
aacttgagat tcaagacaag agctgttatg ctgtttccta gctaggagca ggcttgtggc 2040
agcctgattc ggggctgacc tttcaaacca gagggttgct ggtcctgcac atgagtggaa 2100

```

```

atacactcat ggggaagctt ccatgatgca cagtatctgc tgttcttcag tcctttgtct 2160
ttctttgtca ttcagttcta ggcctttcct ctgcacgctc aatgcccagt aaaatttcag 2220
gattaactaa agaagaggag aaaaagaaga aaagattcct tcttaaaagt ttctaattgtt 2280
attttccttc tgaagtctga gccattttct ggggggagaa aaaaaaagca aatcagaaaa 2340
cccacggttt ttcttttttt ctttttttct ttttttcttt tttggcttta aaacaaaggg 2400
aaaaaagagt ttaaacaaaa aaccacaat tgaacttcca ggaaagtgtg aagacccaaa 2460
acagctttgt ctccaaagaa gatagctctc tgactgcttt ggatagtctc ctacgcacca 2520
ttttgtcagg tgggagattt ggaatacaca tgcaggacgt tagactgttg ggacagccat 2580
tttccaacaa ccaagggggc aaaatatctg caatatagta acagccttaa taatacatcc 2640
atttttcgtt ttatacagct gttctcagct atgtcctcag tgtttcatcg catttatatt 2700
catagctatt ttcaaacacg accttttaat tgtttttgaa gtatttctaa accccttctt 2760
tccaccttac tcctccatca ttgtgataat ctccccaagt tgtattaggc cattgccccca 2820
ggccttccat ggggtctgtca ggaatattcg ttacaaagca gagcaagaag gcagtatgtc 2880
tctgaagtgg attacagtgg cagttatttt acaaggattt gtgacactag ttacataccc 2940
gtgttacctt ttgagaacta tcagaccagc tytcagagtc ttaggattgt cgstcttgcg 3000
atctgataaa ttatagaact gggcaatggg aaaaacagtc acaagttcaa gaagttcagg 3060
tttttaaaac agatattccta taatttttaa atgatttaca agactacata 3120
aatgtgttta taacaaacag aaatgatgtt acttgccaaa atttttctgg caaataaaaa 3180
aggtatttta ttaagattct cataaatctg aaattttatt tgaaaaaact gataatagcc 3240
taagtcttct tttctttttt ttaggcatac tgaatttctg ttttaaaatc cattgcatga 3300
aaattcaatt tgccttggtg tatgcagtta gcattgccat tttaaaaatg aattaaaacg 3360
gtgactctga agttgcatga atatcctcca gtgcattacc tattgcatgt ccaccatagt 3420
tctcaaaggg ttagtggtggc ttctggcatt tagccgncca tttgatcact gacagagcca 3480
ngagaccacc aaagcatttc attgttgagt gtaatttgtc ctaacagcag tattgtcatt 3540
ttcatgtgac ctgcagagca ggtttgtatc aatatttttt tcctagagaa aagtcagcaa 3600
ctgacagacc tctttattga tttttaggag ctgcttcttg cagtgaaggg ctttacagcc 3660
actgggctgt gaacttatta gagatggcca gaatgaatgc accccantga gtcagnamca 3720
ttnngctttg tgntgnaaag cccagncttt ngaggggatt agccttttgg aaaacaamatg 3780
aaccagcctt gcccttgaaa cttgaattaa ttgatcctat tgactgtnc a ttaacaacaa 3840
cttaaacatt gtncttntct tgnaaaattt tccttgaaga gtnctgttn ctatgtcttt 3900
gccctttgac ctttaacttg caaactggca caaactgaag gaaatctggt gttgcttctc 3960
cattggatta gttgttctct aaaaccctagt aagcatgagc tgtttcctta gagtggagag 4020
agtggtgatg gcagatctgc agatggacac tttgctcttt acatgcacac tctgaaaatg 4080
ccctataggt agaagtgaat ttaatttca ttttaatata atttcnaagt ctaaattcat 4140
catttttagta caaattacaa aaactatag g aaaaaaaaa aaaaaaaaa 4188

```

<210> 88

<211> 607

<212> PRT

<213> Homo sapiens

<400> 88

```

Met Ile Leu Leu Thr Phe Ser Thr Gly Arg Arg Leu Asp Phe Val His
 1             5             10             15
His Ser Gly Val Phe Phe Leu Gln Thr Leu Leu Trp Ile Leu Cys Ala
 20             25             30
Thr Val Cys Gly Thr Glu Gln Tyr Phe Asn Val Glu Val Trp Leu Gln
 35             40             45
Lys Tyr Gly Tyr Leu Pro Pro Thr Asp Pro Arg Met Ser Val Leu Arg
 50             55             60
Ser Ala Glu Thr Met Gln Ser Ala Leu Ala Ala Met Gln Gln Phe Tyr
 65             70             75             80
Gly Ile Asn Met Thr Gly Lys Val Asp Arg Asn Thr Ile Asp Trp Met
 85             90             95
Lys Lys Pro Arg Cys Gly Val Pro Asp Gln Thr Arg Gly Ser Ser Lys
100            105            110
Phe His Ile Arg Arg Lys Arg Tyr Ala Leu Thr Gly Gln Lys Trp Gln
115            120            125
His Lys His Ile Thr Tyr Ser Ile Lys Asn Val Thr Pro Lys Val Gly

```

130	135	140
Asp Pro Glu Thr Arg Lys	Ala Ile Arg Arg Ala Phe Asp Val Trp Gln	
145	150	155
Asn Val Thr Pro Leu Thr Phe	Glu Glu Val Pro Tyr Ser Glu Leu Glu	160
	165	170
Asn Gly Lys Arg Asp Val Asp	Ile Thr Ile Ile Phe Ala Ser Gly Phe	175
	180	185
His Gly Asp Ser Ser Pro Phe	Asp Gly Glu Gly Gly Phe Leu Ala His	190
	195	200
Ala Tyr Phe Pro Gly Pro Gly	Ile Gly Gly Asp Thr His Phe Asp Ser	205
	210	215
Asp Glu Pro Trp Thr Leu Gly	Asn Pro Asn His Asp Gly Asn Asp Leu	220
225	230	235
Phe Leu Val Ala Val His Glu	Leu Gly His Ala Leu Gly Leu Glu His	240
	245	250
Ser Asn Asp Pro Thr Ala Ile	Met Ala Pro Phe Tyr Gln Tyr Met Glu	255
	260	265
Thr Asp Asn Phe Lys Leu Pro	Asn Asp Asp Leu Gln Gly Ile Gln Lys	270
	275	280
Ile Tyr Gly Pro Pro Asp Lys	Ile Pro Pro Pro Thr Arg Pro Leu Pro	285
	290	295
Thr Val Pro Pro His Arg Ser	Ile Pro Pro Ala Asp Pro Arg Lys Asn	300
305	310	315
Asp Arg Pro Lys Pro Pro Arg	Pro Pro Thr Gly Arg Pro Ser Tyr Pro	320
	325	330
Gly Ala Lys Pro Asn Ile Cys	Asp Gly Asn Phe Asn Thr Leu Ala Ile	335
	340	345
Leu Arg Arg Glu Met Phe Val	Phe Lys Asp Gln Trp Phe Trp Arg Val	350
	355	360
Arg Asn Asn Arg Val Met Asp	Gly Tyr Pro Met Gln Ile Thr Tyr Phe	365
	370	375
Trp Arg Gly Leu Pro Pro Ser	Ile Asp Ala Val Tyr Glu Asn Ser Asp	380
385	390	395
Gly Asn Phe Val Phe Phe Lys	Gly Asn Lys Tyr Trp Val Phe Lys Asp	400
	405	410
Thr Thr Leu Gln Pro Gly Tyr	Pro His Asp Leu Ile Thr Leu Gly Ser	415
	420	425
Gly Ile Pro Pro His Gly Ile	Asp Ser Ala Ile Trp Trp Glu Asp Val	430
	435	440
Gly Lys Thr Tyr Phe Phe Lys	Gly Asp Arg Tyr Trp Arg Tyr Ser Glu	445
	450	455
Glu Met Lys Thr Met Asp Pro	Gly Tyr Pro Lys Pro Ile Thr Val Trp	460
465	470	475
Lys Gly Ile Pro Glu Ser Pro	Gln Gly Ala Phe Val His Lys Glu Asn	480
	485	490
Gly Phe Thr Tyr Phe Tyr Lys	Gly Lys Glu Tyr Trp Lys Phe Asn Asn	495
	500	505
Gln Ile Leu Lys Val Glu Pro	Gly Tyr Pro Arg Ser Ile Leu Lys Asp	510
	515	520
Phe Met Gly Cys Asp Gly Pro	Thr Asp Arg Val Lys Glu Gly His Ser	525
	530	535
Pro Pro Asp Asp Val Asp Ile	Val Ile Lys Leu Asp Asn Thr Ala Ser	540
545	550	555
Thr Val Lys Ala Ile Ala Ile	Val Ile Pro Cys Ile Leu Ala Leu Cys	560
	565	570
Leu Leu Val Leu Val Tyr Thr	Val Phe Gln Phe Lys Arg Lys Gly Thr	575
	580	585
Pro Arg His Ile Leu Tyr Cys	Lys Arg Ser Met Gln Glu Trp Val	590
	595	600
		605

<210> 89
 <211> 3438
 <212> DNA
 <213> Homo sapiens

<400> 89

```

atccccgggc ccgagctcga attccaggtg cccagtagc ccgaccgccg agatgccag 60
cccgccgggg ctccgggggc tatggctttg cgccgcgctg tgcgcttccc ggagggcccg 120
cggcgcccc cagcccgggc cggggccac cgctgcccg gccccctgcc actgccagga 180
ggacggcatc atgtgtgtct cgcactgtc tgagctcggg ctgtccgccg ttccggggga 240
cctggacccc ctgacggctt acctggacct cagcatgaac aacctcacag agcttcagcc 300
tggcctcttc caccacctgc gcttcttgga ggagctgcgt ctctctggga accatctctc 360
acacatccca ggacaagcat tctctggtct ctacagcctg aaaatcctga tgctgcagaa 420
caatcagctg ggaggaatcc ccgcagaggc gctgtgggag ctgccgagcc tgcagtcgct 480
gcgcctagat gccaacctca tctccctggt cccggagagg agctttgagg ggctgtcctc 540
cctccggcac ctctggctgg acgacaatgc actcacggag atccctgtca gggccctcaa 600
caacctccct gccctgcagg ccatgacctt ggccctcaac cgcctcagcc acatccccga 660
ctacgcgttc cagaatctca ccagccttgt ggtgtgcgat ttgcataaca accgcatcca 720
gcatctgggg acccacagct tcgaggggct gcacaatctg gagacactag acctgaatta 780
taacaagctg caggagtcc ctgtggccat ccggaccctg ggcagactgc aggaactggg 840
gttcataaac aacaacatca aggccatccc agaaaaggcc ttcattggga accctctgct 900
acagacgata cacttttatg ataaccat ccagtttgtg ggaagatcgg cattccagta 960
cctgcctaaa ctccacacac tatctctgaa tggtgccatg gacatccagg agttccaga 1020
tctcaaaggc accaccagcc tggagatcct gacctgacc cgcgaggca tccggtgct 1080
cccatcgggg atgtgccaac agctgccag gctccgagtc ctggaactgt ctcaaatca 1140
aattgaggag ctgccagcc tgcacaggtg tcagaaattg gaggaatcg gcctccaaca 1200
caaccgcac tgggaaattg gagctgacac cttcagccag ctgagctccc tgcaagccct 1260
ggatcttagc tggaaagcca tccggtccat ccaccctgag gccttctcca ccctgcactc 1320
cctggtcaag ctggacctga cagacaacca gctgaccaca ctgccctgg ctggacttg 1380
gggcttgatg catctgaagc tcaaaggga ccttgcctc tcccaggcct tctccaagga 1440
cagtttccca aaactgagga tccctggagg gccttatgcc taccagtgt gtccctatg 1500
gatgtgtgcc agcttcttca aggcctctgg gcagtgggag gctgaagacc ttcacctga 1560
tgatgaggag tottcaaaaa ggcccctggg cctccttgcc agacaagcag agaaccacta 1620
tgaccaggac ctggatgagc tccagctgga gatggaggac tcaaagccac accccagtgt 1680
ccagttagc cctactccag gcccttcaa gccctgtgag tacctcttg aaagctggg 1740
catcccgctg gccgactgg ccactgtgt gctctccgtg ctctgcaatg gactggtgt 1800
gctgaccgtg ttcgctggcg ggccctgccc cctgccccg gtcaagtttg tggtagtg 1860
gattgcaggc gccaacacct tgactggcat ttctgtggc cttctagcct cagtcgatgc 1920
cctgaccttt ggtcagttct ctgagtacgg agcccgtgg gagacggggc taggctgcc 1980
ggccactggc ttctggcag tacttgggtc ggaggcatcg gtgctgtgc tactctggc 2040
cgcagtgcag tgcagcgtct ccgtctctg tgtccgggcc tatgggaagt cccctccct 2100
gggcagcgtt cgagcagggg tccataggct cctggcactg gcagggctgg ccgccgact 2160
gcccctggcc tcagtgggag aatacggggc ctccccactc tgcctgccct acgcgccacc 2220
tgagggtcag ccagcagccc tgggcttcac cgtggccctg gtgatgatga actccttctg 2280
tttctggte gtggccggtg cctacatcaa actgtactgt gacctgccgc ggggcgactt 2340
tgaggccgtg tgggactgcg ccattgtgag gcacgtggcc tggtcatct tcgcagacgg 2400
gctcctctac tgtcccggtg ccttctcag cttcgccctc atgctgggcc tcttccctgt 2460
cacgcccag ggcgtcaagt ctgtcctgct ggtggtgctg cccctgcctg cctgcctcaa 2520
cccactgctg tacctgctct tcaaccccca cttccgggat gaccttcggc ggcttcggcc 2580
ccgcgcagg gactcagggc ccctagccta tgcctgggcc ggggagctgg agaagagctc 2640
ctgtgattct acccaggccc tggtagcctt ctctgatgtg gatctcattc tggaagcttc 2700
tgaagctggg cggccccctg ggctggagac ctatggcttc ccctcagtga cctcatctc 2760
ctgtcagcag ccaggggccc ccaggctgga gggcagccat tgtgtagagc cagaggggaa 2820
ccactttggg aacccccaac cctccatgga tggagaactg ctgctgaggg cagaggggatc 2880
tacgccagca ggtggaggct tgtcaggggg tggcggttt cagccctctg gcttggcctt 2940
tgcttcacac gtgctcgagc aaaagttgat ttctgaagaa gatttgaacg gtgaacaaaa 3000
gctaattctc gaggaagact tgaacggtga acaaaaatta atctcagaag aagacttgaa 3060

```

```

cggatcatag atctctaatt ccggttattt tccaccatat tgccgtcttt tggcaatgtg 3120
agggcccgga aacctggccc tgtcttcttg acgagcattc ctaggggtct ttcccctctc 3180
gccaaaggaa tgcaaggtct gttgaatgtc gtgaaggaag cagttcctct ggaagcttct 3240
tgaagacaaa caacgtctgt agcgacctt tgcaggcagc ggaaccccc acctggcgac 3300
aggtgcctct ggggcaaaa gccacgtgta taagatacac ctgcaaaggc ggcaacaacc 3360
cagtgccacg ttgtgagttg gatagttgtg gaaagagtca aatggctctc ctcaagcgta 3420
ttcaacaagg ggctgaag                                     3438

```

<210> 90

<211> 1005

<212> PRT

<213> Homo sapiens

<400> 90

```

Met Pro Ser Pro Pro Gly Leu Arg Ala Leu Trp Leu Cys Ala Ala Leu
 1              5              10              15
Cys Ala Ser Arg Arg Ala Gly Gly Ala Pro Gln Pro Gly Pro Gly Pro
      20              25              30
Thr Ala Cys Pro Ala Pro Cys His Cys Gln Glu Asp Gly Ile Met Leu
      35              40              45
Ser Ala Asp Cys Ser Glu Leu Gly Leu Ser Ala Val Pro Gly Asp Leu
      50              55              60
Asp Pro Leu Thr Ala Tyr Leu Asp Leu Ser Met Asn Asn Leu Thr Glu
      65              70              75              80
Leu Gln Pro Gly Leu Phe His His Leu Arg Phe Leu Glu Glu Leu Arg
      85              90              95
Leu Ser Gly Asn His Leu Ser His Ile Pro Gly Gln Ala Phe Ser Gly
      100              105              110
Leu Tyr Ser Leu Lys Ile Leu Met Leu Gln Asn Asn Gln Leu Gly Gly
      115              120              125
Ile Pro Ala Glu Ala Leu Trp Glu Leu Pro Ser Leu Gln Ser Leu Arg
      130              135              140
Leu Asp Ala Asn Leu Ile Ser Leu Val Pro Glu Arg Ser Phe Glu Gly
      145              150              155              160
Leu Ser Ser Leu Arg His Leu Trp Leu Asp Asp Asn Ala Leu Thr Glu
      165              170              175
Ile Pro Val Arg Ala Leu Asn Asn Leu Pro Ala Leu Gln Ala Met Thr
      180              185              190
Leu Ala Leu Asn Arg Ile Ser His Ile Pro Asp Tyr Ala Phe Gln Asn
      195              200              205
Leu Thr Ser Leu Val Val Leu His Leu His Asn Asn Arg Ile Gln His
      210              215              220
Leu Gly Thr His Ser Phe Glu Gly Leu His Asn Leu Glu Thr Leu Asp
      225              230              235              240
Leu Asn Tyr Asn Lys Leu Gln Glu Phe Pro Val Ala Ile Arg Thr Leu
      245              250              255
Gly Arg Leu Gln Glu Leu Gly Phe His Asn Asn Asn Ile Lys Ala Ile
      260              265              270
Pro Glu Lys Ala Phe Met Gly Asn Pro Leu Leu Gln Thr Ile His Phe
      275              280              285
Tyr Asp Asn Pro Ile Gln Phe Val Gly Arg Ser Ala Phe Gln Tyr Leu
      290              295              300
Pro Lys Leu His Thr Leu Ser Leu Asn Gly Ala Met Asp Ile Gln Glu
      305              310              315              320
Phe Pro Asp Leu Lys Gly Thr Thr Ser Leu Glu Ile Leu Thr Leu Thr
      325              330              335
Arg Ala Gly Ile Arg Leu Leu Pro Ser Gly Met Cys Gln Gln Leu Pro
      340              345              350
Arg Leu Arg Val Leu Glu Leu Ser His Asn Gln Ile Glu Glu Leu Pro

```

Ser	Leu	His	Arg	Cys	Gln	Lys	Leu	Glu	Glu	Ile	Gly	Leu	Gln	His	Asn	
	370					375					380					
Arg	Ile	Trp	Glu	Ile	Gly	Ala	Asp	Thr	Phe	Ser	Gln	Leu	Ser	Ser	Leu	
385					390					395					400	
Gln	Ala	Leu	Asp	Leu	Ser	Trp	Asn	Ala	Ile	Arg	Ser	Ile	His	Pro	Glu	
				405					410					415		
Ala	Phe	Ser	Thr	Leu	His	Ser	Leu	Val	Lys	Leu	Asp	Leu	Thr	Asp	Asn	
			420					425					430			
Gln	Leu	Thr	Thr	Leu	Pro	Leu	Ala	Gly	Leu	Gly	Gly	Leu	Met	His	Leu	
		435					440					445				
Lys	Leu	Lys	Gly	Asn	Leu	Ala	Leu	Ser	Gln	Ala	Phe	Ser	Lys	Asp	Ser	
	450					455					460					
Phe	Pro	Lys	Leu	Arg	Ile	Leu	Glu	Val	Pro	Tyr	Ala	Tyr	Gln	Cys	Cys	
465					470					475					480	
Pro	Tyr	Gly	Met	Cys	Ala	Ser	Phe	Phe	Lys	Ala	Ser	Gly	Gln	Trp	Glu	
				485					490					495		
Ala	Glu	Asp	Leu	His	Leu	Asp	Asp	Glu	Glu	Ser	Ser	Lys	Arg	Pro	Leu	
			500					505					510			
Gly	Leu	Leu	Ala	Arg	Gln	Ala	Glu	Asn	His	Tyr	Asp	Gln	Asp	Leu	Asp	
		515					520					525				
Glu	Leu	Gln	Leu	Glu	Met	Glu	Asp	Ser	Lys	Pro	His	Pro	Ser	Val	Gln	
	530					535					540					
Cys	Ser	Pro	Thr	Pro	Gly	Pro	Phe	Lys	Pro	Cys	Glu	Tyr	Leu	Phe	Glu	
545					550					555					560	
Ser	Trp	Gly	Ile	Arg	Leu	Ala	Val	Trp	Ala	Ile	Val	Leu	Leu	Ser	Val	
				565					570					575		
Leu	Cys	Asn	Gly	Leu	Val	Leu	Leu	Thr	Val	Phe	Ala	Gly	Gly	Pro	Ala	
			580					585					590			
Pro	Leu	Pro	Pro	Val	Lys	Phe	Val	Val	Gly	Ala	Ile	Ala	Gly	Ala	Asn	
		595					600					605				
Thr	Leu	Thr	Gly	Ile	Ser	Cys	Gly	Leu	Leu	Ala	Ser	Val	Asp	Ala	Leu	
	610					615					620					
Thr	Phe	Gly	Gln	Phe	Ser	Glu	Tyr	Gly	Ala	Arg	Trp	Glu	Thr	Gly	Leu	
625					630					635					640	
Gly	Cys	Arg	Ala	Thr	Gly	Phe	Leu	Ala	Val	Leu	Gly	Ser	Glu	Ala	Ser	
				645					650					655		
Val	Leu	Leu	Leu	Thr	Leu	Ala	Ala	Val	Gln	Cys	Ser	Val	Ser	Val	Ser	
			660					665					670			
Cys	Val	Arg	Ala	Tyr	Gly	Lys	Ser	Pro	Ser	Leu	Gly	Ser	Val	Arg	Ala	
		675					680					685				
Gly	Val	Leu	Gly	Cys	Leu	Ala	Leu	Ala	Gly	Leu	Ala	Ala	Ala	Leu	Pro	
	690															

His Phe Arg Asp Asp Leu Arg Arg Leu Arg Pro Arg Ala Gly Asp Ser
 835 840 845
 Gly Pro Leu Ala Tyr Ala Ala Ala Gly Glu Leu Glu Lys Ser Ser Cys
 850 855 860
 Asp Ser Thr Gln Ala Leu Val Ala Phe Ser Asp Val Asp Leu Ile Leu
 865 870 875 880
 Glu Ala Ser Glu Ala Gly Arg Pro Pro Gly Leu Glu Thr Tyr Gly Phe
 885 890 895
 Pro Ser Val Thr Leu Ile Ser Cys Gln Gln Pro Gly Ala Pro Arg Leu
 900 905 910
 Glu Gly Ser His Cys Val Glu Pro Glu Gly Asn His Phe Gly Asn Pro
 915 920 925
 Gln Pro Ser Met Asp Gly Glu Leu Leu Leu Arg Ala Glu Gly Ser Thr
 930 935 940
 Pro Ala Gly Gly Gly Leu Ser Gly Gly Gly Gly Phe Gln Pro Ser Gly
 945 950 955 960
 Leu Ala Phe Ala Ser His Val Leu Glu Gln Lys Leu Ile Ser Glu Glu
 965 970 975
 Asp Leu Asn Gly Glu Gln Lys Leu Ile Ser Glu Glu Asp Leu Asn Gly
 980 985 990
 Glu Gln Lys Leu Ile Ser Glu Glu Asp Leu Asn Gly Ser
 995 1000 1005

<210> 91

<211> 2196

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 1952, 1960

<223> n = A,T,C or G

<400> 91

aaacacactc agcccttgca ctgacctgcc ttctgattgg aggcctggtg cttcggataa 60
 tgacctccag gaccccactg ttggttacag cctggttgta ttattcttac tgcaactcaa 120
 gacacctgca gcagggcggtg agaaaaagta aaagaccagt attttcacat tgccaggtag 180
 cagaaacaca gaagactgac acccgccact taagtggggc cagggctggt gtctgcccac 240
 gttgccatcc tgatgggctg cttgccacaa tgagggatct tcttcaatac atcgcttgct 300
 tctttgcctt tttctctgct ggggttttga ttgtggccac ctggactgac tgttgatgg 360
 tgaatgctga tgactctctg gaggtgagca caaaatgccg aggcctctgg tgggaatgcg 420
 tcacaaatgc ttttgatggg attcgcacct gtgatgagta cgattccata cttgcggagc 480
 atcccttgaa gctgggtgta actcgagcgt tgatgattac tgcagatatt ctactgggt 540
 ttggatttct caccctgctc cttggtcttg actgcgtgaa attcctccct gatgagccgt 600
 acattaaagt ccgcatctgc tttgttgctg gagccacgtt actaatagca ggtaccccag 660
 gaatcattgg ctctgtgtgg tatgctgttg atgtgtatgt ggaacgttct actttggtt 720
 tgcacaatat atttcttggt atccaatata aatttggttg gtcctggttg ctcggaatgg 780
 ctgggtctct gggttgcttt ttggctggag ctgttctgac ctgctgctta tatcttttta 840
 aagatgttgg acctgagaga aactatcctt attccttgag gaaagcctat tcagccgcgg 900
 gtgtttccat ggccaagtca tactcagccc ctgcacaga gacggccaaa atgtatgctg 960
 tagacacaag ggtgtaaaat gcacgtttca ggggtgtgtt gcatatgatt taatcaatca 1020
 gtatggttac attgataaaa tagtaagtca atccaggaac agttatttag aattcatatt 1080
 gaattaaatt aattgctagc ttaatcaaaa tgtttgattc tcctatactt tttctttcta 1140
 ttactcttat attttcccgt cattctctct gctaaccctc caccttatgc acacactttc 1200
 cctatatattt aagataagtc tgctaggatg tagaaatatt tgtttgtgat ttctatatag 1260
 ctattagaga ttatgacata gtaatatata aatgaaatga tacttaaaca gaaagcaatt 1320
 tccaaagagg ccagggaccc taatctttga agagatgaag aaacttactt ttctccctgg 1380
 cttttggttc actttttgta cttttaacaa gtgggtgaat tatttgataa ttttgaggaa 1440

```

gattattctt ttaaattcaa actagtatgt caatgcctac cattactctg attatattaa 1500
aacagaaaaa ggaaataaca acttcgtata ccagccactg gtgagagtta aagacaagag 1560
ctgccccccc acccccaaat gtcaaaggca aatgctaaat tgatactgga gctcgtgggtg 1620
actttctacc tactaataca cataagggat ctccatatta tttcaccact attctagctt 1680
tgctgagata ttgccaaatg attagactac acaatagttc aaccagagaa tttactcatt 1740
tattgattaa acatccaaat actattgtaa tatactatgt taaaattcat caattcaagt 1800
gccacacac cactgaatca tcagcaccaa gcaatatatt agacatatgg caaaattcaa 1860
caaatatatt ttgatataaa taaataaacg ttcacgactt tacttaaaaa atcaatgttg 1920
cggctgggca cggtagctcg cgtctgtaat cnccgcaactn tgggaggcca aggcgggttg 1980
atcacgaggt caagagacgg agaccatcct ggctaacatg gtgaaaccct gtctctacta 2040
aaaatacaaa aattagccgg gcgtggtggc ggtgcctgta gtcccagcta ctcgggaggc 2100
tgaggcagga gaatcgttt aaccaggag gtggagggtg cagtgagcgg agatcgacc 2160
attgcactcc agtctggcaa cagagcgaga ctccat 2196

```

<210> 92

<211> 305

<212> PRT

<213> Homo sapiens

<400> 92

```

Met Thr Ser Arg Thr Pro Leu Leu Val Thr Ala Cys Leu Tyr Tyr Ser
 1          5          10          15
Tyr Cys Asn Ser Arg His Leu Gln Gln Gly Val Arg Lys Ser Lys Arg
 20          25          30
Pro Val Phe Ser His Cys Gln Val Pro Glu Thr Gln Lys Thr Asp Thr
 35          40          45
Arg His Leu Ser Gly Ala Arg Ala Gly Val Cys Pro Cys Cys His Pro
 50          55          60
Asp Gly Leu Leu Ala Thr Met Arg Asp Leu Leu Gln Tyr Ile Ala Cys
 65          70          75          80
Phe Phe Ala Phe Phe Ser Ala Gly Phe Leu Ile Val Ala Thr Trp Thr
 85          90          95
Asp Cys Trp Met Val Asn Ala Asp Asp Ser Leu Glu Val Ser Thr Lys
100          105          110
Cys Arg Gly Leu Trp Trp Glu Cys Val Thr Asn Ala Phe Asp Gly Ile
115          120          125
Arg Thr Cys Asp Glu Tyr Asp Ser Ile Leu Ala Glu His Pro Leu Lys
130          135          140
Leu Val Val Thr Arg Ala Leu Met Ile Thr Ala Asp Ile Leu Ala Gly
145          150          155          160
Phe Gly Phe Leu Thr Leu Leu Leu Gly Leu Asp Cys Val Lys Phe Leu
165          170          175
Pro Asp Glu Pro Tyr Ile Lys Val Arg Ile Cys Phe Val Ala Gly Ala
180          185          190
Thr Leu Leu Ile Ala Gly Thr Pro Gly Ile Ile Gly Ser Val Trp Tyr
195          200          205
Ala Val Asp Val Tyr Val Glu Arg Ser Thr Leu Val Leu His Asn Ile
210          215          220
Phe Leu Gly Ile Gln Tyr Lys Phe Gly Trp Ser Cys Trp Leu Gly Met
225          230          235          240
Ala Gly Ser Leu Gly Cys Phe Leu Ala Gly Ala Val Leu Thr Cys Cys
245          250          255
Leu Tyr Leu Phe Lys Asp Val Gly Pro Glu Arg Asn Tyr Pro Tyr Ser
260          265          270
Leu Arg Lys Ala Tyr Ser Ala Ala Gly Val Ser Met Ala Lys Ser Tyr
275          280          285
Ser Ala Pro Arg Thr Glu Thr Ala Lys Met Tyr Ala Val Asp Thr Arg
290          295          300
Val

```

305

<210> 93

<211> 7460

<212> DNA

<213> Homo sapiens

<400> 93

```

cgtccgggag aacgctgcag aaattctcat cctggccgac ctccacagtg cagatcagtt 60
gaaaactcag gcagtggatt tcatcaacta tcatgcttcg gatgtcttgg agacctctgg 120
gtggaagtca atggtggtgt cacatcccca cttggtggct gaggcatacc gctctctggc 180
ttcagcacag tgcccttttc tgggaccccc acgcaaacgc ctgaagcaat cctaagatcc 240
tgcttgttgt aagactccgt ttaattttcca gaagcagcag ccactgttgc tgccactgac 300
caccaggtag acagcgcaat ctgtggagct tttactctgt tgtgagggga agagactgca 360
ttgtggcccc agacttttaa aacagcacta aataacttgg gggaaacggg gggagggaaa 420
atgaaatgaa aacctgttg ctgctcact gtgttccctt tggcctggct gagtttgata 480
ctgtggggat tcagtttagg cgctggcccc aggatâtccc agcggtggtta ctctcgagac 540
acctgtctgc atctgactga gccggtcttc ctggcctcgc gctgcacatt ctctcctggc 600
ggcggcgcca cctgcagtag cgttcgcccc aacatggcga cacggagcag caggagggag 660
tcgcgactcc cgttcctatt caccctggtc gcaactgtgc cgccccgagc tctctgcgaa 720
gtctggacgc agaggctgca cggcggcagc gcgcccttgc ccaggaccg gggcttcttc 780
gtggtgcagg gcgacccgcg cgagctgcgg ctgtgggcgc gcggggatgc caggggggcg 840
agccgcgcgg acgagaagcc gctccggagg aaacggagcg ctgccctgca gcccgagccc 900
atcaaggtgt acggacaggt tagtctgaat gattcccaca atcagatggg ggtgcaactgg 960
gctggagaga aaagcaacgt gatcgtggcc ttggcccag atagcctggc attggcgagg 1020
cccaagagca gtgatgtgta cgtgtcttac gactatggaa aatcattcaa gaaaatttca 1080
gacaagttaa actttggctt gggaaatagg agtgaagctg ttatcgccca gttctaccac 1140
agccctgcgg acaacaagcg gtacatcttt gcagaogctt atgcccagta cctctggatc 1200
acgtttgact tctgcaacac tcttcaaggc ttttccatcc catttcgggc agctgatctc 1260
ctctacaca gtaaggcctc caaccttctc ttgggctttg acaggtccca ccccaacaag 1320
cagctgtgga agtcagatga ctttggccag acctggatca tgattcagga acatgtcaag 1380
tccttttctt ggggaattga tccctatgac aaaccaaata ccatctacat tgaacgacac 1440
gaaccctctg gctactccac tgtcttccga agtacagatt tcttccagtc ccgggaaaac 1500
caggaagtga tccttgagga agtgagagat tttagcttc gggacaagta catgtttgct 1560
acaaaggtgg tgcattctctt gggcagtgaa cagcagctct ctgtccagct ctgggtcttc 1620
tttgcccgga agcccagtag agcagcccag tttgtcacia gacatcctat taatgaatat 1680
tacctcgag atgcctccga ggaccaggtg ttgtgtgtg tcagccacag taacaaccgc 1740
accaatttat acatctcaga ggcagagggg ctgaagttct ccctgtcctt ggagaacgtg 1800
ctctattaca gcccaggagg ggccggcagt gacaccttgg tgaggtattt tgcaaatgaa 1860
ccatttgctg acttccaccg agtggaagga ttgcaaggag tctacattgc tactctgatt 1920
aatggttcta tgaatgagga gaacatgaga tcgggtcatca cctttgacaa agggggaacc 1980
tgggagtttc ttcaggctcc agccttcacg ggatatggag agaaaatcaa ttgtgagctt 2040
tcccagggtt gttcccttca tctggctcag cgcctcagtc agctcctcaa cctccagctc 2100
cggagaatgc ccactcctgtc caaggagtgc gctccaggcc tcatcatcgc cactggctca 2160
gtgggaaaga acttggctag caagacaaac gtgtacatct ctagcagtgc tggagccagg 2220
tggcgagagg cacttctctg acctcactac tacacatggg gagaccacgg cggaatcatc 2280
acggccattg ccagggcat ggaaaccaac gagctaaaat acagtaccaa tgaaggggag 2340
acctggaaaa cattcatctt ctctgagaag ccagtgtttg tgtatggcct cctcacagaa 2400
cctggggaga agagcaactgt cttcaccatc tttggctcga acaaagagaa tgtccacagc 2460
tggctgatcc tccaggtcaa tgccacggat gccttgggag ttcctctcac agagaatgac 2520
tacaagctgt ggtcaccatc tgatgagcgg gggaaatgagt gtttgctggg acacaagact 2580
gttttcaaac ggcggacccc ccatgccaca tgcttcaatg gagaggactt tgacaggccg 2640
gtggtcgtgt ccaactgctc ctgcaccccg gaggactatg agtgtgactt cggtttcaag 2700
atgagtgaag atttgtcatt agaggtttgt gttccagatc cggaattttc tggaaagtca 2760
tactcccctc ctgtgccttg ccctgtgggt tctacttaca ggagaacgag aggctaccgg 2820
aagatttctg gggacacttg tagcggagga gatgttgaag cgcgactgga aggagagctg 2880
gtcccctgtc ccctggcaga agagaacgag ttcattctgt atgctgtgag gaaatccatc 2940
taccgctatg acctggcctc gggagccacc gagcagttgc ctctcaccgg gctacgggca 3000

```

gcagtggccc	tggactttga	ctatgagcac	aactgtttgt	attggtccga	cctggccttg	3060
gacgtcatcc	agcgcctctg	tttgaatgga	agcacagggc	aagaggtgat	catcaattct	3120
ggcctggaga	cagtagaagc	tttggctttt	gaaccctca	gccagctgct	ttactgggta	3180
gatgcaggct	tcaaaaagat	tgaggtagct	aatccagatg	gcgacttccg	actcacaatc	3240
gtcaattcct	ctgtgcttga	tcgtcccagg	gctctggtcc	tcgtgccccca	agagggggtg	3300
atgttctcga	cagactgggg	agacctgaag	cctgggattt	atcgagagcaa	tatggatggg	3360
tctgctgcct	atcacctggg	gtctgaggat	gtgaagtggc	ccaatggcat	ctctgtggac	3420
gaccagtggga	tttactggac	ggatgcctac	ctggagtgc	tagagcggat	cacgttcagt	3480
ggccagcagc	gctctgtcat	tctggacaac	ctcccgcacc	cctatgccat	tgctgtcttt	3540
aagaatgaaa	tctactggga	tgactgggtca	cagctcagca	tattccgagc	ttccaaatac	3600
agtgggtccc	agatggagat	tctggcaaac	cagctcacgg	ggctcatgga	catgaagatt	3660
ttctacaagg	ggaagaacac	tggaagcaat	gcctgtgtgc	ccaggccatg	cagcctgctg	3720
tgcttgcccc	aggccaacaa	cagtagaagc	tgcaaggtgc	cagaggatgt	gtccagcagt	3780
gtgcttccat	caggggacct	gatgtgtgac	tgccctcagg	gctatcagct	caagaacaat	3840
acctgtgtca	aagaagagaa	cacctgtctt	cgcaaccagt	atcgctgcag	caacgggaac	3900
tgtatcaaca	gcatttgggtg	gtgtgacttt	gacaacgact	gtggagacat	gagcgatgag	3960
agaaactgcc	ctaccacct	ctgtgacctg	gacaccagt	ttcgttgcca	ggagtctggg	4020
acttgtatcc	cactgtccta	taaatgtgac	cttgaggatg	actgtggaga	caacagtgat	4080
gaaagtcat	gtgaaatgca	ccagtgcgag	agtgcagagt	acaactgcag	ttccggcatg	4140
tgcatccgct	cctcctgggt	atgtgacggg	gacaacgact	gcagggactg	gtctgatgaa	4200
gccaactgta	ccgccatcta	tcacacctgt	gaggcctcca	acttccagtg	ccgaaacggg	4260
cactgcatcc	cccagcggtg	ggcgtgtgac	ggggatacgg	actgccagga	tggttccgat	4320
gaggatccag	tcaactgtga	gaagaagtgc	aatggattcc	gctgccccaa	cggcacttgc	4380
atcccatcca	gcaaacattg	tgatggtctg	cgatgattgt	ctgatggctc	cgatgaacag	4440
cactgcgagc	ccctctgtac	gcacttcatg	gacttttgt	gtaagaaccg	ccagcagtgc	4500
ctgttccact	ccatggtctg	tgacggaatc	atccagtgcc	gcgacgggtc	cgatgaggat	4560
gcggcggttg	caggatgctc	ccaagatcct	gagttccaca	aggtatgtga	tgagttcggg	4620
ttccagtgtc	agaatggagt	gtgcatcagt	ttgatttgg	agtgcgacgg	gatggatgat	4680
tgccggcgatt	attctgatga	agccaactgc	gaaaacccca	cagaagcccc	aaactgctcc	4740
cgctacttcc	agtttccgtg	tgagaatggc	cactgcatcc	ccaacagatg	gaaatgtgac	4800
agggagaacg	actgtgggga	ctggtctgat	gagaaggatt	gtggagattc	acatattctt	4860
cccttctcga	ctcctggggc	ctccacgtgt	ctgcccatt	actaccgctg	cagcagtggg	4920
acctgcgtga	tggacacctg	ggtgtgcgac	gggtaccgag	attgtgcaga	tggtctctgac	4980
gaggaagcct	gcccccttgc	tgcaaacgtc	actgctgcct	ccactcccac	ccaacttggg	5040
cgatgtgacc	gatttgagtt	cgaatgccac	caaccgaaga	cgtgtattcc	caactggaag	5100
cgctgtgacg	gccaccaaga	ttgccaggat	ggccgggacg	aggccaattg	ccccacacac	5160
agcaccttga	ccttgatgag	caggaggttc	cagtgcgagg	acggggaggc	ctgcatttgt	5220
ctctcgggac	gctgcgacgg	cttctggagc	tgctcggacg	agagcgatga	aaaggcctgc	5280
agtgtatgag	tgactgtgta	caaagtacag	aatcttcagt	ggacagctga	cttctctggg	5340
gatgtgactt	tgacctggat	gaggcccaaa	aaaatgccct	ctgcatcttg	tgtatataat	5400
gtctactaca	gggtggttgg	agagagcata	tggaagactc	tggaagacca	cagcaataag	5460
acaaacactg	tattaaaagt	cttgaaacca	gataccacgt	atcagggtta	agtacaggtt	5520
cagtgtctca	gcaaggcaca	caacaccaat	gactttgtga	ccctgaggac	cccagaggga	5580
ttgccagatg	ccccctgaaa	tctccagctg	tactcccca	gggaagcaga	aggtgtgatt	5640
gtaggccact	gggctcctcc	catccacacc	catggcctca	tccgtgagta	cattgtagaa	5700
tacagcagga	gtggttccaa	gatgtggggc	tcccagaggg	ctgctagtaa	ctttacagaa	5760
atcaagaact	tattggtcaa	cactctatac	accgtcagag	tggtctgcgt	gactagtctg	5820
ggaataggaa	actggagcga	ttctaaatcc	attaccacca	taaaaggaaa	agtgatecca	5880
ccaccagata	tccacattga	cagctatggg	gaaaattatc	taagcttcac	cctgacctag	5940
gagagtgata	tcaaggtgaa	tggtctatgt	gtgaaccttt	tctgggcatt	tgacacccac	6000
aagcaagaga	ggagaacttt	gaacttccga	ggaagcatat	tgctcacaaa	agttggcaat	6060
ctgacagctc	atacatccta	tgagatttct	gcctggggca	agactgactt	gggggtagac	6120
cctctggcat	ttgagcatgt	tatgaccaga	ggggttcgcc	cacctgcacc	tagcctcaag	6180
gccaaagcca	tcaaccagac	tgcaagtggaa	tgtacctgga	ccggcccccg	gaatgtggtt	6240
tatggtat	tctatgccac	gtcctttctt	gacctctatc	gcaacccgaa	gagcttgact	6300
acttcaactc	acaacaagac	ggtcattgtc	agtaaggatg	agcagtat	gtttctggtc	6360
cgtgtagtgg	tacctacca	ggggccatcc	tctgactacg	ttgtagtga	gatgatcccc	6420
gacagcaggc	ttccaccccg	tcacctgcat	gtggttcata	cgggcaaaac	ctccgtggtc	6480
atcaagtggg	aatcaccgta	tgactctcct	gaccaggact	tggtgtatgc	aattgcagtc	6540

```

aaagatctca taagaaagac tgacaggagc tacaaagtaa aatcccgtaa cagcactgtg 6600
gaatacacccc ttaacaagtt ggagcctggc gggaaatacc acatcattgt ccaactgggg 6660
aacatgagca aagattccag cataaaaatt accacagttt cattatcagc acctgatgcc 6720
ttaaaaaatca taacagaaaa tgatcatggt cttctgtttt ggaaaagcct ggctttaaag 6780
gaaaagcatt ttaatgaaag caggggctat gagatacaca tgtttgatag tgccatgaat 6840
atcacagctt accttgggaa tactactgac aatttcttta aaatttccaa cctgaagatg 6900
ggtcataatt acacgttcac cgtccaagca agatgccttt ttggcaacca gatctgtggg 6960
gagcctgcca tcctgctgta cgatgagctg gggctctggtg cagatgcac tgcaacgcag 7020
gctgccagat ctacggatgt tgctgctgtg gtggtgcccc tcttattcct gatactgctg 7080
agcctggggg tggggtttgc catcctgtac acgaagcacc ggaggctgca gagcagcttc 7140
accgccttcg ccaacagcca ctacagctcc aggctggggg ccgcaatctt ctctctgagg 7200
gatgacctgg gggaagatga tgaagatgcc cctatgataa ctggattttc agatgacgtc 7260
cccatggtga tagcctgaaa gagctttcct cactagaaac caaatggtgt aaatatttta 7320
tttgataaag atagttgatg gtttatttta aaagatgcac tttgagttgc aatatgttat 7380
ttttatatgg gccaaaaaca aaaaacaaaa aaaaaaaaaa agggcggccg cgaatgaata 7440
aactttgtag taatcaactg                                     7460

```

<210> 94

<211> 2214

<212> PRT

<213> Homo sapiens

<400> 94

```

Met Ala Thr Arg Ser Ser Arg Arg Glu Ser Arg Leu Pro Phe Leu Phe
 1          5          10          15
Thr Leu Val Ala Leu Leu Pro Pro Gly Ala Leu Cys Glu Val Trp Thr
          20          25          30
Gln Arg Leu His Gly Gly Ser Ala Pro Leu Pro Gln Asp Arg Gly Phe
          35          40          45
Leu Val Val Gln Gly Asp Pro Arg Glu Leu Arg Leu Trp Ala Arg Gly
          50          55          60
Asp Ala Arg Gly Ala Ser Arg Ala Asp Glu Lys Pro Leu Arg Arg Lys
          65          70          75          80
Arg Ser Ala Ala Leu Gln Pro Glu Pro Ile Lys Val Tyr Gly Gln Val
          85          90          95
Ser Leu Asn Asp Ser His Asn Gln Met Val Val His Trp Ala Gly Glu
          100          105          110
Lys Ser Asn Val Ile Val Ala Leu Ala Arg Asp Ser Leu Ala Leu Ala
          115          120          125
Arg Pro Lys Ser Ser Asp Val Tyr Val Ser Tyr Asp Tyr Gly Lys Ser
          130          135          140
Phe Lys Lys Ile Ser Asp Lys Leu Asn Phe Gly Leu Gly Asn Arg Ser
          145          150          155          160
Glu Ala Val Ile Ala Gln Phe Tyr His Ser Pro Ala Asp Asn Lys Arg
          165          170          175
Tyr Ile Phe Ala Asp Ala Tyr Ala Gln Tyr Leu Trp Ile Thr Phe Asp
          180          185          190
Phe Cys Asn Thr Leu Gln Gly Phe Ser Ile Pro Phe Arg Ala Ala Asp
          195          200          205
Leu Leu Leu His Ser Lys Ala Ser Asn Leu Leu Leu Gly Phe Asp Arg
          210          215          220
Ser His Pro Asn Lys Gln Leu Trp Lys Ser Asp Asp Phe Gly Gln Thr
          225          230          235          240
Trp Ile Met Ile Gln Glu His Val Lys Ser Phe Ser Trp Gly Ile Asp
          245          250          255
Pro Tyr Asp Lys Pro Asn Thr Ile Tyr Ile Glu Arg His Glu Pro Ser
          260          265          270
Gly Tyr Ser Thr Val Phe Arg Ser Thr Asp Phe Phe Gln Ser Arg Glu
          275          280          285

```


Asn Gln Glu Val Ile Leu Glu Glu Val Arg Asp Phe Gln Leu Arg Asp
 290 295 300
 Lys Tyr Met Phe Ala Thr Lys Val Val His Leu Leu Gly Ser Glu Gln
 305 310 315 320
 Gln Ser Ser Val Gln Leu Trp Val Ser Phe Gly Arg Lys Pro Met Arg
 325 330 335
 Ala Ala Gln Phe Val Thr Arg His Pro Ile Asn Glu Tyr Tyr Ile Ala
 340 345 350
 Asp Ala Ser Glu Asp Gln Val Phe Val Cys Val Ser His Ser Asn Asn
 355 360 365
 Arg Thr Asn Leu Tyr Ile Ser Glu Ala Glu Gly Leu Lys Phe Ser Leu
 370 375 380
 Ser Leu Glu Asn Val Leu Tyr Tyr Ser Pro Gly Gly Ala Gly Ser Asp
 385 390 395 400
 Thr Leu Val Arg Tyr Phe Ala Asn Glu Pro Phe Ala Asp Phe His Arg
 405 410 415
 Val Glu Gly Leu Gln Gly Val Tyr Ile Ala Thr Leu Ile Asn Gly Ser
 420 425 430
 Met Asn Glu Glu Asn Met Arg Ser Val Ile Thr Phe Asp Lys Gly Gly
 435 440 445
 Thr Trp Glu Phe Leu Gln Ala Pro Ala Phe Thr Gly Tyr Gly Glu Lys
 450 455 460
 Ile Asn Cys Glu Leu Ser Gln Gly Cys Ser Leu His Leu Ala Gln Arg
 465 470 475 480
 Leu Ser Gln Leu Leu Asn Leu Gln Leu Arg Arg Met Pro Ile Leu Ser
 485 490 495
 Lys Glu Ser Ala Pro Gly Leu Ile Ile Ala Thr Gly Ser Val Gly Lys
 500 505 510
 Asn Leu Ala Ser Lys Thr Asn Val Tyr Ile Ser Ser Ser Ala Gly Ala
 515 520 525
 Arg Trp Arg Glu Ala Leu Pro Gly Pro His Tyr Tyr Thr Trp Gly Asp
 530 535 540
 His Gly Gly Ile Ile Thr Ala Ile Ala Gln Gly Met Glu Thr Asn Glu
 545 550 555 560
 Leu Lys Tyr Ser Thr Asn Glu Gly Glu Thr Trp Lys Thr Phe Ile Phe
 565 570 575
 Ser Glu Lys Pro Val Phe Val Tyr Gly Leu Leu Thr Glu Pro Gly Glu
 580 585 590
 Lys Ser Thr Val Phe Thr Ile Phe Gly Ser Asn Lys Glu Asn Val His
 595 600 605
 Ser Trp Leu Ile Leu Gln Val Asn Ala Thr Asp Ala Leu Gly Val Pro
 610 615 620
 Cys Thr Glu Asn Asp Tyr Lys Leu Trp Ser Pro Ser Asp Glu Arg Gly
 625 630 635 640
 Asn Glu Cys Leu Leu Gly His Lys Thr Val Phe Lys Arg Arg Thr Pro
 645 650 655
 His Ala Thr Cys Phe Asn Gly Glu Asp Phe Asp Arg Pro Val Val Val
 660 665 670
 Ser Asn Cys Ser Cys Thr Arg Glu Asp Tyr Glu Cys Asp Phe Gly Phe
 675 680 685
 Lys Met Ser Glu Asp Leu Ser Leu Glu Val Cys Val Pro Asp Pro Glu
 690 695 700
 Phe Ser Gly Lys Ser Tyr Ser Pro Pro Val Pro Cys Pro Val Gly Ser
 705 710 715 720
 Thr Tyr Arg Arg Thr Arg Gly Tyr Arg Lys Ile Ser Gly Asp Thr Cys
 725 730 735
 Ser Gly Gly Asp Val Glu Ala Arg Leu Glu Gly Glu Leu Val Pro Cys
 740 745 750
 Pro Leu Ala Glu Glu Asn Glu Phe Ile Leu Tyr Ala Val Arg Lys Ser

755	760	765
Ile Tyr Arg Tyr Asp Leu	Ala Ser Gly Ala Thr	Glu Gln Leu Pro Leu
770	775	780
Thr Gly Leu Arg Ala Ala	Val Ala Leu Asp Phe	Asp Tyr Glu His Asn
785	790	795
Cys Leu Tyr Trp Ser Asp	Leu Ala Leu Asp Val	Ile Gln Arg Leu Cys
805	810	815
Leu Asn Gly Ser Thr Gly	Gln Glu Val Ile Ile	Asn Ser Gly Leu Glu
820	825	830
Thr Val Glu Ala Leu Ala	Phe Glu Pro Leu Ser	Gln Leu Leu Tyr Trp
835	840	845
Val Asp Ala Gly Phe Lys	Lys Ile Glu Val Ala	Asn Pro Asp Gly Asp
850	855	860
Phe Arg Leu Thr Ile Val	Asn Ser Ser Val Leu	Asp Arg Pro Arg Ala
865	870	875
Leu Val Leu Val Pro Gln	Glu Gly Val Met Phe	Trp Thr Asp Trp Gly
885	890	895
Asp Leu Lys Pro Gly Ile	Tyr Arg Ser Asn Met	Asp Gly Ser Ala Ala
900	905	910
Tyr His Leu Val Ser Glu	Asp Val Lys Trp Pro	Asn Gly Ile Ser Val
915	920	925
Asp Asp Gln Trp Ile Tyr	Trp Thr Asp Ala Tyr	Leu Glu Cys Ile Glu
930	935	940
Arg Ile Thr Phe Ser Gly	Gln Gln Arg Ser Val	Ile Leu Asp Asn Leu
945	950	955
Pro His Pro Tyr Ala Ile	Ala Val Phe Lys Asn	Glu Ile Tyr Trp Asp
965	970	975
Asp Trp Ser Gln Leu Ser	Ile Phe Arg Ala Ser	Lys Tyr Ser Gly Ser
980	985	990
Gln Met Glu Ile Leu Ala	Asn Gln Leu Thr Gly	Leu Met Asp Met Lys
995	1000	1005
Ile Phe Tyr Lys Gly Lys	Asn Thr Gly Ser Asn	Ala Cys Val Pro Arg
1010	1015	1020
Pro Cys Ser Leu Leu Cys	Leu Pro Lys Ala Asn	Asn Ser Arg Ser Cys
1025	1030	1035
Arg Cys Pro Glu Asp Val	Ser Ser Ser Val Leu	Pro Ser Gly Asp Leu
1045	1050	1055
Met Cys Asp Cys Pro Gln	Gly Tyr Gln Leu Lys	Asn Asn Thr Cys Val
1060	1065	1070
Lys Glu Glu Asn Thr Cys	Leu Arg Asn Gln Tyr	Arg Cys Ser Asn Gly
1075	1080	1085
Asn Cys Ile Asn Ser Ile	Trp Trp Cys Asp Phe	Asp Asn Asp Cys Gly
1090	1095	1100
Asp Met Ser Asp Glu Arg	Asn Cys Pro Thr Thr	Ile Cys Asp Leu Asp
1105	1110	1115
Thr Gln Phe Arg Cys Gln	Glu Ser Gly Thr Cys	Ile Pro Leu Ser Tyr
1125	1130	1135
Lys Cys Asp Leu Glu Asp	Asp Cys Gly Asp Asn	Ser Asp Glu Ser His
1140	1145	1150
Cys Glu Met His Gln Cys	Arg Ser Asp Glu Tyr	Asn Cys Ser Ser Gly
1155	1160	1165
Met Cys Ile Arg Ser Ser	Trp Val Cys Asp Gly	Asp Asn Asp Cys Arg
1170	1175	1180
Asp Trp Ser Asp Glu Ala	Asn Cys Thr Ala Ile	Tyr His Thr Cys Glu
1185	1190	1195
Ala Ser Asn Phe Gln Cys	Arg Asn Gly His Cys	Ile Pro Gln Arg Trp
1205	1210	1215
Ala Cys Asp Gly Asp Thr	Asp Cys Gln Asp Gly	Ser Asp Glu Asp Pro
1220	1225	1230

Val Asn Cys Glu Lys Lys Cys Asn Gly Phe Arg Cys Pro Asn Gly Thr
 1235 1240 1245
 Cys Ile Pro Ser Ser Lys His Cys Asp Gly Leu Arg Asp Cys Ser Asp
 1250 1255 1260
 Gly Ser Asp Glu Gln His Cys Glu Pro Leu Cys Thr His Phe Met Asp
 1265 1270 1275 1280
 Phe Val Cys Lys Asn Arg Gln Gln Cys Leu Phe His Ser Met Val Cys
 1285 1290 1295
 Asp Gly Ile Ile Gln Cys Arg Asp Gly Ser Asp Glu Asp Ala Ala Phe
 1300 1305 1310
 Ala Gly Cys Ser Gln Asp Pro Glu Phe His Lys Val Cys Asp Glu Phe
 1315 1320 1325
 Gly Phe Gln Cys Gln Asn Gly Val Cys Ile Ser Leu Ile Trp Lys Cys
 1330 1335 1340
 Asp Gly Met Asp Asp Cys Gly Asp Tyr Ser Asp Glu Ala Asn Cys Glu
 1345 1350 1355 1360
 Asn Pro Thr Glu Ala Pro Asn Cys Ser Arg Tyr Phe Gln Phe Arg Cys
 1365 1370 1375
 Glu Asn Gly His Cys Ile Pro Asn Arg Trp Lys Cys Asp Arg Glu Asn
 1380 1385 1390
 Asp Cys Gly Asp Trp Ser Asp Glu Lys Asp Cys Gly Asp Ser His Ile
 1395 1400 1405
 Leu Pro Phe Ser Thr Pro Gly Pro Ser Thr Cys Leu Pro Asn Tyr Tyr
 1410 1415 1420
 Arg Cys Ser Ser Gly Thr Cys Val Met Asp Thr Trp Val Cys Asp Gly
 1425 1430 1435 1440
 Tyr Arg Asp Cys Ala Asp Gly Ser Asp Glu Glu Ala Cys Pro Leu Leu
 1445 1450 1455
 Ala Asn Val Thr Ala Ala Ser Thr Pro Thr Gln Leu Gly Arg Cys Asp
 1460 1465 1470
 Arg Phe Glu Phe Glu Cys His Gln Pro Lys Thr Cys Ile Pro Asn Trp
 1475 1480 1485
 Lys Arg Cys Asp Gly His Gln Asp Cys Gln Asp Gly Arg Asp Glu Ala
 1490 1495 1500
 Asn Cys Pro Thr His Ser Thr Leu Thr Cys Met Ser Arg Glu Phe Gln
 1505 1510 1515 1520
 Cys Glu Asp Gly Glu Ala Cys Ile Val Leu Ser Glu Arg Cys Asp Gly
 1525 1530 1535
 Phe Leu Asp Cys Ser Asp Glu Ser Asp Glu Lys Ala Cys Ser Asp Glu
 1540 1545 1550
 Leu Thr Val Tyr Lys Val Gln Asn Leu Gln Trp Thr Ala Asp Phe Ser
 1555 1560 1565
 Gly Asp Val Thr Leu Thr Trp Met Arg Pro Lys Lys Met Pro Ser Ala
 1570 1575 1580
 Ser Cys Val Tyr Asn Val Tyr Tyr Arg Val Val Gly Glu Ser Ile Trp
 1585 1590 1595 1600
 Lys Thr Leu Glu Thr His Ser Asn Lys Thr Asn Thr Val Leu Lys Val
 1605 1610 1615
 Leu Lys Pro Asp Thr Thr Tyr Gln Val Lys Val Gln Val Gln Cys Leu
 1620 1625 1630
 Ser Lys Ala His Asn Thr Asn Asp Phe Val Thr Leu Arg Thr Pro Glu
 1635 1640 1645
 Gly Leu Pro Asp Ala Pro Arg Asn Leu Gln Leu Ser Leu Pro Arg Glu
 1650 1655 1660
 Ala Glu Gly Val Ile Val Gly His Trp Ala Pro Pro Ile His Thr His
 1665 1670 1675 1680
 Gly Leu Ile Arg Glu Tyr Ile Val Glu Tyr Ser Arg Ser Gly Ser Lys
 1685 1690 1695
 Met Trp Ala Ser Gln Arg Ala Ala Ser Asn Phe Thr Glu Ile Lys Asn

1700	1705	1710
Leu Leu Val Asn Thr	Leu Tyr Thr Val Arg Val Ala Ala Val Thr Ser	
1715	1720	1725
Arg Gly Ile Gly Asn Trp Ser Asp Ser Lys Ser Ile Thr Thr Ile Lys		
1730	1735	1740
Gly Lys Val Ile Pro Pro Pro Asp Ile His Ile Asp Ser Tyr Gly Glu		
1745	1750	1755
Asn Tyr Leu Ser Phe Thr Leu Thr Met Glu Ser Asp Ile Lys Val Asn		
1765	1770	1775
Gly Tyr Val Val Asn Leu Phe Trp Ala Phe Asp Thr His Lys Gln Glu		
1780	1785	1790
Arg Arg Thr Leu Asn Phe Arg Gly Ser Ile Leu Ser His Lys Val Gly		
1795	1800	1805
Asn Leu Thr Ala His Thr Ser Tyr Glu Ile Ser Ala Trp Ala Lys Thr		
1810	1815	1820
Asp Leu Gly Asp Ser Pro Leu Ala Phe Glu His Val Met Thr Arg Gly		
1825	1830	1835
Val Arg Pro Pro Ala Pro Ser Leu Lys Ala Lys Ala Ile Asn Gln Thr		
1845	1850	1855
Ala Val Glu Cys Thr Trp Thr Gly Pro Arg Asn Val Val Tyr Gly Ile		
1860	1865	1870
Phe Tyr Ala Thr Ser Phe Leu Asp Leu Tyr Arg Asn Pro Lys Ser Leu		
1875	1880	1885
Thr Thr Ser Leu His Asn Lys Thr Val Ile Val Ser Lys Asp Glu Gln		
1890	1895	1900
Tyr Leu Phe Leu Val Arg Val Val Val Pro Tyr Gln Gly Pro Ser Ser		
1905	1910	1915
Asp Tyr Val Val Val Lys Met Ile Pro Asp Ser Arg Leu Pro Pro Arg		
1925	1930	1935
His Leu His Val Val His Thr Gly Lys Thr Ser Val Val Ile Lys Trp		
1940	1945	1950
Glu Ser Pro Tyr Asp Ser Pro Asp Gln Asp Leu Leu Tyr Ala Ile Ala		
1955	1960	1965
Val Lys Asp Leu Ile Arg Lys Thr Asp Arg Ser Tyr Lys Val Lys Ser		
1970	1975	1980
Arg Asn Ser Thr Val Glu Tyr Thr Leu Asn Lys Leu Glu Pro Gly Gly		
1985	1990	1995
Lys Tyr His Ile Ile Val Gln Leu Gly Asn Met Ser Lys Asp Ser Ser		
2005	2010	2015
Ile Lys Ile Thr Thr Val Ser Leu Ser Ala Pro Asp Ala Leu Lys Ile		
2020	2025	2030
Ile Thr Glu Asn Asp His Val Leu Leu Phe Trp Lys Ser Leu Ala Leu		
2035	2040	2045
Lys Glu Lys His Phe Asn Glu Ser Arg Gly Tyr Glu Ile His Met Phe		
2050	2055	2060
Asp Ser Ala Met Asn Ile Thr Ala Tyr Leu Gly Asn Thr Thr Asp Asn		
2065	2070	2075
Phe Phe Lys Ile Ser Asn Leu Lys Met Gly His Asn Tyr Thr Phe Thr		
2085	2090	2095
Val Gln Ala Arg Cys Leu Phe Gly Asn Gln Ile Cys Gly Glu Pro Ala		
2100	2105	2110
Ile Leu Leu Tyr Asp Glu Leu Gly Ser Gly Ala Asp Ala Ser Ala Thr		
2115	2120	2125
Gln Ala Ala Arg Ser Thr Asp Val Ala Ala Val Val Val Pro Ile Leu		
2130	2135	2140
Phe Leu Ile Leu Leu Ser Leu Gly Val Gly Phe Ala Ile Leu Tyr Thr		
2145	2150	2155
Lys His Arg Arg Leu Gln Ser Ser Phe Thr Ala Phe Ala Asn Ser His		
2165	2170	2175

Tyr Ser Ser Arg Leu Gly Ser Ala Ile Phe Ser Ser Gly Asp Asp Leu
 2180 2185 2190
 Gly Glu Asp Asp Glu Asp Ala Pro Met Ile Thr Gly Phe Ser Asp Asp
 2195 2200 2205
 Val Pro Met Val Ile Ala
 2210

<210> 95

<211> 5980

<212> DNA

<213> Homo sapiens

<400> 95

```

gccatgctgt catgagaaag tggcttcttc tcaatgaccc ggaagatacc agttcagggt 60
ctaaagggtta tatgaaagtc agcatgtttg tcctgggaac cggagatgag cctcctcctg 120
agagacgaga tcgtgataat gacagtgatg atgtggagag taatttggtta ctccctgctg 180
gcattgccct gggaaccgga gatgagcctc ctctgagag acgagatcgt gataatgaca 240
gtgatgatgt ggagagtaat ttgttactcc ctgctggcat tgcctccgg tgggtgacct 300
tcttgctgaa aatctaccga gctgaggaca tccccagat ggatgatgcc ttctcacaga 360
cagtaaagga aatatttgga ggcaatgcag ataagaaaaa tctcgtggat cctttttag 420
aagtttcctt tgctggaaaa aaggtttgta caaacataat tgagaaaaat gcaaaccag 480
agtggaaatca ggtcgtcaat cttcagatca agtttccttc agtgtgtgaa aaaataaaac 540
taacaatata tgactgggac cgtcttacta aaaatgatgt agttggaaca acatatctac 600
acctctctaa aattgctgcc tctggtgggg aagtgggaaga tttctcatct tcgggaactg 660
gggctgcac atatacagta aacacaggag aaacagaggt aggtttgtt ccaacgtttg 720
gaccttggtta cctgaatctt tatggaagcc ccagagagta cacgggattc ccagaccct 780
atgatgacct gaatactgga aagggggaag gagttgccta cagaggcagg atcttggtt 840
aattagccac ttttcttgag aagacaccac cagataaaaa gcttgagccc atttcaatg 900
atgacctgct ggttgttgag aaataaccagc gaaggcggaa gtacagcctg tctgccgtgt 960
ttcattcagc caccatgttg caagatgttg gtgaggccat tcagtttgaa gtcagcattg 1020
ggaactatgg caacaagttt gacaccacct gtaagccttt ggcatacaaa actcagtaca 1080
gccgtgctgt atttgatggc aactactatt attacttgcc ttgggcccac accaagccag 1140
ttgttaccct gacttcatac tgggaggata ttagtcatcg cctggatgag gtgaacactc 1200
tcctagctat ggcagaacgg ctgcaaaaca atatagaagc tctaaaatca gggatacaag 1260
gtaaaattcc tgcaaacagg ctggctgaat tgtggctgaa gctgatagat gaagtatatg 1320
aagacacgag atacacgttg cctctcacag aaggaaaagc caacgtcaca gttctcgata 1380
ctcagatccg aaagctgcgg tccaggtctc tctccaaat acatgaggcg gctgtgagga 1440
tgaggtcgga agccacagat gtgaagtcca cactggcaga aattgaggac tggcttgata 1500
aattaatgca gctgactgaa gagccacaga acagcatgcc tgacatcatc atctggatga 1560
tccggggaga gaagagactg gcctatgcac gaattccgc acatcagggtc ttgtactcca 1620
ccagtgtgta gaatgcatct ggaaaatact gtgggaaaac ccaaaccatc tttctgaagt 1680
atccacagga gaaaaacaac gggccaaagg tgcctgtgga gttgcgagtg aacatctggc 1740
taggcttaag tgctgtggag aagaagttta acagcttcgc agaaggaact ttcaccgtct 1800
ttgctgaaat gtatgaaaat caagctctca tgtttgaaa atgggggtact tctggattag 1860
taggacgtca taagttttct gatgtcacag gaaaaataaa actcaagagg gaatttttct 1920
tgcttccaaa aggctgggaa tgggaaggag agtgatagt tgatcctgaa agaagcttgc 1980
tgactgaggc agatgcaggt cacacggagt tcaatgatga agtctatcag aacgagagcc 2040
gctaccccg gggcactgg aagccggccg aggacaccta cacgatgag aacggcgata 2100
aagcagcatc acccagcgag ttgactgttc ctccaggttg ggaatgggaa gatgatgcat 2160
ggtcttatga cataaatcga gcggtggatg agaaaggctg ggaatatgga atcaccattc 2220
ctctgatca taagcccaa tcttggttg cagcagagaa aatgtaccac actcatagac 2280
ggcgaaggct ggtccgaaaa cgcaagaaag atttaacaca gactgcttca agcaccgcaa 2340
gggccatgga ggaattgcaa gaccaagagg gctgggaata tgcttctcta attggctgga 2400
aatttcactg gaaacaacgt agttcagata cctccgccc cagacgctgg aggagaaaaa 2460
tggtccttc agaaacacat ggtgcagctg ccacttttaa acttgaaggt gcccttgggg 2520
cagacactac cgaagatggg gatgagaaga gcctggagaa acagaagcac agtgccacca 2580
ctgtgttcgg agcaaacacc ccattgttt cctgcaattt tgacagagtc tacatctacc 2640
atctgcgctg ctatgtctat caagccagaa acctcttggc tttagataag gatagctttt 2700

```

```

cagatccata tgctcatatc tgtttcctcc atcggagcaa aaccactgag atcatccatt 2760
caaccctgaa tcccacgtgg gaccaaacaa ttatattcga tgaagttgaa atctatggg 2820
aaccctaaac agttctacag aatccacca aagttatcat ggaactttt gacaatgacc 2880
aagtgggcaa agatgaattt ttaggacgaa gcattttctc tcctgtggtg aaactgaact 2940
cagaaatgga catcacaccc aaacttctct ggcacccagt aatgaatgga gacaaagcct 3000
gcggggatgt tcttgtaact gcagagctga ttctgagggg caaggatggc tccaaccttc 3060
ccattcttcc cctcaaagg gcgccaaatc tatacatggg ccccgaggg atcaggcctg 3120
tggtccagct cactgccatt gagattctag cttggggctt aagaaatatg aaaaacttcc 3180
agatggcttc tatcacatcc cccagtcttg ttgtggagtg tggaggagaa aggggtggaat 3240
cgggtggtgat caaaaacctt aagaagacac ccaactttcc aagttctgtt ctcttcata 3300
aagtgttctt gcccaaggag gaattgtaca tgccccact ggtgatcaag gtcacgacc 3360
acaggcagtt tgggcggaag cctgtcgtcg gcccagtgcac catcgagcgc ctggaccgct 3420
ttcgtgtgga ccttatgca gggaaagagg acatcgtccc acagctcaaa gcctcccttc 3480
tgtctgcccc accatgccgg gacatcgtta tcgaaatgga agacaccaa ccattactgg 3540
cttctaagct gacagaaaaa gaggaagaaa tcgtggactg gtggagtaaa ttttatgctt 3600
cctcagggga acatgaaaaa tgcgacagt atattcagaa aggtatttc aagctcaaga 3660
tatataattg cgaactgaaa aatgtagcag aatttgaggg cctgacagac ttctcagata 3720
cgttcaagtt gtaccgaggc aagtcggatg aaaatgaaga tccttctgtg gttggagagt 3780
ttaagggtct ctttcggatc taccctctgc cggatgacct cagcgtgcca gccctccca 3840
gacagtttct ggaattacct gacagcgtcc cacaggaatg cacggttagg atttacattg 3900
ttcgaggctt agagctccag cccaggaca acaatggcct gtgtgaccct tacataaaaa 3960
taacactggg caaaaaagtc attgaagacc gagatcacta cattcccaac actctcaacc 4020
cagtctttgg caggatgtac gaactgagct gctacttacc tcaagaaaaa gacctgaaaa 4080
tttctgtcta tgattatgac accttacctt gggatgaaaa agtaggagaa acaattattg 4140
atctgaaaaa ccgattcctt tcccgtttg ggtcccactg cggcatacca gaggagtact 4200
gtgtttctgg agtcaatacc tggcgagatc aactgagacc aacacagctg cttcaaaatg 4260
tcgdcagatt caaaggcttc ccacaacca tcctttccga agatgggagt agaatacagt 4320
atggaggacg agactacagc ttggatgaat ttgaagccaa caaatcctg caccagcacc 4380
tcggggcccc tgaagagcgg cttgctcttc acatcctcag gactcagggg ctggtccctg 4440
agcacgtgga aacaaggact ttgcacagca ccttcagacc caacatttcc cagggaaaac 4500
ttcagatgtg ggtggatgtt ttcccaaga gtttggggcc accaggccct cctttcaaca 4560
tcacaccccg gaaagccaag aaatactacc tgcgtgtgat catctggaac accaaggacg 4620
ttatcttgga cgagaaaagc atcacaggag aggaaatgag tgacatctac gtcaaaggct 4680
ggattcctgg caatgaagaa aacaacaga aaacagatgt ccattacaga tctttggatg 4740
gtgaagggaa ttttaactgg cgatttgtt tcccgtttga ctaccttcca gccgaacaac 4800
tctgtatcgt tgcgaaaaaa gagcatttct ggagtattga ccaaacggaa tttcgaatcc 4860
caccaggctt gatcattcag atatgggaca atgacaagtt ttctctggat gactacttgg 4920
gtttcctaga acttgacttg cgtcacagca tcttctctgc aaaatcacca gagaaatgca 4980
ggttggaacat gattccggac ctcaaagcca tgaacccct taaagccaag acagcctccc 5040
tctttgagca gaagtccatg aaaggatggg ggccatgcta cgcagagaaa gatggcgccc 5100
gcgtaatggc tgggaaagtg gagatgacat tggaaatcct caacgagaag gaggccgacg 5160
agaggccagc cgggaagggg cgggacgaac ccaacatgaa cccaagctg gacttaccac 5220
atcgaccaga aacctccttc ctctggttca ccaacccatg caagaccatg aagttcatcg 5280
tgtggcgccg ctttaagtgg gtcatcatcg gcttgtgtt cctgcttata ctgctgctct 5340
tcgtggccgt gctcctctac tctttgccga actatttgtc aatgaagatt gtaaagccaa 5400
atgtgtaaca aaggcaaagg cttcatttca agagtcaccc agcaatgaga gaatcctgcc 5460
tctgtagacc aacatccagt gtgatttctg gtctgagacc acacccagc agcaggttac 5520
gccatgtcac cgagcccat tgattcccag aggtcttag tcctgggaaa gtcaggccaa 5580
caagcaacgt ttgcatcatg ttatctctta agtattaaaa gttttatttt cttaaagtta 5640
aatcatggtt tttymaata ttttcaagg ttgctggttc catttaaaaa tcatcttttt 5700
atatgtgtct tcggttctag acttcagctt ttggaaattg ctaaatagaa ttcaaaaatc 5760
tctgcatcct gaggtgatat acttcattat tgtaatcaac tgaaagagct gtgcattata 5820
aaatcagtta gaatagttag aacaattctt atttatgccc acaaccattg ctatattttg 5880
tatggatgtc ataaaagtct atttaacctc tgtaatgaaa ctaaaataaa atgtttcacc 5940
tttaaagaca aaaaaaaaaa gattgagagg acggccgatc 5980

```

<210> 96

<211> 1798

<212> PRT

<213> Homo sapiens

<400> 96

Met	Arg	Lys	Trp	Leu	Leu	Asn	Asp	Pro	Glu	Asp	Thr	Ser	Ser	Gly
1				5				10					15	
Ser	Lys	Gly	Tyr	Met	Lys	Val	Ser	Met	Phe	Val	Leu	Gly	Thr	Gly
			20					25				30		Asp
Glu	Pro	Pro	Pro	Glu	Arg	Arg	Asp	Arg	Asp	Asn	Asp	Ser	Asp	Val
		35					40				45			
Glu	Ser	Asn	Leu	Leu	Leu	Pro	Ala	Gly	Ile	Ala	Leu	Gly	Thr	Gly
	50					55					60			Asp
Glu	Pro	Pro	Pro	Glu	Arg	Arg	Asp	Arg	Asp	Asn	Asp	Ser	Asp	Val
65					70				75					80
Glu	Ser	Asn	Leu	Leu	Leu	Pro	Ala	Gly	Ile	Ala	Leu	Arg	Trp	Val
				85				90					95	Thr
Phe	Leu	Leu	Lys	Ile	Tyr	Arg	Ala	Glu	Asp	Ile	Pro	Gln	Met	Asp
			100					105					110	Asp
Ala	Phe	Ser	Gln	Thr	Val	Lys	Glu	Ile	Phe	Gly	Gly	Asn	Ala	Lys
		115					120					125		
Lys	Asn	Leu	Val	Asp	Pro	Phe	Val	Glu	Val	Ser	Phe	Ala	Gly	Lys
	130					135					140			Lys
Val	Cys	Thr	Asn	Ile	Ile	Glu	Lys	Asn	Ala	Asn	Pro	Glu	Trp	Asn
145				150					155					Gln
Val	Val	Asn	Leu	Gln	Ile	Lys	Phe	Pro	Ser	Val	Cys	Glu	Lys	Ile
			165					170					175	Lys
Leu	Thr	Ile	Tyr	Asp	Trp	Asp	Arg	Leu	Thr	Lys	Asn	Asp	Val	Val
		180						185					190	Gly
Thr	Thr	Tyr	Leu	His	Leu	Ser	Lys	Ile	Ala	Ala	Ser	Gly	Gly	Val
		195					200					205		
Glu	Asp	Phe	Ser	Ser	Ser	Gly	Thr	Gly	Ala	Ala	Ser	Tyr	Thr	Val
	210					215					220			Asn
Thr	Gly	Glu	Thr	Glu	Val	Gly	Phe	Val	Pro	Thr	Phe	Gly	Pro	Cys
225				230					235					Tyr
Leu	Asn	Leu	Tyr	Gly	Ser	Pro	Arg	Glu	Tyr	Thr	Gly	Phe	Pro	Asp
			245					250					255	Pro
Tyr	Asp	Glu	Leu	Asn	Thr	Gly	Lys	Gly	Glu	Gly	Val	Ala	Tyr	Arg
		260						265					270	Gly
Arg	Ile	Leu	Val	Glu	Leu	Ala	Thr	Phe	Leu	Glu	Lys	Thr	Pro	Pro
	275						280					285		Asp
Lys	Lys	Leu	Glu	Pro	Ile	Ser	Asn	Asp	Asp	Leu	Leu	Val	Val	Glu
	290					295					300			Lys
Tyr	Gln	Arg	Arg	Arg	Lys	Tyr	Ser	Leu	Ser	Ala	Val	Phe	His	Ser
305					310					315				Ala
Thr	Met	Leu	Gln	Asp	Val	Gly	Glu	Ala	Ile	Gln	Phe	Glu	Val	Ser
			325					330					335	Ile
Gly	Asn	Tyr	Gly	Asn	Lys	Phe	Asp	Thr	Thr	Cys	Lys	Pro	Leu	Ala
		340						345					350	Ser
Thr	Thr	Gln	Tyr	Ser	Arg	Ala	Val	Phe	Asp	Gly	Asn	Tyr	Tyr	Tyr
		355					360					365		
Leu	Pro	Trp	Ala	His	Thr	Lys	Pro	Val	Val	Thr	Leu	Thr	Ser	Tyr
	370					375					380			Trp
Glu	Asp	Ile	Ser	His	Arg	Leu	Asp	Ala	Val	Asn	Thr	Leu	Leu	Ala
385					390					395				Met
Ala	Glu	Arg	Leu	Gln	Thr	Asn	Ile	Glu	Ala	Leu	Lys	Ser	Gly	Ile
			405					410					415	Gln
Gly	Lys	Ile	Pro	Ala	Asn	Gln	Leu	Ala	Glu	Leu	Trp	Leu	Lys	Leu
		420						425					430	Ile
Asp	Glu	Val	Ile	Glu	Asp	Thr	Arg	Tyr	Thr	Leu	Pro	Leu	Thr	Glu
	435						440						445	Gly

Lys Ala Asn Val Thr Val Leu Asp Thr Gln Ile Arg Lys Leu Arg Ser
 450 455 460
 Arg Ser Leu Ser Gln Ile His Glu Ala Ala Val Arg Met Arg Ser Glu
 465 470 475 480
 Ala Thr Asp Val Lys Ser Thr Leu Ala Glu Ile Glu Asp Trp Leu Asp
 485 490 495
 Lys Leu Met Gln Leu Thr Glu Glu Pro Gln Asn Ser Met Pro Asp Ile
 500 505 510
 Ile Ile Trp Met Ile Arg Gly Glu Lys Arg Leu Ala Tyr Ala Arg Ile
 515 520 525
 Pro Ala His Gln Val Leu Tyr Ser Thr Ser Gly Glu Asn Ala Ser Gly
 530 535 540
 Lys Tyr Cys Gly Lys Thr Gln Thr Ile Phe Leu Lys Tyr Pro Gln Glu
 545 550 555 560
 Lys Asn Asn Gly Pro Lys Val Pro Val Glu Leu Arg Val Asn Ile Trp
 565 570 575
 Leu Gly Leu Ser Ala Val Glu Lys Lys Phe Asn Ser Phe Ala Glu Gly
 580 585 590
 Thr Phe Thr Val Phe Ala Glu Met Tyr Glu Asn Gln Ala Leu Met Phe
 595 600 605
 Gly Lys Trp Gly Thr Ser Gly Leu Val Gly Arg His Lys Phe Ser Asp
 610 615 620
 Val Thr Gly Lys Ile Lys Leu Lys Arg Glu Phe Phe Leu Pro Pro Lys
 625 630 635 640
 Gly Trp Glu Trp Glu Gly Glu Trp Ile Val Asp Pro Glu Arg Ser Leu
 645 650 655
 Leu Thr Glu Ala Asp Ala Gly His Thr Glu Phe Thr Asp Glu Val Tyr
 660 665 670
 Gln Asn Glu Ser Arg Tyr Pro Gly Gly Asp Trp Lys Pro Ala Glu Asp
 675 680 685
 Thr Tyr Thr Asp Ala Asn Gly Asp Lys Ala Ala Ser Pro Ser Glu Leu
 690 695 700
 Thr Cys Pro Pro Gly Trp Glu Trp Glu Asp Asp Ala Trp Ser Tyr Asp
 705 710 715 720
 Ile Asn Arg Ala Val Asp Glu Lys Gly Trp Glu Tyr Gly Ile Thr Ile
 725 730 735
 Pro Pro Asp His Lys Pro Lys Ser Trp Val Ala Ala Glu Lys Met Tyr
 740 745 750
 His Thr His Arg Arg Arg Arg Leu Val Arg Lys Arg Lys Lys Asp Leu
 755 760 765
 Thr Gln Thr Ala Ser Ser Thr Ala Arg Ala Met Glu Glu Leu Gln Asp
 770 775 780
 Gln Glu Gly Trp Glu Tyr Ala Ser Leu Ile Gly Trp Lys Phe His Trp
 785 790 795 800
 Lys Gln Arg Ser Ser Asp Thr Phe Arg Arg Arg Arg Trp Arg Arg Lys
 805 810 815
 Met Ala Pro Ser Glu Thr His Gly Ala Ala Ala Ile Phe Lys Leu Glu
 820 825 830
 Gly Ala Leu Gly Ala Asp Thr Thr Glu Asp Gly Asp Glu Lys Ser Leu
 835 840 845
 Glu Lys Gln Lys His Ser Ala Thr Thr Val Phe Gly Ala Asn Thr Pro
 850 855 860
 Ile Val Ser Cys Asn Phe Asp Arg Val Tyr Ile Tyr His Leu Arg Cys
 865 870 875 880
 Tyr Val Tyr Gln Ala Arg Asn Leu Leu Ala Leu Asp Lys Asp Ser Phe
 885 890 895
 Ser Asp Pro Tyr Ala His Ile Cys Phe Leu His Arg Ser Lys Thr Thr
 900 905 910
 Glu Ile Ile His Ser Thr Leu Asn Pro Thr Trp Asp Gln Thr Ile Ile

915	920	925
Phe Asp Glu Val Glu Ile Tyr Gly Glu Pro Gln Thr Val Leu Gln Asn		
930	935	940
Pro Pro Lys Val Ile Met Glu Leu Phe Asp Asn Asp Gln Val Gly Lys		
945	950	955
Asp Glu Phe Leu Gly Arg Ser Ile Phe Ser Pro Val Val Lys Leu Asn		
965	970	975
Ser Glu Met Asp Ile Thr Pro Lys Leu Leu Trp His Pro Val Met Asn		
980	985	990
Gly Asp Lys Ala Cys Gly Asp Val Leu Val Thr Ala Glu Leu Ile Leu		
995	1000	1005
Arg Gly Lys Asp Gly Ser Asn Leu Pro Ile Leu Pro Pro Gln Arg Ala		
1010	1015	1020
Pro Asn Leu Tyr Met Val Pro Gln Gly Ile Arg Pro Val Val Gln Leu		
1025	1030	1035
Thr Ala Ile Glu Ile Leu Ala Trp Gly Leu Arg Asn Met Lys Asn Phe		
1045	1050	1055
Gln Met Ala Ser Ile Thr Ser Pro Ser Leu Val Val Glu Cys Gly Gly		
1060	1065	1070
Glu Arg Val Glu Ser Val Val Ile Lys Asn Leu Lys Lys Thr Pro Asn		
1075	1080	1085
Phe Pro Ser Ser Val Leu Phe Met Lys Val Phe Leu Pro Lys Glu Glu		
1090	1095	1100
Leu Tyr Met Pro Pro Leu Val Ile Lys Val Ile Asp His Arg Gln Phe		
1105	1110	1115
Gly Arg Lys Pro Val Val Gly Gln Cys Thr Ile Glu Arg Leu Asp Arg		
1125	1130	1135
Phe Arg Cys Asp Pro Tyr Ala Gly Lys Glu Asp Ile Val Pro Gln Leu		
1140	1145	1150
Lys Ala Ser Leu Leu Ser Ala Pro Pro Cys Arg Asp Ile Val Ile Glu		
1155	1160	1165
Met Glu Asp Thr Lys Pro Leu Leu Ala Ser Lys Leu Thr Glu Lys Glu		
1170	1175	1180
Glu Glu Ile Val Asp Trp Trp Ser Lys Phe Tyr Ala Ser Ser Gly Glu		
1185	1190	1195
His Glu Lys Cys Gly Gln Tyr Ile Gln Lys Gly Tyr Ser Lys Leu Lys		
1205	1210	1215
Ile Tyr Asn Cys Glu Leu Glu Asn Val Ala Glu Phe Glu Gly Leu Thr		
1220	1225	1230
Asp Phe Ser Asp Thr Phe Lys Leu Tyr Arg Gly Lys Ser Asp Glu Asn		
1235	1240	1245
Glu Asp Pro Ser Val Val Gly Glu Phe Lys Gly Ser Phe Arg Ile Tyr		
1250	1255	1260
Pro Leu Pro Asp Asp Pro Ser Val Pro Ala Pro Pro Arg Gln Phe Arg		
1265	1270	1275
Glu Leu Pro Asp Ser Val Pro Gln Glu Cys Thr Val Arg Ile Tyr Ile		
1285	1290	1295
Val Arg Gly Leu Glu Leu Gln Pro Gln Asp Asn Asn Gly Leu Cys Asp		
1300	1305	1310
Pro Tyr Ile Lys Ile Thr Leu Gly Lys Lys Val Ile Glu Asp Arg Asp		
1315	1320	1325
His Tyr Ile Pro Asn Thr Leu Asn Pro Val Phe Gly Arg Met Tyr Glu		
1330	1335	1340
Leu Ser Cys Tyr Leu Pro Gln Glu Lys Asp Leu Lys Ile Ser Val Tyr		
1345	1350	1355
Asp Tyr Asp Thr Phe Thr Arg Asp Glu Lys Val Gly Glu Thr Ile Ile		
1365	1370	1375
Asp Leu Glu Asn Arg Phe Leu Ser Arg Phe Gly Ser His Cys Gly Ile		
1380	1385	1390

Pro Glu Glu Tyr Cys Val Ser Gly Val Asn Thr Trp Arg Asp Gln Leu
 1395 1400 1405
 Arg Pro Thr Gln Leu Leu Gln Asn Val Ala Arg Phe Lys Gly Phe Pro
 1410 1415 1420
 Gln Pro Ile Leu Ser Glu Asp Gly Ser Arg Ile Arg Tyr Gly Gly Arg
 1425 1430 1435 1440
 Asp Tyr Ser Leu Asp Glu Phe Glu Ala Asn Lys Ile Leu His Gln His
 1445 1450 1455
 Leu Gly Ala Pro Glu Glu Arg Leu Ala Leu His Ile Leu Arg Thr Gln
 1460 1465 1470
 Gly Leu Val Pro Glu His Val Glu Thr Arg Thr Leu His Ser Thr Phe
 1475 1480 1485
 Gln Pro Asn Ile Ser Gln Gly Lys Leu Gln Met Trp Val Asp Val Phe
 1490 1495 1500
 Pro Lys Ser Leu Gly Pro Pro Gly Pro Pro Phe Asn Ile Thr Pro Arg
 1505 1510 1515 1520
 Lys Ala Lys Lys Tyr Trp Leu Arg Val Ile Ile Trp Asn Thr Lys Asp
 1525 1530 1535
 Val Ile Leu Asp Glu Lys Ser Ile Thr Gly Glu Glu Met Ser Asp Ile
 1540 1545 1550
 Tyr Val Lys Gly Trp Ile Pro Gly Asn Glu Glu Asn Lys Gln Lys Thr
 1555 1560 1565
 Asp Val His Tyr Arg Ser Leu Asp Gly Glu Gly Asn Phe Asn Trp Arg
 1570 1575 1580
 Phe Val Phe Pro Phe Asp Tyr Leu Pro Ala Glu Gln Leu Cys Ile Val
 1585 1590 1595 1600
 Ala Lys Lys Glu His Phe Trp Ser Ile Asp Gln Thr Glu Phe Arg Ile
 1605 1610 1615
 Pro Pro Arg Leu Ile Ile Gln Ile Trp Asp Asn Asp Lys Phe Ser Leu
 1620 1625 1630
 Asp Asp Tyr Leu Gly Phe Leu Glu Leu Asp Leu Arg His Thr Ile Ile
 1635 1640 1645
 Pro Ala Lys Ser Pro Glu Lys Cys Arg Leu Asp Met Ile Pro Asp Leu
 1650 1655 1660
 Lys Ala Met Asn Pro Leu Lys Ala Lys Thr Ala Ser Leu Phe Glu Gln
 1665 1670 1675 1680
 Lys Ser Met Lys Gly Trp Trp Pro Cys Tyr Ala Glu Lys Asp Gly Ala
 1685 1690 1695
 Arg Val Met Ala Gly Lys Val Glu Met Thr Leu Glu Ile Leu Asn Glu
 1700 1705 1710
 Lys Glu Ala Asp Glu Arg Pro Ala Gly Lys Gly Arg Asp Glu Pro Asn
 1715 1720 1725
 Met Asn Pro Lys Leu Asp Leu Pro Asn Arg Pro Glu Thr Ser Phe Leu
 1730 1735 1740
 Trp Phe Thr Asn Pro Cys Lys Thr Met Lys Phe Ile Val Trp Arg Arg
 1745 1750 1755 1760
 Phe Lys Trp Val Ile Ile Gly Leu Leu Phe Leu Leu Ile Leu Leu Leu
 1765 1770 1775
 Phe Val Ala Val Leu Leu Tyr Ser Leu Pro Asn Tyr Leu Ser Met Lys
 1780 1785 1790
 Ile Val Lys Pro Asn Val
 1795

<210> 97

<211> 3724

<212> DNA

<213> Homo sapiens

<400> 97

```

gaattccggc ccggcatccc gatggccgce gctgggcccc ggcgctccgt gcgcggagcc 60
gtctgcctgc atctgctgct gaccctcgty atcttcagtc gtgatggtga agcctgcaaa 120
aaggatgata ttaatgtacc ttctaaacta gaggcagaca aaataattgg cagagttaat 180
ttggaagagt gcttcaggtc tgcagacctc atccgggtcaa gtgatcctga tttcagagtt 240
ctaaatgatg ggtcagtgta cacagccagg gctgttgccg tgtctgataa gaaaagatca 300
tttaccatat ggctttctga caaaaggaaa cagacacaga aagaggttac tgtgctgcta 360
gaacatcaga agaaggtatc gaagacaaga cacactagag aaactgttct caggcgtgcc 420
aagaggagat gggcacctat tccttgctct atgcaagaga attccttggg ccctttccca 480
ttgtttcttc aacaagttga atctgatgca gcacagaact atactgtctt ctactcaata 540
agtggacgtg gagttgataa agaaccttta aatttgtttt atatagaaag agacactgga 600
aatctatttt gcaactcggc tgtggatcgt gaagaatatg atgtttttga tttgattgct 660
tatgcgtcaa ctgcagatgg atattcagca gatctgcccc tcccaactacc catcagggtg 720
gaggatgaaa atgacaacca ccctgttttc acagaagcaa tttataatth tgaagttttg 780
gaaagtagta gacctggtac tacagtgggg gtggtttgtg ccacagacag agatgaaccg 840
gacacatagc atacgcgcct gaaatacagc attttgcagc agacaccaag gtcacctggg 900
ctcttttctg tgcatcccat cacaggcgta atccacacag tctctcatta tttggacaga 960
gaggttgtag acaagtactc attgataatg aaagtacaag acatggatgg ccagtttttt 1020
ggattgatag gcacatcaac ttgtatcata acagtaacag attcaaatga taatgcaccc 1080
actttcagac aaaatgctta tgaagcattt gtagaggaaa atgcattcaa tgtggaaatc 1140
ttacgaatac ctatagaaga taaggattta attaacactg ccaattggag agtcaatttt 1200
accattttta agggaaatga aaatggacat ttcaaaatca gcacagacaa agaaactaat 1260
gaaggtgttc tttctgttgt aaagccactg aattatgaag aaaaccgtca agtgaacctg 1320
gaaattggag taaacaatga agcgccattt gctagagata ttcccagagt gacagccttg 1380
aacagagcct tggttacagt tcatgtgagg gatctggatg aggggcctga atgcactcct 1440
gcagcccaat atgtgcgatg taaagaaaac ttagcagtgg ggtcaaagat caacggctat 1500
aaggcatatg acccgaaaa tagaaatggc aatggtttaa ggtacaaaaa attgcatgat 1560
cctaaaggtt ggatcccat tgatgaaatt tcagggtcaa tcataacttc caaaatcctg 1620
gataggaggg ttgaaactcc caaaaatgag ttgtataata ttacagtcct ggcaatagac 1680
aaagatgata gatcatgtac tggaaacttt gctgtgaaca ttgaagatgt aaatgataat 1740
ccaccagaaa tacttcaaga atatgtagtc atttgcaaac caaaaatggg gtataccgac 1800
attttagctg ttgatcctga tgaacctgtc catggagctc cattttattt cagtttgccc 1860
aatactttct cagaaatcag tagactgtgg agcctcacca aagttaatga tacagctgcc 1920
cgtctttcat atcagaaaaa tgctggattt caagaatata ccatcctat tactgtaaaa 1980
gacagggcgg gccaaagctg acaaaaatta ttgagagtta atctgtgtga atgtactcat 2040
ccaactcagt gtcgtgcgac ttcaaggagt acaggagtaa tacttggaat atgggcaatc 2100
cttgcaatat tactgggtat agcactgtct tttctgtat tgctaacttt agtatgtgga 2160
gtttttgggt caactaaaag gaaacgtttt cctgaagatt tagcacagca aaacttaatt 2220
atatcaaaaa cagaagcacc tggagacgat agagtgtgct ctgccaatgg atttatgacc 2280
caaactacca acaactctag ccaaggtttt tgtggtacta tgggatcagg aatgaaaaat 2340
ggagggcagg aaaccattga aatgatgaaa ggaggaaacc agaccttggg atcctgccgg 2400
ggggctgggc atcatcatc cctggactcc tgcaggggag gacacacgga ggtggacaac 2460
tgcagataca cttactcgga gtggcacagt tttactcagc cccgtctcgg tgaaaaattg 2520
catcgatgta atcagaatga agaccgcatg ccatcccaag attatgtcct cacttataac 2580
tatgagggaa gaggatctcc agctggttct gtgggctgct gcagtgaaaa gcaggaagaa 2640
gatggccttg actttttaa taatttgga cccaaattta ttacattagc agaagcatgc 2700
agtgtacaaa ttaggtcttt gtcagacatt ctggaggttt ccaaaaataa tattgtaaa 2760
ttcaatttca acatgtatgt atatgatgat ttttttctca attttgaatt atgtactca 2820
ccaattatat ttttaaagca agttgttgct tatcttttcc aaaaagtga aaatgttaa 2880
acagacaact ggtaaatctc aaactccagc actggaatta aggtctctaa agcatctgct 2940
cttttttttt ttacggatat tttagtaata aatagtctgg ataaatatta gtccaacaat 3000
agctaagtta tgctaataac acattattat gtattcactt taagtgatag tttaaaaaat 3060
aaacaagaaa tattgagtat cactatgtga agaaagtttt ggaaaagaaa caatgaagac 3120
tgaattaaat taaaaatgtt gcagctcata aagaattggg actcaccctt actgcactac 3180
caaattcatt tgactttgga ggcaaatgtt gttgaagtgc cctatgaagt agcaattttc 3240
tataggaata tagttggaaa taaatgtgtg tgtgtatatt attattaatc aatgcaatat 3300
ttaaatgaa atgagaacaa agaggaagat ggtaaaaact tgaaatgagg ctgggtata 3360
gtttgttcta caatgaaaaa agagagagct ttctaggcct gggctcttaa atgctgcatt 3420
ataactgagt ctatgaggaa ataagtcctg ttcaaattgt gtaatttgtt taaaatgtaa 3480

```

ataaataaac ttttctggtt tctgtgggaa ggaaataggg aatccaatgg aacagtagct 3540
 ttgcttttgca gtctgtttca agatttctgc atccacaagt tagtagcaaa ctgggggaata 3600
 ctgctgcag ctgggggttcc ctgctttttg gtagcaaggg tccagagatg aggggtgtttt 3660
 tttcgggggag ctaataacaa aaacatttta aaacttacct ttactgaagt taaatcctta 3720
 ttgc 3724

<210> 98

<211> 896

<212> PRT

<213> Homo sapiens

<400> 98

Met	Ala	Ala	Ala	Gly	Pro	Arg	Arg	Ser	Val	Arg	Gly	Ala	Val	Cys	Leu
1				5				10						15	
His	Leu	Leu	Leu	Thr	Leu	Val	Ile	Phe	Ser	Arg	Asp	Gly	Glu	Ala	Cys
			20					25					30		
Lys	Lys	Val	Ile	Leu	Asn	Val	Pro	Ser	Lys	Leu	Glu	Ala	Asp	Lys	Ile
		35					40					45			
Ile	Gly	Arg	Val	Asn	Leu	Glu	Glu	Cys	Phe	Arg	Ser	Ala	Asp	Leu	Ile
	50					55					60				
Arg	Ser	Ser	Asp	Pro	Asp	Phe	Arg	Val	Leu	Asn	Asp	Gly	Ser	Val	Tyr
65					70				75					80	
Thr	Ala	Arg	Ala	Val	Ala	Leu	Ser	Asp	Lys	Lys	Arg	Ser	Phe	Thr	Ile
				85					90					95	
Trp	Leu	Ser	Asp	Lys	Arg	Lys	Gln	Thr	Gln	Lys	Glu	Val	Thr	Val	Leu
			100					105						110	
Leu	Glu	His	Gln	Lys	Lys	Val	Ser	Lys	Thr	Arg	His	Thr	Arg	Glu	Thr
		115					120					125			
Val	Leu	Arg	Arg	Ala	Lys	Arg	Arg	Trp	Ala	Pro	Ile	Pro	Cys	Ser	Met
	130					135					140				
Gln	Glu	Asn	Ser	Leu	Gly	Pro	Phe	Pro	Leu	Phe	Leu	Gln	Gln	Val	Glu
145					150					155				160	
Ser	Asp	Ala	Ala	Gln	Asn	Tyr	Thr	Val	Phe	Tyr	Ser	Ile	Ser	Gly	Arg
				165					170					175	
Gly	Val	Asp	Lys	Glu	Pro	Leu	Asn	Leu	Phe	Tyr	Ile	Glu	Arg	Asp	Thr
			180					185					190		
Gly	Asn	Leu	Phe	Cys	Thr	Arg	Pro	Val	Asp	Arg	Glu	Glu	Tyr	Asp	Val
	195						200					205			
Phe	Asp	Leu	Ile	Ala	Tyr	Ala	Ser	Thr	Ala	Asp	Gly	Tyr	Ser	Ala	Asp
	210					215					220				
Leu	Pro	Leu	Pro	Leu	Pro	Ile	Arg	Val	Glu	Asp	Glu	Asn	Asp	Asn	His
225					230					235				240	
Pro	Val	Phe	Thr	Glu	Ala	Ile	Tyr	Asn	Phe	Glu	Val	Leu	Glu	Ser	Ser
				245					250					255	
Arg	Pro	Gly	Thr	Thr	Val	Gly	Val	Val	Cys	Ala	Thr	Asp	Arg	Asp	Glu
			260					265					270		
Pro	Asp	Thr	Met	His	Thr	Arg	Leu	Lys	Tyr	Ser	Ile	Leu	Gln	Gln	Thr
	275						280					285			
Pro	Arg	Ser	Pro	Gly	Leu	Phe	Ser	Val	His	Pro	Ser	Thr	Gly	Val	Ile
	290					295					300				
Thr	Thr	Val	Ser	His	Tyr	Leu	Asp	Arg	Glu	Val	Val	Asp	Lys	Tyr	Ser
305					310					315				320	
Leu	Ile	Met	Lys	Val	Gln	Asp	Met	Asp	Gly	Gln	Phe	Phe	Gly	Leu	Ile
				325					330					335	
Gly	Thr	Ser	Thr	Cys	Ile	Ile	Thr	Val	Thr	Asp	Ser	Asn	Asp	Asn	Ala
			340					345					350		
Pro	Thr	Phe	Arg	Gln	Asn	Ala	Tyr	Glu	Ala	Phe	Val	Glu	Glu	Asn	Ala
		355					360					365			
Phe	Asn	Val	Glu	Ile	Leu	Arg	Ile	Pro	Ile	Glu	Asp	Lys	Asp	Leu	Ile

370	375	380
Asn Thr Ala Asn Trp Arg Val Asn Phe Thr Ile Leu Lys Gly Asn Glu		
385	390	395
Asn Gly His Phe Lys Ile Ser Thr Asp Lys Glu Thr Asn Glu Gly Val		400
	405	410
Leu Ser Val Val Lys Pro Leu Asn Tyr Glu Glu Asn Arg Gln Val Asn		415
	420	425
Leu Glu Ile Gly Val Asn Asn Glu Ala Pro Phe Ala Arg Asp Ile Pro		430
	435	440
Arg Val Thr Ala Leu Asn Arg Ala Leu Val Thr Val His Val Arg Asp		445
	450	455
Leu Asp Glu Gly Pro Glu Cys Thr Pro Ala Ala Gln Tyr Val Arg Ile		460
	465	470
Lys Glu Asn Leu Ala Val Gly Ser Lys Ile Asn Gly Tyr Lys Ala Tyr		475
	485	490
Asp Pro Glu Asn Arg Asn Gly Asn Gly Leu Arg Tyr Lys Lys Leu His		495
	500	505
Asp Pro Lys Gly Trp Ile Thr Ile Asp Glu Ile Ser Gly Ser Ile Ile		510
	515	520
Thr Ser Lys Ile Leu Asp Arg Glu Val Glu Thr Pro Lys Asn Glu Leu		525
	530	535
Tyr Asn Ile Thr Val Leu Ala Ile Asp Lys Asp Asp Arg Ser Cys Thr		540
	545	550
Gly Thr Leu Ala Val Asn Ile Glu Asp Val Asn Asp Asn Pro Pro Glu		555
	565	570
Ile Leu Gln Glu Tyr Val Val Ile Cys Lys Pro Lys Met Gly Tyr Thr		575
	580	585
Asp Ile Leu Ala Val Asp Pro Asp Glu Pro Val His Gly Ala Pro Phe		590
	595	600
Tyr Phe Ser Leu Pro Asn Thr Ser Pro Glu Ile Ser Arg Leu Trp Ser		605
	610	615
Leu Thr Lys Val Asn Asp Thr Ala Ala Arg Leu Ser Tyr Gln Lys Asn		620
	625	630
Ala Gly Phe Gln Glu Tyr Thr Ile Pro Ile Thr Val Lys Asp Arg Ala		635
	645	650
Gly Gln Ala Ala Thr Lys Leu Leu Arg Val Asn Leu Cys Glu Cys Thr		655
	660	665
His Pro Thr Gln Cys Arg Ala Thr Ser Arg Ser Thr Gly Val Ile Leu		670
	675	680
Gly Lys Trp Ala Ile Leu Ala Ile Leu Leu Gly Ile Ala Leu Leu Phe		685
	690	695
Ser Val Leu Leu Thr Leu Val Cys Gly Val Phe Gly Ala Thr Lys Gly		700
	705	710
Lys Arg Phe Pro Glu Asp Leu Ala Gln Gln Asn Leu Ile Ile Ser Asn		715
	725	730
Thr Glu Ala Pro Gly Asp Asp Arg Val Cys Ser Ala Asn Gly Phe Met		735
	740	745
Thr Gln Thr Thr Asn Asn Ser Ser Gln Gly Phe Cys Gly Thr Met Gly		750
	755	760
Ser Gly Met Lys Asn Gly Gly Gln Glu Thr Ile Glu Met Met Lys Gly		765
	770	775
Gly Asn Gln Thr Leu Glu Ser Cys Arg Gly Ala Gly His His His Thr		780
	785	790
Leu Asp Ser Cys Arg Gly Gly His Thr Glu Val Asp Asn Cys Arg Tyr		795
	805	810
Thr Tyr Ser Glu Trp His Ser Phe Thr Gln Pro Arg Leu Gly Glu Lys		815
	820	825
Leu His Arg Cys Asn Gln Asn Glu Asp Arg Met Pro Ser Gln Asp Tyr		830
	835	840
		845

Val	Leu	Thr	Tyr	Asn	Tyr	Glu	Gly	Arg	Gly	Ser	Pro	Ala	Gly	Ser	Val
850						855					860				
Gly	Cys	Cys	Ser	Glu	Lys	Gln	Glu	Glu	Asp	Gly	Leu	Asp	Phe	Leu	Asn
865					870				875					880	
Asn	Leu	Glu	Pro	Lys	Phe	Ile	Thr	Leu	Ala	Glu	Ala	Cys	Thr	Lys	Arg
				885					890					895	

<210> 99
 <211> 2391
 <212> DNA
 <213> Homo sapiens

<400> 99
 gtcgacccac gcgtccgccc ctacgaggcc ctgcgtgggg agcagccccc ggaccttgag 60
 acaacagtca ttctgcctga gtctgtcttc agagagacgc ccccgctggt caggcccga 120
 ggccccggag aggccaggga gccagaggag ctggcacggc gacagcgacg gcacccggag 180
 ctgagccagg gtgaggctgt ggccagcgtc atcatctacc gcaccctggc cgggctaactg 240
 cctcataact atgacctga caagcgagc ttgagagtcc ccaaacgccc gatcatcaac 300
 acaccogtgg tgagcatcag cgtccatgat gatgaggagc ttctgccccg ggccctggac 360
 aaaccogtca cgggtgcagtt ccgcctgctg gagacagagg agcggaccaa gcccatctgt 420
 gtcttctgga accattcaat cctggtcagt ggcacaggtg gctggtcggc cagaggctgt 480
 gaagtgcgtt tccgcaatga gagccacgtc agctgccagt gcaaccacat gacgagcttc 540
 gctgtgctca tggacgtttc tcggcgggag aatggggaga tctgccact gaagacactg 600
 acatacgtgg ctctaggtgt caccctggct gcccttctgc tcaccttctt cttcctcact 660
 ctcttgcgta tcctgcgctc caaccaacac ggcatccgac gtaacctgac agctgcctg 720
 ggccctggctc agctggtctt cctcctggga atcaaccagg ctgacctccc ttttgccctg 780
 acagtcatcg ccactcctgt gcaactcctg tacctctgca ccttttctg ggctctgctg 840
 gaggccttgc acctgtaccg ggcaactcact gaggtgcgag atgtcaaac cggcccatg 900
 cgcttctact acatgctggg ctggggcggt cctgccttca tcacagggct agcctgaggc 960
 ctggaccccc agggctacgg gaacctgac ttctgctggc tctccatcta tgacacgtc 1020
 atctggagtt ttgctggccc ggtggccttt gccgtctcga tgagtgtctt cctgtacatc 1080
 ctggcgggccc gggcctcctg tgctgcccag cggcagggct ttgagaagaa aggtcctgtc 1140
 tcgggcctgc agccctcctt cgccgtcctc ctgctgtgta gcgccacgtg gctgctggca 1200
 ctgctctctg tcaacagcga caccctcctc ttccactacc tctttgctac ctgcaattgc 1260
 atccagggcc ccttcacttt cctctcctat gttggtgctta gcaaggaggc ccggaagca 1320
 ctcaagcttg cctgcagccg caagccagc cctgacctg ctctgaccac caagtccacc 1380
 ctgacctcgt cctacaactg cccagcctcc tacgcagatg ggccgctgta ccagccctac 1440
 ggagactcgg ccggtctctc gcacagcacc agtcgctcgg gcaagagtca gccagctac 1500
 atcccccttct tgctgaggga ggagtccgca ctgaacctg gccaaaggcc ccctggcctg 1560
 ggggatccag gcagcctgtt cctggaaggc caagaccagc agcatgatcc tgacacggac 1620
 tccgacagtg acctgtcctt agaagacgac cagagtggct cctatgcctc taccactca 1680
 tcagacagtg aggaggaaga agaggaggag gaagaggagg ccgccttccc tggagagcag 1740
 ggctgggata gcctgctggg gcctggagca gagagactgc ccctgcacag tactcccaag 1800
 gatgggggccc cagggcctgg caaggccccc tggccaggag actttgggac cacagcaaaa 1860
 gagagtgtg gcaacggggc ccctgaggag cggctgcggg agaattggaga tgccctgtct 1920
 cgagaggggt ccctaggccc ccttcagggc tcttctgccc agcctcacia aggcattcctt 1980
 aagaagaagt gtctgcccac catcagcgag aagagcagcc tctgcggtc cccctggag 2040
 caatgcacag ggtcttcccg gggtcctcct gctagtggag gcagccgggg cgccccccct 2100
 ccccgccac cgccccgcca gagcctccag gacgagctga acggggctcat gcccatcgcc 2160
 atgagcatca aggcaggcac ggtggatgag gactcgtcag gctccgacag cgacgaaacg 2220
 tccatctgag gagcctgggc cttgcgggga ggggtactca cccacctaag ggccatctag 2280
 tgccaaactcc cccccacca ttcctctcac tgcactttgg acccctgggg ccaacatctc 2340
 caagacaaag tttttcagaa aagaggaaaa aaaaaaaaaa agggcgggccg c 2391

<210> 100
 <211> 565
 <212> PRT
 <213> Homo sapiens

<400> 100

```

Met Thr Ser Phe Ala Val Leu Met Asp Val Ser Arg Arg Glu Asn Gly
 1      5      10      15
Glu Ile Leu Pro Leu Lys Thr Leu Thr Tyr Val Ala Leu Gly Val Thr
 20      25      30
Leu Ala Ala Leu Leu Leu Thr Phe Phe Phe Leu Thr Leu Leu Arg Ile
 35      40      45
Leu Arg Ser Asn Gln His Gly Ile Arg Arg Asn Leu Thr Ala Ala Leu
 50      55      60
Gly Leu Ala Gln Leu Val Phe Leu Leu Ile Asn Gln Ala Asp Leu Pro
 65      70      75      80
Phe Ala Cys Thr Val Ile Ala Ile Leu Leu His Phe Leu Tyr Leu Cys
 85      90      95
Thr Phe Ser Trp Ala Leu Leu Glu Ala Leu His Leu Tyr Arg Ala Leu
100      105      110
Thr Glu Val Arg Asp Val Asn Thr Gly Pro Met Arg Phe Tyr Tyr Met
115      120      125
Leu Gly Trp Gly Val Pro Ala Phe Ile Thr Gly Leu Ala Val Gly Leu
130      135      140
Asp Pro Glu Gly Tyr Gly Asn Pro Asp Phe Cys Trp Leu Ser Ile Tyr
145      150      155      160
Asp Thr Leu Ile Trp Ser Phe Ala Gly Pro Val Ala Phe Ala Val Ser
165      170      175
Met Ser Val Phe Leu Tyr Ile Leu Ala Ala Arg Ala Ser Cys Ala Ala
180      185      190
Gln Arg Gln Gly Phe Glu Lys Lys Gly Pro Val Ser Gly Leu Gln Pro
195      200      205
Ser Phe Ala Val Leu Leu Leu Leu Ser Ala Thr Trp Leu Leu Ala Leu
210      215      220
Leu Ser Val Asn Ser Asp Thr Leu Leu Phe His Tyr Leu Phe Ala Thr
225      230      235      240
Cys Asn Cys Ile Gln Gly Pro Phe Ile Phe Leu Ser Tyr Val Val Leu
245      250      255
Ser Lys Glu Val Arg Lys Ala Leu Lys Leu Ala Cys Ser Arg Lys Pro
260      265      270
Ser Pro Asp Pro Ala Leu Thr Thr Lys Ser Thr Leu Thr Ser Ser Tyr
275      280      285
Asn Cys Pro Ser Pro Tyr Ala Asp Gly Arg Leu Tyr Gln Pro Tyr Gly
290      295      300
Asp Ser Ala Gly Ser Leu His Ser Thr Ser Arg Ser Gly Lys Ser Gln
305      310      315      320
Pro Ser Tyr Ile Pro Phe Leu Leu Arg Glu Glu Ser Ala Leu Asn Pro
325      330      335
Gly Gln Gly Pro Pro Gly Leu Gly Asp Pro Gly Ser Leu Phe Leu Glu
340      345      350
Gly Gln Asp Gln Gln His Asp Pro Asp Thr Asp Ser Asp Ser Asp Leu
355      360      365
Ser Leu Glu Asp Asp Gln Ser Gly Ser Tyr Ala Ser Thr His Ser Ser
370      375      380
Asp Ser Glu Glu Glu Glu Glu Glu Glu Glu Glu Glu Ala Ala Phe Pro
385      390      395      400
Gly Glu Gln Gly Trp Asp Ser Leu Leu Gly Pro Gly Ala Glu Arg Leu
405      410      415
Pro Leu His Ser Thr Pro Lys Asp Gly Gly Pro Gly Pro Gly Lys Ala
420      425      430
Pro Trp Pro Gly Asp Phe Gly Thr Thr Ala Lys Glu Ser Ser Gly Asn
435      440      445
Gly Ala Pro Glu Glu Arg Leu Arg Glu Asn Gly Asp Ala Leu Ser Arg

```

450		455		460	
Glu Gly Ser Leu Gly Pro Leu Pro Gly Ser Ser		Ala Gln Pro His Lys			
465		470		475	480
Gly Ile Leu Lys Lys Cys Leu Pro Thr Ile Ser Glu Lys Ser Ser					
	485		490		495
Leu Leu Arg Leu Pro Leu Glu Gln Cys Thr Gly Ser Ser Arg Gly Ser					
	500		505		510
Ser Ala Ser Glu Gly Ser Arg Gly Gly Pro Pro Pro Arg Pro Pro Pro					
	515		520		525
Arg Gln Ser Leu Gln Glu Gln Leu Asn Gly Val Met Pro Ile Ala Met					
	530		535		540
Ser Ile Lys Ala Gly Thr Val Asp Glu Asp Ser Ser Gly Ser Asp Ser					
545		550		555	560
Asp Glu Thr Ser Ile					
	565				

<210> 101

<211> 3748

<212> DNA

<213> Homo sapiens

<400> 101

```

gggaacccag gcatgaatga ccatgccctt cacattctgt accctacctc aaccaactcg 60
tcagcagcct tcgagatggg gcctcgaact gccctgctg gctacctggg caccaaagtc 120
atagctatgg actcagactc tgggcaaaat gcttggtttt ttaccatct agccagact 180
tctgacctgg acctctttaa ggtagagctg cacacaggag aaattaggac taccaggaag 240
atgggagatg agagtggtag cactttcaac ctgaccgtgg tggcccgaga taatggagag 300
ccatcactat cagcctctgt ggccattaca gtactgtgg tggatagggt ttccaaaatc 360
ctccctgaca ctcagaggca tgttaagagc cctcgacat actctgaaat taccctttat 420
ctaataatag cattaagcac agtgtctttt atatttcttt tgacaatcat cattttgagc 480
atcatcaagt gctaccgcta cactgctgat ggcactgcat gctgtggagg cttctgtgga 540
gtaagggaaa ggtcccctgc agaactgtac aaacaagcca acaacaatat tgatgccagg 600
ataccgcatg gcctcaaagt gcagcctcac ttcatgaaag ttcgagggaa tggctccctc 660
accaagacct actgctacaa ggctgtctg acagcaggct caggagtgta cactttcatg 720
ttttacaata caggggcccc gacaggacca gggccttcgg gagcccaagc agcagtgcac 780
gacagcagga atctcacagg ccaaagtggg cagaatctgt ggaacctgat tattctcaaa 840
aatgaggctg tttctcaaaa tgagccacga cagcccaacc ctgactggcg ttactctgcc 900
tccttgagag caggcatgca cagctctgtg cacctagagg aggctggcat tctacgggct 960
ggtccaggag ggctgatca gcagtggcca acagtatcca gtgcaacacc agaaccagag 1020
gcaggagaag tgtcccctcc agtcggtgcg ggtgtcaaca gcaacagctg gacctttaaa 1080
tacggaccag gcaaccccaa acaatccggt cccggtgagt tgcccagaaa attcattatc 1140
ccaggatctc ctgcaatcat ctccatccgg caggagccta ctaacagcca aattgacaaa 1200
agtgacttca taaccttcgg caaaaaggag gagaccaaga aaaagaagaa aaagaagaag 1260
ggtacaaga cccaggagaa aaaagagaaa gggaacagca cgactgacaa cagtgaccag 1320
tgaggtcctc aaatggaac aagccactta gccagttttt gtaataatgg caaatctctc 1380
ccatgtagca attccctgct cctttttcct atctacatga gccctcttag agacctcaga 1440
aatctgcaga aagttccctg tgtctgtcta gaacgcattt aacaggtttt gtcgtaaaag 1500
ctttactaag tctggtgtta actctttctc tccactctgg cttgttttca gaacctaaaa 1560
agcagaccca agtttctttt ctctccgcc gcaaaggaga ggcttcccag ccccgccagt 1620
gagaggttgg actctctgcc ctgtgctccg gggatcctgt cttgatgaca cttgcagggc 1680
aggctgaaaa gttttgagat tgagcagctt gggagtgtgt ggccactggg tatgtgtggc 1740
taccgcggtt atgcgagtgc cagatattgg ctgagacgag ccagcttaga ctaattggta 1800
caaggaaggc aagaaaacaa agacaaataa acagcggaag ttatcagtat ggaggggaag 1860
tgtaaaacta aagggaccag actttctaaa tcttacaact caagaggtgg cagccaccct 1920
ctaggagaca aaactacccc cactgacaag gctttaggag accctaaagt ctgatggctg 1980
tgacgtcatt atacctaaaa tctgcatcat acctgcaagc caacagttca gtgttttaac 2040
agagaaccac cctgggaaac agaagcagat ctgatgtgtt tcctatacat gtcctgtgct 2100
cactttatta aaaattcttt tgacacaaat gtttatgaaa aggccagatc cttttccaat 2160

```



```

acttatgcaa aagcaaaaga aaaccccgac acctcacctt tcgctgtttg ttgtttcata 2220
gatttattta aaaaaagaga aagtctatag ctataaatct ttaaagagaa atatgaatac 2280
aattccccta aactctcttc aaaagagaat tcagtctaca gccatttaaa tgatcattgc 2340
tgctacagaa gtgctttaag agaattgcct gaaacatctg tattatatcg gccacctgcc 2400
aatcacagct ttactctttc aggtcactct ggggctgcct cttgcatgta ttactaaata 2460
aaatgatctc tctttctctc tctctctctc ttttctaaga aacaattatg tgcactttga 2520
tacacaacct tctctaacca actatatatc aagacccaaa aattgaagaa aaatattggt 2580
ttctcataca gtgagcagat ttttcaatct actaattctg tgacttgtct tgggtgtgcta 2640
gcctacacct tctctttggt ttagttttcc ttttctataa cactctgaat tgctaattctt 2700
actaacacct atgatgttac ctgaaatcaa tctcccatat gtatgctgta tgctatgcta 2760
agactcctga aatatactta ctctgtgctt gtgtatgtga atgttaatgc aactattacc 2820
tagagtgaac ttttaagcttt attgttgaat gtaattccat tatatttcct tttgtacacc 2880
tgtgaaaaag tggagtagtg tttttttaac cattgttaat cagcttttgt gtatgaaaga 2940
cacagtaaaa tttctttctt aaatcaagat actggtgatt caaggaattt tatttatggg 3000
ccagccaaga gccatctcgt gccaaagact ctgctggcaa gggaatggat aaagctgttt 3060
tgttctagta acaattttgg aatgaatact gacaatattc catgagggtg tgcaagcaca 3120
aattttacca atctgacctc tttgaagttg cagaatgctt tgaaattcta atggtatctg 3180
aaatatcagc tcatagaaag taacaaaatt tgctgtcacc ttaaataaga cattttaatt 3240
ttgttataat gtacaattta gaagtttgat taattatatt atctatttag gcattaatat 3300
aaaagaggta ggagtctgtt atttaaaaaa agcattaaat ttaaaaaaaa actgtcttgt 3360
ctacttttag cttcattctc ccatattttg aagggtgtgt aacttcagct ctgcaggatt 3420
gccatggggg aaaacttggt acccaacaca tgtgaaccat tgcctacatt gtaggttgtg 3480
atcattttgc cccactgaag cccatgtatc tgaccttacg tgccttttga actaggagaa 3540
tcgggctaata ttattaatga tgataattat aatgtatctg tacagcactt tttacatttg 3600
cgaagtgcct tccaatccat gttagtattc agttattaca gctgtaagga taaaacacgt 3660
catgtggatt cattttgaat tgggtgctatt ggtatttcct ctgttattgc taataaatga 3720
aaatggtggg atgaaaaaaa aaaaaaaaaa 3748

```

<210> 102

<211> 436

<212> PRT

<213> Homo sapiens

<400> 102

```

Met Asn Asp His Ala Pro His Ile Leu Tyr Pro Thr Ser Thr Asn Ser
1          5          10          15
Ser Ala Ala Phe Glu Met Val Pro Arg Thr Ala Pro Ala Gly Tyr Leu
20          25          30
Val Thr Lys Val Ile Ala Met Asp Ser Asp Ser Gly Gln Asn Ala Trp
35          40          45
Leu Phe Tyr His Leu Ala Gln Thr Ser Asp Leu Asp Leu Phe Lys Val
50          55          60
Glu Leu His Thr Gly Glu Ile Arg Thr Thr Arg Lys Met Gly Asp Glu
65          70          75          80
Ser Gly Ser Thr Phe Asn Leu Thr Val Val Val Arg Asp Asn Gly Glu
85          90          95
Pro Ser Leu Ser Ala Ser Val Ala Ile Thr Val Ala Val Val Asp Arg
100          105          110
Val Ser Lys Ile Leu Pro Asp Thr Gln Arg His Val Lys Ser Pro Arg
115          120          125
Thr Tyr Ser Glu Ile Thr Leu Tyr Leu Ile Ile Ala Leu Ser Thr Val
130          135          140
Ser Phe Ile Phe Leu Leu Thr Ile Ile Ile Leu Ser Ile Ile Lys Cys
145          150          155          160
Tyr Arg Tyr Thr Ala Tyr Gly Thr Ala Cys Cys Gly Gly Phe Cys Gly
165          170          175
Val Arg Glu Arg Ser Pro Ala Glu Leu Tyr Lys Gln Ala Asn Asn Asn
180          185          190
Ile Asp Ala Arg Ile Pro His Gly Leu Lys Val Gln Pro His Phe Ile

```

[illegible]

<210> 103

<211> 2429

<212> DNA

<213> Homo sapiens

<400> 103

gtcgacccac	gcgtccgcgg	acgcgtgggc	ggctgagcgc	tggcggtcgg	tgcggcgctca	60
ggtgcgcccg	ccagggtgagc	gcgctccctg	gcaccggttg	cccccgagg	gtcgggcccc	120
gttgcggcga	gcggattggt	ttatcttgga	agctaaaggg	cattgtctcat	cctgaagatc	180
agctgaccat	tgacaatcag	ccatgtcatc	caggcctctt	gaaagtccac	ctccttacag	240
gcctgatgaa	ttcaaaccca	atcattatgc	accaagcaat	gacatatatg	gtggagagat	300
gcatgttcga	ccaatgctct	ctcagccagc	ctactctttt	taccagagaag	atgaaattct	360
tcacttctac	aaatggacct	ctcctccagg	agtgattcgg	atcctgtcta	tgctcattat	420
tgtgatgtgc	attgccatct	ttgcctgtgt	ggcctccacg	cttgctctggg	acagaggcta	480
tgaaccttcc	cttttaggag	gtagtgtagg	ctacccttat	ggaggaagtg	gctttggtag	540
ctcgggaagt	ggctatggct	atggctatgt	ttatggctat	ggctacggag	gctatacaga	600
cccaagagca	gcaaagggct	tcattgttgc	catggctgcc	ttttgtttca	ttgccgcgtt	660
ggtgatcttt	gttaccagtg	ttataagatc	tgaaatgtcc	agaacaagaa	gatactactt	720
aagtgtgata	atagttagtg	ctatcctggg	catcatgggt	tttattgcca	caattgtcta	780
tataatggga	gtgaacccaa	ctgtccagtc	ttctggatct	ctatatgggt	cacaaatata	840
tgccctctgc	aaccaatttt	atacacctgc	agctactgga	ctctacgtgg	atcagtattt	900
gtatcactac	tgtgttgtgg	atccccagga	ggccattgcc	attgtactgg	ggttcatgat	960
tattgtggct	tttgctttaa	taattttctt	tgctgtgaaa	actcgaagaa	agatggacag	1020
gtagtacaag	tccaatatatt	tgtgggacaa	ggaacacatt	tatgatgagc	agccccccaa	1080
tgtcgaggag	tgggttaaaa	atgtgtctgc	aggcacacag	gacgtgcctt	cacccccatc	1140
tgactatgtg	gaaagagttg	acagtcctcat	ggcatactct	tccaatggca	aagtgaatga	1200

```

caagcggttt tatccagagt cttcctataa atccacgccg gttcctgaag tggttcagga 1260
gcttccatta acttcgcctg tggatgactt caggcagcct cgttacagca gcggtggtaa 1320
ctttgagaca ccttcaaaaa gagcacctgc aaagggaaga gcaggaaggt caaagagaac 1380
agagcaagat cactatgaga cagactacac aactggcggc gagtcctgtg atgagctgga 1440
ggaggactgg atcagggaat atccacctat cacttcagat caacaaagac aactgtacaa 1500
gaggaatttt gacactggcc tacaggaata caagagctta caatcagaac ttgatgagat 1560
caataaagaa ctctcccgtt tggataaaga attggatgac tatagagaag aaagtgaaga 1620
gtacatggct gctgctgatg aatacaatag actgaagcaa gtgaagggat ctgcagatta 1680
caaaagtaag aagaatcatt gcaagcagtt aaagagcaaa ttgtcacaca tcaagaagat 1740
ggttggagac tatgatagac agaaaacata gaaggctgat gccaaagttgt ttgagaaatt 1800
aagtatctga catctctgca atcttctcag aaggcaaagt actttggacc ataaccccgg 1860
aagccaaacc tctgtgagca tcacaaagtt ttggttgctt taacatcatc agtattgaag 1920
cattttataa atcgcttttg ataatcaact gggctgaaca ctccaattaa ggattttatg 1980
ctttaaacat tggttcttgt attaagaatg aaatactggt tgaggttttt aagccttaaa 2040
ggaaggttct ggtgtgaact aaactttcac accccagacg atgtcttcat acctacatgt 2100
atttgtttgc ataggtgatc tcatttaate ctctcaacca cctttcagat aactgttatt 2160
tataatcact tttttccaca taaggaaact gggttcctgc aatgaagtct ctgaagtga 2220
actgcttggt tcctagcaca cacttttggt taagtctggt ttatgacttc attaataata 2280
aattccctgg cctttcatat tttagctact atatatgtga tgatctacca gcctccctat 2340
tttttttctg ttatataaat ggttaaaaga ggtttttctt aaataataaa gatcatgtaa 2400
aagtaaaaaa aaaaaaaaaa ggcggccgc 2429

```

<210> 104

<211> 522

<212> PRT

<213> Homo sapiens

<400> 104

```

Met Ser Ser Arg Pro Leu Glu Ser Pro Pro Pro Tyr Arg Pro Asp Glu
 1          5          10          15
Phe Lys Pro Asn His Tyr Ala Pro Ser Asn Asp Ile Tyr Gly Gly Glu
 20          25          30
Met His Val Arg Pro Met Leu Ser Gln Pro Ala Tyr Ser Phe Tyr Pro
 35          40          45
Glu Asp Glu Ile Leu His Phe Tyr Lys Trp Thr Ser Pro Pro Gly Val
 50          55          60
Ile Arg Ile Leu Ser Met Leu Ile Ile Val Met Cys Ile Ala Ile Phe
 65          70          75          80
Ala Cys Val Ala Ser Thr Leu Ala Trp Asp Arg Gly Tyr Gly Thr Ser
 85          90          95
Leu Leu Gly Gly Ser Val Gly Tyr Pro Tyr Gly Gly Ser Gly Phe Gly
100          105          110
Ser Tyr Gly Ser Gly Tyr Gly Tyr Gly Tyr Gly Tyr Gly Tyr Gly Tyr
115          120          125
Gly Gly Tyr Thr Asp Pro Arg Ala Ala Lys Gly Phe Met Leu Ala Met
130          135          140
Ala Ala Phe Cys Phe Ile Ala Ala Leu Val Ile Phe Val Thr Ser Val
145          150          155          160
Ile Arg Ser Glu Met Ser Arg Thr Arg Arg Tyr Tyr Leu Ser Val Ile
165          170          175
Ile Val Ser Ala Ile Leu Gly Ile Met Val Phe Ile Ala Thr Ile Val
180          185          190
Tyr Ile Met Gly Val Asn Pro Thr Ala Gln Ser Ser Gly Ser Leu Tyr
195          200          205
Gly Ser Gln Ile Tyr Ala Leu Cys Asn Gln Phe Tyr Thr Pro Ala Ala
210          215          220
Thr Gly Leu Tyr Val Asp Gln Tyr Leu Tyr His Tyr Cys Val Val Asp
225          230          235          240
Pro Gln Glu Ala Ile Ala Ile Val Leu Gly Phe Met Ile Ile Val Ala

```

				245						250					255
Phe	Ala	Leu	Ile	Ile	Phe	Phe	Ala	Val	Lys	Thr	Arg	Arg	Lys	Met	Asp
			260					265					270		
Arg	Tyr	Asp	Lys	Ser	Asn	Ile	Leu	Trp	Asp	Lys	Glu	His	Ile	Tyr	Asp
		275					280					285			
Glu	Gln	Pro	Pro	Asn	Val	Glu	Glu	Trp	Val	Lys	Asn	Val	Ser	Ala	Gly
	290					295					300				
Thr	Gln	Asp	Val	Pro	Ser	Pro	Pro	Ser	Asp	Tyr	Val	Glu	Arg	Val	Asp
305					310					315					320
Ser	Pro	Met	Ala	Tyr	Ser	Ser	Asn	Gly	Lys	Val	Asn	Asp	Lys	Arg	Phe
			325						330					335	
Tyr	Pro	Glu	Ser	Ser	Tyr	Lys	Ser	Thr	Pro	Val	Pro	Glu	Val	Val	Gln
		340						345				350			
Glu	Leu	Pro	Leu	Thr	Ser	Pro	Val	Asp	Asp	Phe	Arg	Gln	Pro	Arg	Tyr
	355						360					365			
Ser	Ser	Gly	Gly	Asn	Phe	Glu	Thr	Pro	Ser	Lys	Arg	Ala	Pro	Ala	Lys
	370					375					380				
Gly	Arg	Ala	Gly	Arg	Ser	Lys	Arg	Thr	Glu	Gln	Asp	His	Tyr	Glu	Thr
385					390					395					400
Asp	Tyr	Thr	Thr	Gly	Gly	Glu	Ser	Cys	Asp	Glu	Leu	Glu	Glu	Asp	Trp
			405						410					415	
Ile	Arg	Glu	Tyr	Pro	Pro	Ile	Thr	Ser	Asp	Gln	Gln	Arg	Gln	Leu	Tyr
		420						425					430		
Lys	Arg	Asn	Phe	Asp	Thr	Gly	Leu	Gln	Glu	Tyr	Lys	Ser	Leu	Gln	Ser
	435						440					445			
Glu	Leu	Asp	Glu	Ile	Asn	Lys	Glu	Leu	Ser	Arg	Leu	Asp	Lys	Glu	Leu
	450					455					460				
Asp	Asp	Tyr	Arg	Glu	Glu	Ser	Glu	Glu	Tyr	Met	Ala	Ala	Ala	Asp	Glu
465					470					475					480
Tyr	Asn	Arg	Leu	Lys	Gln	Val	Lys	Gly	Ser	Ala	Asp	Tyr	Lys	Ser	Lys
			485						490					495	
Lys	Asn	His	Cys	Lys	Gln	Leu	Lys	Ser	Lys	Leu	Ser	His	Ile	Lys	Lys
		500						505					510		
Met	Val	Gly	Asp	Tyr	Asp	Arg	Gln	Lys	Thr						
	515						520								

<210> 105

<211> 2985

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 15

<223> n = A,T,C or G

<400> 105

```

cccgcgtccg gattnttttg ataagtacgg gacgttattg atggtagaga atatttttat 60
agactgttgg agttggaagt cttcttgctt ggcattaagg aagagactga taaaggtaat 120
gggtgtgaac cactcttaaa gatgtaggca atgaaaaaat agcctggaga gagaacaagg 180
ccaagtgaag tttgtcattc cccacctccc cccaccctcc atcttccaaa ccaaggagaa 240
ggagccagtg gagaacaaag gagcttaagg aacattcgag taaagttcct caagattcag 300
tagtagatct taaaaatgaa atgtattagg atatattaca tatggactgt ttctataata 360
tactcttctt ttctctcttc agctttgaca tctttatata atagcatgat attttactta 420
catatatctt taaaaaatca ttctatagga gtgtccctag ttgtaacaga aactgtcgat 480
gcaggtttat ttggagaagg attggggaga gttttgattc atgcatggga gcatttactt 540
ttacagccaa agaccaaagg tgaaagtgct aattgtgaaa agtatgggaa agttatacca 600
gcaagtgtcg ttatatttgg gatggcagta gaatgtgcag agataagaag acatcataga 660

```

```

gtgggtatta aggacattgc tggatccat ttgccaacaa atgtgaaatt tcagagtccg 720
gcttattctt ctgtagatac tgaagaacaa attgaacctt atacaactga aaagatgagt 780
cgagttcctg gaggatattt ggctttgaca gagtgtcttg aaattatgac agtagatttc 840
aacaaccttc aggaattaaa aagtcttgca actaaaaagc ctgataagat tggatttcct 900
gttattaaag aaggcatact agatgtctatt atggtttggg ttgtgctcca gcttgatgat 960
gaacatagtt tatccacaag tcctagttag gaaacatgtt gggaacaggc tgtctacccc 1020
gtacaggacc ttgcagacta ctggataaaag cctggagacc atgtgatgat ggaagtatct 1080
tgtcaagact gttacttaag aatccagagt attagtgtct tgggtttgga atgtgaaatg 1140
gatgttgcaa aaagttttac ccagaataaa gacttggtat cgtaggaaa tgaggctgaa 1200
ctttgtagtg cctctgctaa ccttcagacc agtaaaccag atgctgtaga gcagacatgt 1260
atattggaat ctacagaaat tgctttgctt aacaacatcc catatcatga aggctttaaa 1320
atggcaatga gcaaagtttt gtcttcactg actccagaga aactgtatca gaccatggat 1380
actcactgtc agaattgagat gagctctgga actggacaga gtaatactgt acagaacatc 1440
cttgaacctt tctacgtgtt agatgtgtcc gaaggcttct ctgttctgcc tgttattgct 1500
ggcacacttg ggcaggttaa accatacagt tctgtggaga aagaccagca tcgtattgct 1560
ctggacctta tatctgaagc caatcacttt cctaaagaaa cacttgagtt ttggctgaga 1620
catgtggagg atgaatctgc tatgttacaaggccaaaat cagacaagtt atggagcata 1680
attatattgg atgtcattga gccatctggg ctcatcagc aggaaataat ggaaaaagct 1740
gcaatatcca ggtgtttact acaatctgga ggcaagatct ttctcagta tgtgctgatg 1800
tttgggttgc ttgtggaatc acagacactc cttagaggaga atgctgttca aggaacagaa 1860
gtactcttgg attaaatata gcacctttta ttaaccagtt tcaggtacct atacgtgtat 1920
ttttggacct atcctcattg cctgtatac ctttaagcaa gccagtggaa ctcttaagac 1980
tagatttaat gactccgtat ttgaacacct ctaacagaga agtaaaggta tacgtttgta 2040
aatctggaag actgactgct attccatatt ggtatcatat gtaccttgat gaagagatta 2100
ggttggtac ttcaagtga gctcccact ggaaacaagc tgcagttgtt ttagataatc 2160
ccatccaggt tgaattggga gaggaacttg tactcagcat tcagcatcac aaaagcaatg 2220
tcagcatcac agtaaaagcaa tgaagagcag ttttccaatg aaaactgtgt aaatagagca 2280
tcaacaagta caaaattctt gtcttaatta gtgggggtat ataaaaattc cttgtaatgg 2340
tcaaatattt tttaaaattg acattaataa agcatatttt aaaagattct aaaaaaaaaa 2400
aaaamgsayk mkkkrkmgamw ymctgctgca gatttgcttt ctggaaaagg atacatcact 2460
agtttttttaa attaggaaac ttcttttgct cgattttaca gaatagggat tttaaaagtc 2520
ttatcggttat tgacatgtgt aagtaaagca aaactttact ttgtaggca tcttggcctt 2580
ttttcttaaa tccaaacttg taattgggaa acactgaaag gcttccactg aagactgagg 2640
gttatggtta cctgtaaatt ccaatcttgc ttcttttaaa tactcagtgt acatctgaaa 2700
catctcaggt tttgttttga gaatgcaagc ttgaaaaaga atttaagcta taagctaaat 2760
gtaattaaaaa cagtaaaagga gttagggaaat aaatcttcag gaggcagcat ttttcttggt 2820
ctactttggc aaaagaacat ttaaaagctg gtaacaaaac aaagttaaat tgaaggaaga 2880
cttaatccta tactattttt caaagttttg atttggatgt acaataagta cattaattga 2940
tccattttta caaacctttt gaataaggag atcataatat gcctc 2985

```

<210> 106

<211> 519

<212> PRT

<213> Homo sapiens

<400> 106

```

Met Lys Cys Ile Arg Ile Tyr Tyr Ile Trp Thr Val Ser Ile Ile Tyr
 1             5             10            15
Ser Ser Phe Leu Leu Ser Ala Leu Thr Ser Leu Tyr Asn Ser Met Ile
      20             25            30
Phe Tyr Leu His Ile Ser Leu Lys Asn His Ser Ile Gly Val Ser Leu
      35             40            45
Val Val Thr Glu Thr Val Asp Ala Gly Leu Phe Gly Glu Gly Leu Gly
      50             55            60
Arg Val Leu Ile His Ala Trp Glu His Leu Leu Leu Gln Pro Lys Thr
      65             70            75            80
Lys Gly Glu Ser Ala Asn Cys Glu Lys Tyr Gly Lys Val Ile Pro Ala
      85             90            95
Ser Ala Val Ile Phe Gly Met Ala Val Glu Cys Ala Glu Ile Arg Arg

```

			100					105					110			
His	His	Arg	Val	Gly	Ile	Lys	Asp	Ile	Ala	Gly	Ile	His	Leu	Pro	Thr	
		115					120					125				
Asn	Val	Lys	Phe	Gln	Ser	Pro	Ala	Tyr	Ser	Ser	Val	Asp	Thr	Glu	Glu	
	130					135					140					
Thr	Ile	Glu	Pro	Tyr	Thr	Thr	Glu	Lys	Met	Ser	Arg	Val	Pro	Gly	Gly	
145					150					155					160	
Tyr	Leu	Ala	Leu	Thr	Glu	Cys	Phe	Glu	Ile	Met	Thr	Val	Asp	Phe	Asn	
				165					170					175		
Asn	Leu	Gln	Glu	Leu	Lys	Ser	Leu	Ala	Thr	Lys	Lys	Pro	Asp	Lys	Ile	
			180					185					190			
Gly	Ile	Pro	Val	Ile	Lys	Glu	Gly	Ile	Leu	Asp	Ala	Ile	Met	Val	Trp	
		195					200					205				
Phe	Val	Leu	Gln	Leu	Asp	Asp	Glu	His	Ser	Leu	Ser	Thr	Ser	Pro	Ser	
	210					215					220					
Glu	Glu	Thr	Cys	Trp	Glu	Gln	Ala	Val	Tyr	Pro	Val	Gln	Asp	Leu	Ala	
225					230					235					240	
Asp	Tyr	Trp	Ile	Lys	Pro	Gly	Asp	His	Val	Met	Met	Glu	Val	Ser	Cys	
				245					250					255		
Gln	Asp	Cys	Tyr	Leu	Arg	Ile	Gln	Ser	Ile	Ser	Val	Leu	Gly	Leu	Glu	
			260					265					270			
Cys	Glu	Met	Asp	Val	Ala	Lys	Ser	Phe	Thr	Gln	Asn	Lys	Asp	Leu	Leu	
		275					280					285				
Ser	Leu	Gly	Asn	Glu	Ala	Glu	Leu	Cys	Ser	Ala	Leu	Ala	Asn	Leu	Gln	
	290					295					300					
Thr	Ser	Lys	Pro	Asp	Ala	Val	Glu	Gln	Thr	Cys	Ile	Leu	Glu	Ser	Thr	
305					310					315					320	
Glu	Ile	Ala	Leu	Leu	Asn	Asn	Ile	Pro	Tyr	His	Glu	Gly	Phe	Lys	Met	
				325					330					335		
Ala	Met	Ser	Lys	Val	Leu	Ser	Ser	Leu	Thr	Pro	Glu	Lys	Leu	Tyr	Gln	
			340					345					350			
Thr	Met	Asp	Thr	His	Cys	Gln	Asn	Glu	Met	Ser	Ser	Gly	Thr	Gly	Gln	
		355					360					365				
Ser	Asn	Thr	Val	Gln	Asn	Ile	Leu	Glu	Pro	Phe	Tyr	Val	Leu	Asp	Val	
	370					375					380					
Ser	Glu	Gly	Phe	Ser	Val	Leu	Pro	Val	Ile	Ala	Gly	Thr	Leu	Gly	Gln	
385					390					395					400	
Val	Lys	Pro	Tyr	Ser	Ser	Val	Glu	Lys	Asp	Gln	His	Arg	Ile	Ala	Leu	
				405					410					415		
Asp	Leu	Ile	Ser	Glu	Ala	Asn	His	Phe	Pro	Lys	Glu	Thr	Leu	Glu	Phe	
			420					425					430			
Trp	Leu	Arg	His	Val	Glu	Asp	Glu	Ser	Ala	Met	Leu	Gln	Arg	Pro	Lys	
		435					440									

<210> 107

<211> 2467

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467

<223> n = A,T,C or G

<400> 107

```

cgaccacgcg tccgcccgcg gcggccgagc tgcagcccgg gctcagtctc cgccgcgcgc 60
gtgaacatgg agcccccgga cgcaccggcc caggcgcgcg gggccccgcg gctgctgttg 120
ctcgcagtcg tgctggcggc gcaccagat gccaggcgcg aggtgcgctt gtctgtaccc 180
ccgctggtgg aggtgatgcg aggaaagtct gtcattctgg actgcacccc tacgggaacc 240
cacgaccatt atatgctgga atggttcctt accgaccgct cgggagctcg cccccgccta 300
gcctcggtcg agatgcaggg ctctgagctc caggtcacaa tgcacgacac ccggggccgc 360
agtcccccat accagctgga ctcccagggg cgctggtgct tggctgaggc ccagggtggc 420
gacgagcgag actacgtgtg cgtggtgagg gcaggggcgg caggcactgc tgaggccact 480
gcgcggtcga accgtgtttgc aaagccagag gccactgagg tctccccaa caaagggaca 540
ctgtctgtga tggaggactc tgcccaggag atcgccacct gcaacagccg gaacgggaac 600
ccggccccca agatcacgtg gtatcgcaac gggcagcgcc tggaggtgcc cgtagagatg 660
aaccagagg gctacatgac cagccgcacg gtccgggagg cctcgggcct gctctccctc 720
accagcacc tctacctgcg gctccgcaag gatgaccgag acgccagctt ccaactgcgc 780
gccactaca gcctgcccga gggccgccac ggccgcctgg acagccccac cttccacctc 840
accctgcact atcccacgga gcacgtgcag ttctgggtgg gcagcccgtc cccccagca 900
ggctgggtac gcgagggtga cactgtccag ctgctctgcc ggggggacgg cagccccagc 960
ccggagtata cgcttttccg ccttcaggat gagcaggagg aagtgtgaa tgtgaatctc 1020
gaggggaact tgaccctgga gggagtgacc cggggccaga gcgggacctg tggctgcaga 1080
gtggaggatt acgacgcggc agatgacgtg cagctctcca agacgtgga gctgcgcgtg 1140
gcctatctgg accccctgga gctcagcgag gggaagggtc tttccttacc tctaaacagc 1200
agtgcagtcg tgaactgctc cgtgcacggc ctgcccaccc ctgccctacg ctggaccaag 1260
gactccactc ccttgggcga tggccccatg ctgtcgtca gttctatcac cttcgattcc 1320
aatggcact acgtatgtga ggctccctg cccacagtcc cggctcctcag ccgcacccag 1380
aacttcacgc tgctggtcca aggtctgcca gagctaaaga cagcggaat agagcccaag 1440
gcagatggca gctggaggga aggagacgaa gtcacactca tctgctctgc ccgcgccat 1500
ccagacccca aactcagctg gagccaattg gggggcagcc ccgcagagcc aatccccgga 1560
cggcagggtt ggggtgagcag ctctctgacc ctgaaagtga ccagcgccct gagccgcgat 1620
ggcatctcct gtgaagcctc caacccccac gggaacaagc gccatgtctt ccacttcggc 1680
gccgtgagcc cccagacctc ccaggctgga gtggccgtca tggccgtggc cgtcagcgtg 1740
ggcctcctgc tctcgtcgtg tgctgtcttc tactcgtga gacgcaaagg gggcccctgc 1800
tgccgccagc ggcgggagaa gggggtcccg ccgccagggg agccagggct gagecactcg 1860
gggtcggagc aaccagagca gaccggcctt ctcatgggag gtgcctccgg aggagccagg 1920
ggtggcagcg ggggcttcgg agacgagtgc tgagccaaga acctcctaga ggtgtccct 1980
ggacctggag ctgcaggcat cagagaacca gccctgtca cgccatgcc gccccgcct 2040
tccctcttcc ctcttccctc tccctgcca gccctccctt ccttcctctg ccggcaaggc 2100
agggacccac agtggctgcc tgctccggg aggggaaggag agggaggggtg ggtgggtggg 2160
agggggcctt cctccaggga atgtgactct ccaggcccc agaatagctc ctggacccaa 2220
gcccaaggcc cagcctggga caaggctccg agggctcggt ggccggagct atttttacct 2280
cccgcctccc ctgctgttcc cccacctga cgtcttgcgt cagagtctga cactggattc 2340
ccccccctca cccgcccctt ggtcccactc ctgccccgc cctacctccg cccacccca 2400
tcatctgtgg aactggagt ctggaataaa tgctgtttgt cacatcaaca cennnnnnnn 2460
nnnnnnnn
2467

```

<210> 108

<211> 628

<212> PRT

<213> Homo sapiens

<400> 108

```

Met Glu Pro Pro Asp Ala Pro Ala Gln Ala Arg Gly Ala Pro Arg Leu
1           5           10           15

```

Leu Leu Leu Ala Val Leu Leu Ala Ala His Pro Asp Ala Gln Ala Glu
 20 25 30
 Val Arg Leu Ser Val Pro Pro Leu Val Glu Val Met Arg Gly Lys Ser
 35 40 45
 Val Ile Leu Asp Cys Thr Pro Thr Gly Thr His Asp His Tyr Met Leu
 50 55 60
 Glu Trp Phe Leu Thr Asp Arg Ser Gly Ala Arg Pro Arg Leu Ala Ser
 65 70 75 80
 Ala Glu Met Gln Gly Ser Glu Leu Gln Val Thr Met His Asp Thr Arg
 85 90 95
 Gly Arg Ser Pro Pro Tyr Gln Leu Asp Ser Gln Gly Arg Leu Val Leu
 100 105 110
 Ala Glu Ala Gln Val Gly Asp Glu Arg Asp Tyr Val Cys Val Val Arg
 115 120 125
 Ala Gly Ala Ala Gly Thr Ala Glu Ala Thr Ala Arg Leu Asn Val Phe
 130 135 140
 Ala Lys Pro Glu Ala Thr Glu Val Ser Pro Asn Lys Gly Thr Leu Ser
 145 150 155 160
 Val Met Glu Asp Ser Ala Gln Glu Ile Ala Thr Cys Asn Ser Arg Asn
 165 170 175
 Gly Asn Pro Ala Pro Lys Ile Thr Trp Tyr Arg Asn Gly Gln Arg Leu
 180 185 190
 Glu Val Pro Val Glu Met Asn Pro Glu Gly Tyr Met Thr Ser Arg Thr
 195 200 205
 Val Arg Glu Ala Ser Gly Leu Ser Leu Thr Ser Thr Leu Tyr Leu
 210 215 220
 Arg Leu Arg Lys Asp Asp Arg Asp Ala Ser Phe His Cys Ala Ala His
 225 230 235 240
 Tyr Ser Leu Pro Glu Gly Arg His Gly Arg Leu Asp Ser Pro Thr Phe
 245 250 255
 His Leu Thr Leu His Tyr Pro Thr Glu His Val Gln Phe Trp Val Gly
 260 265 270
 Ser Pro Ser Thr Pro Ala Gly Trp Val Arg Glu Gly Asp Thr Val Gln
 275 280 285
 Leu Leu Cys Arg Gly Asp Gly Ser Pro Ser Pro Glu Tyr Thr Leu Phe
 290 295 300
 Arg Leu Gln Asp Glu Gln Glu Glu Val Leu Asn Val Asn Leu Glu Gly
 305 310 315 320
 Asn Leu Thr Leu Glu Gly Val Thr Arg Gly Gln Ser Gly Thr Tyr Gly
 325 330 335
 Cys Arg Val Glu Asp Tyr Asp Ala Ala Asp Asp Val Gln Leu Ser Lys
 340 345 350
 Thr Leu Glu Leu Arg Val Ala Tyr Leu Asp Pro Leu Glu Leu Ser Glu
 355 360 365
 Gly Lys Val Leu Ser Leu Pro Leu Asn Ser Ser Ala Val Val Asn Cys
 370 375 380
 Ser Val His Gly Leu Pro Thr Pro Ala Leu Arg Trp Thr Lys Asp Ser
 385 390 395 400
 Thr Pro Leu Gly Asp Gly Pro Met Leu Ser Leu Ser Ser Ile Thr Phe
 405 410 415
 Asp Ser Asn Gly Thr Tyr Val Cys Glu Ala Ser Leu Pro Thr Val Pro
 420 425 430
 Val Leu Ser Arg Thr Gln Asn Phe Thr Leu Leu Val Gln Gly Ser Pro
 435 440 445
 Glu Leu Lys Thr Ala Glu Ile Glu Pro Lys Ala Asp Gly Ser Trp Arg
 450 455 460
 Glu Gly Asp Glu Val Thr Leu Ile Cys Ser Ala Arg Gly His Pro Asp
 465 470 475 480
 Pro Lys Leu Ser Trp Ser Gln Leu Gly Gly Ser Pro Ala Glu Pro Ile


```
<210> 109
<211> 3825
<212> DNA
<213> Homo sapiens
```

<400> 109

ccaagttcta	cctcatgttt	ggaggatctt	gctagctatg	gccctcgta	tcggctccct	60
gttgctgctg	gggctgtgcg	ggaactcctt	ttcaggaggg	cagccttcac	ccacagatgc	120
tcctaaggct	tggaattatg	aattgcctgc	aacaaattat	gagacccaag	actcccataa	180
agctggaccc	attggcattc	tctttgaact	agtgcataac	tttctctatg	tggtacagcc	240
gcgtgatttc	ccagaagata	ctttgagaaa	attcttacag	aaggcatatg	aatccaaaat	300
tgattatgac	aagccagaaa	ctgtaatctt	aggtctaaag	attgtctact	atgaagcagg	360
gattatttcta	tgctgtgtcc	tggggctgct	gtttattatt	ctgatgcctc	tggtggggta	420
ttctttttgt	atgtgtcgtt	gctgtaaaca	atgtggtgga	gaaatgcacc	agcgacagaa	480
ggaaaatggg	ccctctctga	ggaaatgctt	tgcaatctcc	ctgttggtga	ttgtataaat	540
aataagcatt	ggcatcttct	atggttttgt	ggcaaatcac	caggtaaaga	cccggataca	600
aaggagtcgg	aaactggcag	atagcaattt	caaggacttg	cgaactctct	tgaatgaaac	660
tccagagcaa	atcaaatata	tattggccca	gtacaacact	accaaggaca	aggcgttcac	720
agatctgaac	agtatcaatt	cagtgtctagg	aggcgggaatt	cttgaccgac	tgagacccaa	780
catcatccct	gttcttgatg	agattaagtc	catggcaaca	gcgatcaagg	agaccaaaga	840
ggcgttgagg	aacatgaaca	gcacctgaa	gagcttgcac	caacaaagta	cacagcttag	900
cagcagtcctg	accagcgtga	aaactagcct	gcggtcatct	ctcaatgacc	ctctgtgctt	960
ggtgcatacca	tcaagtgaaa	cctgcaacag	catcagattg	tctctaagcc	agctgaatat	1020
caacctctgaa	ctgaggcagc	ttccaccctg	ggatgcagaa	cttgacaacg	ttaataacgt	1080
tcttaggaca	gatttggatg	gcctggtcca	acagggtcat	caatccctta	atgatatacc	1140
tgacagagta	caacgcgcaa	ccacgactga	cgtagcaggt	atcaaaaggg	tcttgaattc	1200
cattggttca	gatatcgaca	atgtaactca	gcgtcttcct	attcaggata	tactctcagc	1260
attctctgtt	tatgttaata	acactgaaag	ttacatccac	agaaatttac	ctacattgga	1320
agagtatgat	tcatactggg	ggctgggtgg	cctggtcatc	tgtctctctg	tgaccctcat	1380
cgtgattttt	tactacctgg	gcttactgtg	tggcgtgtgc	ggctatgaca	ggcatgccac	1440
cccgaccacc	cgaggctgtg	tctccaacac	cggaggcgtc	ttcctcatgg	ttggagttgg	1500
attaagtttc	ctcttttgct	ggatattgat	gatcattgtg	gttcttacct	ttgtctttgg	1560
tgcaaatgtg	gaaaaactga	tctgtgaacc	ttacacgagc	aaggaattat	tccgggtttt	1620
ggatacacccc	tacttactaa	atgaagactg	ggaatactat	ctctctggga	agctatttaa	1680
taaatcaaaa	atgaagctca	cttttgaaca	agtttactag	gactgcaaaa	aaaatatagg	1740
cacttacggc	actcttcacc	tgcagaacag	cttcaatata	agtgaaacat	tcaacattaa	1800
tgagcatact	ggaagcataa	gcagtgaatt	ggaaagtctg	aaggtaaata	ttaatatctt	1860
tctgttgggt	gcagcaggaa	gaaaaaacct	tcaggatttt	gctgcttgtg	gaatagacag	1920

```

aatgaattat gacagctact tggctcagac tggtaaattcc cccgcaggag tgaatctttt 1980
atcattttgca tatgatctag aagcaaaagc aaacagtttg cccccaggaa atttgaggaa 2040
ctcccgtaaa agagatgcac aaactattaa aacaattcac cagcaacgag tccttcctat 2100
agaacaatca ctgagcactc tataccaaag cgtaagata cttcaacgca cagggaaatgg 2160
attgttggag agagtaacta ggattctagc ttctctggat tttgctcaga acttcatcac 2220
aaacaatact tcctctgtta ttattgagga aactaagaag tatgggagaa caataatagg 2280
atattttgaa cattatctgc agtggatcga gttctctatc agtgagaaaag tggcatcggt 2340
caaacctgtg gccaccgctc tagatactgc tgttgatgtc tttctgtgta gctacattat 2400
cgaccccttg aatttgtttt ggtttggcat agggaaaagct actgtatttt tacttccggc 2460
tctaattttt gcggtaaaaac tggctaagta ctatcgctga atggattcgg aggacgtgta 2520
cgatgatgtt gaaactatac ccatgaaaaa tatggaaaat ggtaataatg gttatcataa 2580
agatcatgta tatgggtattc acaatcctgt tatgacaagc ccatcacaac attgatagct 2640
gatgttgaia ctgcttgagc atcaggatac tcaaagtggg aaggatcaca gatttttggg 2700
agtttctggg tctacaagga ctttccaaat ccaggagcaa cgccagtggc aacgtagtga 2760
ctcaggcggg caccaaggca acggcaccat tggctctctg gtagtgcttt aagaatgaac 2820
acaatcacgt tatagtccat ggtccatcac tattcaagga tgactccctc ccttcctgtc 2880
tatttttggg ttttactttt ttactactgag tttctattta gacactacaa catatggggg 2940
gtttgttccc attggatgca tttctatcaa aactctatca aatgtgatgg ctagattcta 3000
acatattgcc atgtgtggag tgtgctgaac acacaccagt ttacaggaaa gatgcatttt 3060
gtgtacagta aacgggtgat ataccttttg ttaccacaga gtttttttaa caaatgagta 3120
ttataggact ttcttctaaa tgagctaaat aagtcaccat tgacttcttg gtgctgttga 3180
aaataatcca ttttactaaa aagtgtgtga aacctacagc atattcttca cgcagagatt 3240
ttcatctatt atactttatc aaagattggc catgttccac ttggaaatgg catgcaaaag 3300
ccatcataga gaaacctgag taactccatc tgacaaaattc aaaagagaga gagagatctt 3360
gagagagaaa tgctgtycgt tccaaaagtg gagttgtttt taaaccagat gcccaattac 3420
gggtgtaccg ttaaccaga gttttcctgt tgccattagg ataaacatta attggagtgc 3480
cagcctaaca tgagtatcca tccagacctt gtatcaagtg ttcctaaaat gaaatatgag 3540
aagatccctg tcacaattcc ttagatctgg tgtcccagca tggatgaaac ctttgagttt 3600
gggtccctaaa tttgcatgaa agcacaaggt aaatatcatc ttgcttcagg agtttcatgt 3660
tggatctgtc attatcaaaa gtgatcagca atgaagaact ggtcggacaa aatttaacgt 3720
tgatgtaatg raattccaga tgtaggcatt cccccagggt cttttcatgt gcagattgca 3780
gttctgattc atttgaataa aaaggaactt ggaaaacaaa aaaaa 3825

```

<210> 110

<211> 865

<212> PRT

<213> Homo sapiens

<400> 110

```

Met Ala Leu Val Leu Gly Ser Leu Leu Leu Leu Gly Leu Cys Gly Asn
  1             5             10             15
Ser Phe Ser Gly Gly Gln Pro Ser Ser Thr Asp Ala Pro Lys Ala Trp
  20             25             30
Asn Tyr Glu Leu Pro Ala Thr Asn Tyr Glu Thr Gln Asp Ser His Lys
  35             40             45
Ala Gly Pro Ile Gly Ile Leu Phe Glu Leu Val His Ile Phe Leu Tyr
  50             55             60
Val Val Gln Pro Arg Asp Phe Pro Glu Asp Thr Leu Arg Lys Phe Leu
  65             70             75             80
Gln Lys Ala Tyr Glu Ser Lys Ile Asp Tyr Asp Lys Pro Glu Thr Val
  85             90             95
Ile Leu Gly Leu Lys Ile Val Tyr Tyr Glu Ala Gly Ile Ile Leu Cys
 100            105            110
Cys Val Leu Gly Leu Leu Phe Ile Ile Leu Met Pro Leu Val Gly Tyr
 115            120            125
Phe Phe Cys Met Cys Arg Cys Cys Asn Lys Cys Gly Gly Glu Met His
 130            135            140
Gln Arg Gln Lys Glu Asn Gly Pro Phe Leu Arg Lys Cys Phe Ala Ile
 145            150            155            160

```

Ser Leu Leu Val Ile Cys Ile Ile Ile Ser Ile Gly Ile Phe Tyr Gly
 165 170 175
 Phe Val Ala Asn His Gln Val Arg Thr Arg Ile Lys Arg Ser Arg Lys
 180 185 190
 Leu Ala Asp Ser Asn Phe Lys Asp Leu Arg Thr Leu Leu Asn Glu Thr
 195 200 205
 Pro Glu Gln Ile Lys Tyr Ile Leu Ala Gln Tyr Asn Thr Thr Lys Asp
 210 215 220
 Lys Ala Phe Thr Asp Leu Asn Ser Ile Asn Ser Val Leu Gly Gly Gly
 225 230 235 240
 Ile Leu Asp Arg Leu Arg Pro Asn Ile Ile Pro Val Leu Asp Glu Ile
 245 250 255
 Lys Ser Met Ala Thr Ala Ile Lys Glu Thr Lys Glu Ala Leu Glu Asn
 260 265 270
 Met Asn Ser Thr Leu Lys Ser Leu His Gln Gln Ser Thr Gln Leu Ser
 275 280 285
 Ser Ser Leu Thr Ser Val Lys Thr Ser Leu Arg Ser Ser Leu Asn Asp
 290 295 300
 Pro Leu Cys Leu Val His Pro Ser Ser Glu Thr Cys Asn Ser Ile Arg
 305 310 315 320
 Leu Ser Leu Ser Gln Leu Asn Ser Asn Pro Glu Leu Arg Gln Leu Pro
 325 330 335
 Pro Val Asp Ala Glu Leu Asp Asn Val Asn Asn Val Leu Arg Thr Asp
 340 345 350
 Leu Asp Gly Leu Val Gln Gln Gly Tyr Gln Ser Leu Asn Asp Ile Pro
 355 360 365
 Asp Arg Val Gln Arg Gln Thr Thr Thr Val Val Ala Gly Ile Lys Arg
 370 375 380
 Val Leu Asn Ser Ile Gly Ser Asp Ile Asp Asn Val Thr Gln Arg Leu
 385 390 395 400
 Pro Ile Gln Asp Ile Leu Ser Ala Phe Ser Val Tyr Val Asn Asn Thr
 405 410 415
 Glu Ser Tyr Ile His Arg Asn Leu Pro Thr Leu Glu Glu Tyr Asp Ser
 420 425 430
 Tyr Trp Trp Leu Gly Gly Leu Val Ile Cys Ser Leu Leu Thr Leu Ile
 435 440 445
 Val Ile Phe Tyr Tyr Leu Gly Leu Leu Cys Gly Val Cys Gly Tyr Asp
 450 455 460
 Arg His Ala Thr Pro Thr Thr Arg Gly Cys Val Ser Asn Thr Gly Gly
 465 470 475 480
 Val Phe Leu Met Val Gly Val Gly Leu Ser Phe Leu Phe Cys Trp Ile
 485 490 495
 Leu Met Ile Ile Val Val Leu Thr Phe Val Phe Gly Ala Asn Val Glu
 500 505 510
 Lys Leu Ile Cys Glu Pro Tyr Thr Ser Lys Glu Leu Phe Arg Val Leu
 515 520 525
 Asp Thr Pro Tyr Leu Leu Asn Glu Asp Trp Glu Tyr Tyr Leu Ser Gly
 530 535 540
 Lys Leu Phe Asn Lys Ser Lys Met Lys Leu Thr Phe Glu Gln Val Tyr
 545 550 555 560
 Ser Asp Cys Lys Lys Asn Arg Gly Thr Tyr Gly Thr Leu His Leu Gln
 565 570 575
 Asn Ser Phe Asn Ile Ser Glu His Leu Asn Ile Asn Glu His Thr Gly
 580 585 590
 Ser Ile Ser Ser Glu Leu Glu Ser Leu Lys Val Asn Leu Asn Ile Phe
 595 600 605
 Leu Leu Gly Ala Ala Gly Arg Lys Asn Leu Gln Asp Phe Ala Ala Cys
 610 615 620
 Gly Ile Asp Arg Met Asn Tyr Asp Ser Tyr Leu Ala Gln Thr Gly Lys

625 630 635 640
 Ser Pro Ala Gly Val Asn Leu Leu Ser Phe Ala Tyr Asp Leu Glu Ala
 645 650 655
 Lys Ala Asn Ser Leu Pro Pro Gly Asn Leu Arg Asn Ser Leu Lys Arg
 660 665 670
 Asp Ala Gln Thr Ile Lys Thr Ile His Gln Gln Arg Val Leu Pro Ile
 675 680 685
 Glu Gln Ser Leu Ser Thr Leu Tyr Gln Ser Val Lys Ile Leu Gln Arg
 690 695 700
 Thr Gly Asn Gly Leu Leu Glu Arg Val Thr Arg Ile Leu Ala Ser Leu
 705 710 715 720
 Asp Phe Ala Gln Asn Phe Ile Thr Asn Asn Thr Ser Ser Val Ile Ile
 725 730 735
 Glu Glu Thr Lys Lys Tyr Gly Arg Thr Ile Ile Gly Tyr Phe Glu His
 740 745 750
 Tyr Leu Gln Trp Ile Glu Phe Ser Ile Ser Glu Lys Val Ala Ser Cys
 755 760 765
 Lys Pro Val Ala Thr Ala Leu Asp Thr Ala Val Asp Val Phe Leu Cys
 770 775 780
 Ser Tyr Ile Ile Asp Pro Leu Asn Leu Phe Trp Phe Gly Ile Gly Lys
 785 790 795 800
 Ala Thr Val Phe Leu Leu Pro Ala Leu Ile Phe Ala Val Lys Leu Ala
 805 810 815
 Lys Tyr Tyr Arg Arg Met Asp Ser Glu Asp Val Tyr Asp Asp Val Glu
 820 825 830
 Thr Ile Pro Met Lys Asn Met Glu Asn Gly Asn Asn Gly Tyr His Lys
 835 840 845
 Asp His Val Tyr Gly Ile His Asn Pro Val Met Thr Ser Pro Ser Gln
 850 855 860
 His
 865

<210> 111
 <211> 673
 <212> DNA
 <213> Homo sapiens

<400> 111
 ttgaattcgc caaggctggg tttccctcat gtatggcaag agctctactc gtgcggtgct 60
 tcttctcctt ggcatacagc tcacagctct ttggcctata gcagctgtgg aaatttatac 120
 ctcccgggtg ctggaggctg ttaatgggac agatgctcgg ttaaaatgca ctttctccag 180
 ctttgcccct gtgggtgatg ctctaacagt gacctggaat tttcgctctc tagacggggg 240
 acctgagcag tttgtattct actaccacat agatcccttc caacccatga gtgggcgggt 300
 taaggaccgg gtgtcttggg atgggaatcc tgagcggtag gatgcctcca tccttctctg 360
 gaaactgcag ttcgacgaca atgggacata cacctgccag gtgaagaacc cacctgatgt 420
 tgatgggggtg ataggggaga tccggctcag cgtcgtgcac actgtacgct tctctgagat 480
 ccacttcctg gctctggcca ttggctctgc ctgtgcactg atgatacata tagtaattgt 540
 agtggtcctc ttccagcatt accggaaaaa gcgatgggcc gaaagagctc ataaagtgg 600
 ggagataaaa tcaaaagaag aggaaaggct caaccaagag aaaaagggtc ctgtttatit 660
 agaagacaca gac 673

<210> 112
 <211> 215
 <212> PRT
 <213> Homo sapiens

<400> 112
 Met Tyr Gly Lys Ser Ser Thr Arg Ala Val Leu Leu Leu Leu Gly Ile

1			5					10				15				
Gln	Leu	Thr	Ala	Leu	Trp	Pro	Ile	Ala	Ala	Val	Glu	Ile	Tyr	Thr	Ser	
			20					25					30			
Arg	Val	Leu	Glu	Ala	Val	Asn	Gly	Thr	Asp	Ala	Arg	Leu	Lys	Cys	Thr	
			35				40						45			
Phe	Ser	Ser	Phe	Ala	Pro	Val	Gly	Asp	Ala	Leu	Thr	Val	Thr	Trp	Asn	
			50			55					60					
Phe	Arg	Pro	Leu	Asp	Gly	Gly	Pro	Glu	Gln	Phe	Val	Phe	Tyr	Tyr	His	
65					70					75				80		
Ile	Asp	Pro	Phe	Gln	Pro	Met	Ser	Gly	Arg	Phe	Lys	Asp	Arg	Val	Ser	
			85					90					95			
Trp	Asp	Gly	Asn	Pro	Glu	Arg	Tyr	Asp	Ala	Ser	Ile	Leu	Leu	Trp	Lys	
			100					105					110			
Leu	Gln	Phe	Asp	Asp	Asn	Gly	Thr	Tyr	Thr	Cys	Gln	Val	Lys	Asn	Pro	
			115				120				125					
Pro	Asp	Val	Asp	Gly	Val	Ile	Gly	Glu	Ile	Arg	Leu	Ser	Val	Val	His	
			130			135					140					
Thr	Val	Arg	Phe	Ser	Glu	Ile	His	Phe	Leu	Ala	Leu	Ala	Ile	Gly	Ser	
145					150					155				160		
Ala	Cys	Ala	Leu	Met	Ile	Ile	Ile	Val	Ile	Val	Val	Val	Leu	Phe	Gln	
			165					170					175			
His	Tyr	Arg	Lys	Lys	Arg	Trp	Ala	Glu	Arg	Ala	His	Lys	Val	Val	Glu	
			180					185					190			
Ile	Lys	Ser	Lys	Glu	Glu	Glu	Arg	Leu	Asn	Gln	Glu	Lys	Lys	Val	Ser	
			195				200					205				
Val	Tyr	Leu	Glu	Asp	Thr	Asp										
			210			215										

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
3 January 2003 (03.01.2003)

PCT

(10) International Publication Number
WO 03/000012 A3

(51) International Patent Classification⁷: **C12Q 1/68**,
G01N 33/48

(21) International Application Number: PCT/US02/19773

(22) International Filing Date: 21 June 2002 (21.06.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/300,159 21 June 2001 (21.06.2001) US
60/301,351 27 June 2001 (27.06.2001) US

(71) Applicant (*for all designated States except US*): **MIL-LENNIUM PHARMACEUTICALS, INC.** [US/US]; 75 Sidney Street, Cambridge, MA 02139 (US).

(72) Inventor; and

(75) Inventor/Applicant (*for US only*): **VEIBY, Ole, Petter** [NO/US]; 16 Nipmuck Drive, Westborough, MA 01581 (US).

(74) Agents: **SMITH, DeAnn, F.**; Lahive & Cockfield, LLP, 28 State Street, Boston, MA 02109 et al. (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

(88) Date of publication of the international search report:
27 March 2003

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: COMPOSITIONS, KITS, AND METHODS FOR IDENTIFICATION, ASSESSMENT, PREVENTION, AND THERAPY OF BREAST AND OVARIAN CANCER

(57) Abstract: The invention relates to newly discovered nucleic acid molecules and proteins associated with breast or ovarian cancer. Compositions, kits, and methods for detecting, characterizing, preventing, and treating human breast or ovarian cancers are provided.



WO 03/000012 A3

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/19773

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : C12Q 1/68; G01N 33/48

US CL : 435/6; 436/94

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 435/6; 436/94

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
WEST, STN, seladin\$, breast, cancer, Compugen, SEQ ID NO: 1 only.

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 1 002 862 A1 (NITSCH) 24 May 2000 (24.05.2000), Figure 14.	1

☐ Further documents are listed in the continuation of Box C.

☐ See patent family annex.

* Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

28 September 2002 (28.09.2002)

Date of mailing of the international search report

30 DEC 2002

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

Valerie Bell-Harris for
James Martinell

Telephone No. (703) 308-0196

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/19773

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claim Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claim Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claim Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:
Please See Continuation Sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1

Remark on Protest

☐
☐

The additional search fees were accompanied by the applicant's protest.

No protest accompanied the payment of additional search fees.

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

Group I, claim(s) 1-5, drawn to methods of nucleic acid analysis, vectors, and host cells.

Group II, claim(s) 6 and 8, drawn to polypeptides.

Group III, claim(s) 7 and 9, drawn to antibodies.

The inventions listed as Groups I-III do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons.

The nucleic acids, vectors, and host cells of Group I are materially different from the polypeptides and antibodies of Groups II and III and the methods of Group I may be practiced without the use of the polypeptides of Group II or the antibodies of Group III. The polypeptides of Group II are materially different from the antibodies of Group III.

Each of the Groups mentions 18 separate and unrelated nucleic acids and/or polypeptides. No matter which Group applicant elects, applicant is further required to select for search one SEQ ID NO within the group for search. Any additional SEQ ID NOs to be searched requires one additional search fee per SEQ ID NO. Should applicant elect a Group and not select a SEQ ID NO for search, the first mentioned SEQ ID NO within the elected Group will be searched.